



Mobility

Maintenance, Bodywork,
Tyres, Rims and Heavy Duty

 novatio

We make making things better

Made for makers

Our challenge? Making your life easier.

MAINTENANCE

A perfectly maintained machine or vehicle will perform more efficiently and is less likely to cause an expensive breakdown.

Novatio supplies cleaners as well as lubricants and protective coatings for all applications.

BREAKDOWN

Every work stoppage costs money. With the Novatio approach, you can fix various breakdowns yourself, possibly while waiting for a replacement part. So you can get back to work quickly.

REPARATION

In the workhouse or workshop, the best products help to repair minor or major defects as well and as quickly as possible.


Additives

Page 4




Cleaners & Degreasers

Page 8



Lubricants

Page 12



Adhesives and sealants

Page 18



Electrical connectors

Page 26



Surface Protection & Treatment

Page 28



Tapes

Page 34



Tools

Page 38



Additives



Packages

741002000 - Novafuel Powerklean RFU - Bottle 250ml
741050000 - Novafuel Powerklean RFU - Can 5l
741092000 - Novafuel Powerklean RFU - Drum 25l
741098000 - Novafuel Powerklean RFU - Barrel 200L

NOVAFUEL POWERKLEEN RFU

UNIVERSAL, POWERFUL READY-FOR-USE FUEL CLEANER. FOR DIESEL, PETROL AND HYBRID ENGINES

- ▶ Filling agent for fuel filters
- ▶ Safe cleaning of the entire fuel circuit: tank, pipes, pump, injectors, common-rail systems, ...
- ▶ Removes non-evaporating fuel residues, water and sulphur deposits
- ▶ Contains lubricating and anti-wear additives



Packages

740301000 - Novafuel DPF Care - Can 500ml

NOVAFUEL DPF CARE

CLEANS AND PROTECTS THE DPF FILTER

- ▶ Improves the functioning of the DPF, turbocharger and catalytic converter.
- ▶ Promotes regeneration in the soot filter at low temperatures of +400°C.
- ▶ The engine runs more smoothly: less vibration, wear and noise.



Packages

742303000 - Novastop Oil - Bottle 250ml

NOVASTOP OIL

PREVENTS AND SEALS OIL LEAKS

- ▶ Compatible with all oil types.
- ▶ Stops and prevents drying or hardening of all seals.
- ▶ Makes rubbers soft and supple in one treatment.
- ▶ Safe in use, free from chlorides, solvents or oil thickeners.




NOVAFLUSH DPF

UNCLOG AND CLEAN DIESEL PARTICULATE FILTERS (DPF) WITHOUT DISASSEMBLY

- Deep cleaning of heavily fouled DPF and catalysts
- Reduces fuel consumption and CO₂/ NO_x emissions
- Safe for all types of diesel engines
- Safe for ceramic and metal parts

DPF One can be used for heavily polluted to completely clogged particulate filters. Disassembly is unnecessary. It avoids and ends limp mode and restores the optimal functioning of the DPF and catalytic converter. Always use Novaflush DPF One before Novaflush DPF Two by using the Novaflush DPF Gun.

Packages
740399000 - Novaflush Pack (One+Two) - Bottle 2x 1L
740304390 - Novaflush DPF gun



NEW 2025

ADBLUE OPTIMIZER ABO-280

ANTI-CRYSTALLISATION ADDITIVE

- Works preventively and curatively
- Protects AdBlue® and SCR systems
- Non-hazardous, corrosive or irritant

ABO-280 AdBlue Optimizer prevents and removes crystallisation in the AdBlue® measuring system, SCR catalysts and AdBlue® injectors. This greatly reduces wear. Prevents systems from clogging, resulting in increased long-term reliability. AdBlue Optimizer also reduces foam formation. It is a non-hazardous, non-corrosive and non-irritating product.

Packages
740603000 - ABO-280 AdBlue Optimizer - Bottle 250ml



NOVASTOP RADIATOR

PREVENT AND REPAIR LEAKS IN CLOSED WATER CIRCULATION SYSTEMS

- Compatible with all water-based coolants.
- Safe to use for metal and plastic parts.
- Does not clog the system and corrects noise.
- Contains additives that lubricate and others that prevent corrosion and limescale.

Novastop Radiator is a safe system to repair quickly and permanently leaks in closed water circulation systems. Novastop Radiator can be used in all types of radiators and is compatible with all types of water-based coolants. Novastop Radiator does not clog up and contains additives that prevent corrosion and that stimulate the lubrication of the water pump. Seals all metals (copper - alu - iron) and synthetic materials.

Packages
740103000 - Novastop Radiator - Bottle 250ml



NOVAIRCO STOP S


PREVENTS AND SEALS LEAKS IN AIR CONDITIONING AND COOLING EQUIPMENT

- For R134a and R1234yf gas.
- In both metal and rubber components.
- Permanent repair.
- Seals multiple leaks in one treatment.

APPLICATIONS

- Applicable to all air conditioning and refrigeration equipment, regardless of the gas used, for leaks up to 0.3 mm.
- The repair is visible with a UV lamp.
- Reduces noise from the compressor and repairs rubber seals, o-rings, gaskets, etc.
- Does not react to moisture and air.

Packages
743008390 - Novairco Stop S 1-Pack
743009390 - Novairco Stop S 3-Pack



ALWAYS CONSULT THE
TECHNICAL DATA SHEET
ON WWW.NOVATIO.COM

Cleaners & Degreasers



Packages
482001000 - Multifoam - aerosol 500ml

MULTIFOAM

FOAMING SPRAY CLEANER FOR NATURAL POLLUTION

- ▶ **Pleasant odour.**
- ▶ **Safe, even on sensitive surfaces.**
- ▶ **Spotless result.**

Universal, effective foam spray for safe removal of natural contamination from all water-resistant surfaces, also vertically. Easy, safe and fast to use. contains no abrasives and has a pleasant odour. Leaves no traces, smears or coloured marks on surfaces.

APPLICATIONS

- Cleans all polished, chromium plated, lacquered and plasticized surfaces, such as rims, seat and door upholstery. Removes nicotine, stripes of shoe polish, even insect excrements and dead insects on windscreens, headlights.



Packages
472001000 - BCL-110 Brake Cleaner - aerosol 500ml

NEW 2025

BRAKE CLEANER BCL-110

BRAKE CLEANER

- ▶ **Strong cleaning**
- ▶ **Residue-free**
- ▶ **Fast action**
- ▶ **Corrosion-free**

BCL-110 Brake Cleaner is a powerful, fast drying cleaner, specially developed for the efficient removal of grease, oil, dirt and brake dust from brake and clutch parts such as discs, drums and calipers. The product provides a powerful spray action, leaves no residue and is safe for metal surfaces. Thanks to its fast evaporation and effective action, it improves the performance and service life of brake systems, while its ease of use and high cleaning power save time and effort for professional users.



Packages
464040000 - CLS-850 Cleany Scrub - Can 4L
464049390 Rack CLS-850

CLEANY SCRUB CLS-850

HAND SOAP FOR STUBBORN DIRT

- Quickly removes grease, oil, paint, ink, glue, resin, silicone and tar
- Skin-friendly formula with natural scrubbing agent
- Also for use without water

This hand soap quickly removes the most stubborn dirt without irritating the skin. The soft natural granules provide pore-deep action with respect for the skin. Moreover, these granules are biodegradable and do not contribute to the formation of microplastics. Concentrated formula, economical in use.



Packages
200605000 - Novacare Shamp-Wax - Bottle 500ml
200650000 - Novacare Shamp-Wax - Can 5L

NOVACARE SHAMP-WAX

PROTECTIVE SHAMPOO

- In one operation
- Easy to clean, shine and protect
- Pearl effect

The almost foam-free formulation has strong cleansing properties for the most frequent natural contaminants. Due to the high wax content, natural Carnauba wax conditioner, it gives a totally different feeling when washing and forms a protective and glossy top layer after drying. Thanks to this protective layer, the treated surface remains dirt-repellent for a long time. Novacare Shamp-Wax is biodegradable.



Packages
743001000 - Airclean - aerosol 250ml
743002000 - B-Clean - aerosol 250ml



Packages
490010000 - Novakleen pH13 - Can 1L met trigger
490025000 - Novakleen pH13 - Can 25l
490200000 - Novakleen pH13 - Barrel 210l

AIRCLEAN

SCENTED CLEANER FOR HVAC AND SANITARY INSTALLATIONS (4 CAR WITH 1 CAN)

B-CLEAN

NEUTRAL CLEANER FOR HVAC AND SANITARY INSTALLATIONS

- Removes the cause of musty, irritating odours
- Immediate and long-term effect
- Prevents fungi and bacteria

NOVAKLEEN PH13

LIQUID CLEANER FOR NATURAL POLLUTION

- For cleaning and degreasing of all water-resistant surfaces
- Non-flammable and biodegradable
- Fresh odour

SAFETY CLEAN

SOLVENT FOR CHEMICAL POLLUTION

- Safe and fast
- Thorough cleaning without leaving any residue

A multipurpose solvent-degreaser for removing adhesives, sealants, oil, grease, silicon, wax, tar, paraffin, printing ink, Safe in use on most materials as painted surfaces, vinyl, glass, rubber, formica, textile, most plastics,

APPLICATIONS

- Removal of trims and bumper strips
- Removal of tar and other coating stains from both bodywork and plastic parts
- Removal of grease and oil stains from seat upholstery

Packages
683001000 - Safety Clean - aerosol 500ml
683002000 - Safety Clean - Can 2l
683005000 - Safety Clean - Can 5l
683025000 - Safety Clean - Can 25l
683200000 - Safety Clean - Barrel 200l



Lubricants



Packages

221000000 - Novalube - tube 10gr
221001000 - Novalube - aerosol 100ml
221002000 - Novalube - pot 120gr
221101000 - Novalube - aerosol 400ml
221302000 - Novalube - pot 450gr
221404000 - Novalube - pot 1,8kg



Packages

221005000 - Novalube Brush - presspack 202ml

NOVALUBE

METAL GREASE FOR ASSEMBLY AND PROTECTION

- ▶ Up to 2300 kg / cm² and + 1200 ° C
- ▶ Simplifies assembly and disassembly and seals
- ▶ Prevents galvanizing effect and corrosion
- ▶ Reduces friction and wear, with ball bearing effect
- ▶ Stable viscosity and chemical resistant

Novalube lubricates and protects against corrosion and oxidation. Novalube penetrates into the smallest pores and cracks of the metal and forms a fine and permanent protective film. Assembled parts can easily be taken apart with standard tools, even after many years. Novalube is heat-conducting and resistant to temperatures from -180 ° C to + 1200 ° C, water, salt water, acids, corrosive solutions, vapors, gases, oils, most chemical products and solvents. Novalube is non-toxic and contains no lead or nickel.

APPLICATIONS

- Lubricating brake pads, guide rollers, cylinder heads, keyways, gear drives, chains, hinges, sliders,
- Protects and lubricates faucets, valves, clamps, slide bars, pumps,
- As a lubricant for drilling and tapping in soft and difficult metals such as aluminum, stainless steel,

NOVALUBE BRUSH

METAL GREASE FOR ASSEMBLY AND PROTECTION, WITH BRUSH

- ▶ Up to 2300 kg / cm² and + 1200 ° C
- ▶ Simplifies assembly and disassembly and seals
- ▶ Prevents galvanizing effect and corrosion
- ▶ Reduces friction and wear, with ball bearing effect
- ▶ Stable viscosity and chemical resistant
- ▶ Spray can with handy brush



Packages
232001000 - Multi Super 5 - aerosol 400ml
232002000 - Multi Super 5 - Can 5L

MULTI SUPER 5

WATER REPELLANT, LUBRICANT, PROTECTOR, CLEANER AND LOOSENER

- ▶ Repels water and moisture (extremely low surface tension)
- ▶ Provides a light but effective and precision lubrication for machinery
- ▶ Provides longterm protection against corrosion.
- ▶ Cleans both machines and polished surfaces; keeps rubbers soft and flexible
- ▶ Strong and fast penetration. Loosens rust and corrosion in hard to reach areas

Provides a high capillary effect and good creeping action. It penetrates into the smallest cavities causing a chemical attack which loosens the rust. Contains no silicones or graphite.



Packages
236116000 - Multispray - aerosol 600ml

MULTISPRAY

AGAINST RUST, DAMP, MOISTURE AND LEAKAGE CURRENTS

- ▶ Superfast acting
- ▶ Works by cold shrinkage
- ▶ Colourless and practically odour-free
- ▶ 360° spray direction

Multispray Is fast and effective in contact with rust, tar, grease and water and combines penetrating power, lubrication, protection, cleaning, rust removal, drives away moisture and cold shrinkage, resulting in time saving. Contains no silicones and is safe to use on plastics, lacquers ...



Packages
233981000 - Tire Grease - aerosol 400ml

TIRE GREASE

SPRAYABLE GREASE FOR DISMOUNTING AND MOUNTING TYRES

- ▶ Practical spray can, which excludes product pollution and formation of bacteria
- ▶ Necessary for the latest tyre technology such as low tread, PAX,...
- ▶ Pleasant fragrance and does not dry out
- ▶ Can be used for all tyres

A high-tech sprayable grease for mounting and dismantling of tyres. Packed in a practical spray can which excludes product pollution and formation of bacteria. The practical aerosol ensures that you do not need a brush anymore to apply the grease and it also prevents hardened grease pots. Can be used safely on steel, aluminium, rims and does not affect rubber. Simplifies the dismantling of refractory tyres. Dries quickly and prevents slippage of the tyre in the rim.



Packages
231131000 - Nova PTFE Oil - aerosol 400ml
231135000 - Nova PTFE Oil - Can 5L

NOVA PTFE OIL

HIGH-TECH PTFE LUBRICANT FOR DOOR LOCKS, ROOF GUIDES, ...

- ▶ Ball bearing effect thanks to the PTFE grains
- ▶ Strong creep capacity, even penetrates rust
- ▶ Withstands heavy loads and extends lubrication intervals
- ▶ Salt, water and temperature resistant
- ▶ Safe to use even on paint, plastics and rubbers
- ▶ Does not attract dirt or dust and is silicone-free



Packages
214001000 - Clear Lube - aerosol 400ml

CLEAR LUBE

SYNTHETIC, CLEAR PTFE BASED GREASE

- ▶ **Excellent penetration and unique adherence**
- ▶ **Resists and prevents corrosion**
- ▶ **Maintains viscosity at high and low temperatures**
- ▶ **Extends lubrication intervals and reduces wear**
- ▶ **Resists pressure cleaning**

Clear Lube contains PTFE in order to increase tool life and to reduce sliding resistance. Clear Lube offers a high lubricating capacity under high loads and in difficult conditions and protects against corrosion by forming a thin polymer film layer, while still penetrating deep into the objects to be lubricated. Clear Lube resists high pressure cleaning and reduces chain friction and wear of chains and extends the service life up to 10 times.



Packages
214002000 - Clear Lube-S - aerosol 400ml

CLEAR LUBE-S

SYNTHETIC, TRANSPARENT LUBRICANT WITH VERY LONG STANDING TIME

- ▶ **Extreme adhesion**
- ▶ **Maintains viscosity at temperatures between -45°C and +250°C**
- ▶ **Ideal for heavy duty applications**

Lubricant with PTFE to increase service life and reduce sliding resistance even in the most extreme conditions. Retains its good lubrication and protection properties with constant contact with water and light acids and retains its viscosity even at high temperatures. Thanks to its penetration capacity and optimum adhesion, Clear Lube-S resists high-pressure cleaning and reduces chain friction and wear and extends the life of the chain up to 10 times. Can be used safely on rubbers and plastics.



Packages
201102000 - Silgrease - Cartridge 75ml

SILGREASE

TEMPERATURE AND HUMIDITY RESISTANT SILICONE RESIN GREASE

- ▶ **Not meltable and odorless**
- ▶ **Environmentally friendly, without solvents or volatile silicones**
- ▶ **Safe on metal, rubbers, lacquers and most plastics**
- ▶ **Temperature resistant from -50 ° C to + 200 ° C**
- ▶ **Water-repellent, electrical and heat-insulating**

Silgrease is a non-meltable silicone resin grease with exceptional lubrication properties. Silgrease is fully electrically insulating and protects against corrosion and oxidation. It keeps plastics and rubbers more flexible and gives them a longer life. Furthermore Silgrease does not affect the surface.

APPLICATIONS

- Protects electrical circuits against moisture and water.
- Keeps rubber seals soft and flexible and prevents freezing.
- Installation grease for water pipe connections and other seals.
- Lubricate and protect conductors and joint points of windshield mechanism and engine.
- Protects car paint sills, door pins, wings and electrical wiring during welding and soldering work.
- Mounting suspension rubbers of exhausts, prevents cracking and squeaking.



Packages
210001000 - Silicon 100 - aerosol 400ml
201002000 - Silicon 100 - Can 5l

SILICON 100

SILICONE OIL FOR DRY-LUBRICATION BELTS, ETC

- ▶ **Lubricates, protects, prevents adhesion and makes water repellent.**
- ▶ **Clear, extremely thin, odorless, non-staining and effective on all surfaces.**
- ▶ **Does not melt, freeze, harden, evaporate or acidify.**

Adhesives and sealants



Packages
530010000 - MSF-1145 MS Fastbond 1K anthracite - cartridge 310ml
530020000 - MSF-1145 MS Fastbond 1K white - cartridge 310ml



Packages
537396000 - Seal & Bond MS Screen Plus - cartridge 290ml



MS FASTBOND 1K MSF-1145 HYBRID MS POLYMER ADHESIVE

- **Low stress bonding**
- **Room temperature cure**
- **High tensile strength**

Fastbond is a one component hybrid MS polymer adhesive for applications where high bond strength is required. The material combines high bond strength with very high flexibility and stress absorption. Fastbond allows bonding of different materials such as metals, engineering plastics and glass. The flexibility of Fastbond enables low stress bonding of dissimilar materials. Fastbond is safe in use and silicone free.

SEAL & BOND MS SCREEN + FAST WINDSCREEN ADHESIVE

- **Positive euro NCAP drive test after 1 hour.**
- **Crashtest certificate FMVSS 212 after 1h with airbag.**
- **Stable, high initial strength and torsional rigidity.**
- **Very high tensile strength, without primer, on varnish, varnish, bare metals, aluminum, galvanized,**

Seal & Bond MS Screen Plus is a 1-component adhesive based on MS Polymers that hardens due to air humidity. Seal & Bond MS Screen Plus requires no primer and dries quickly. Seal & Bond MS Screen Plus has a high initial adhesion and an excellent permanent adhesion to varnishes, bare metals, glass, PVC, aluminum. Seal & Bond MS Screen Plus has a high tensile strength and shows no signs of age..

SEAL & BOND MS60 BONDING, ASSEMBLING AND SEALING

- **Even on wet surfaces.**
- **Super strong and permanently elastic.**
- **Fast curing, can be painted.**
- **Phthalate, solvent, isocyanate and silicone free**

Packages
530107000 - Seal & Bond MS60 black (RAL 9004) - sausage 310ml
530108000 - Seal & Bond MS60 black (RAL 9004) - sausage 600ml
530116000 - Seal & Bond MS60 black (RAL 9004) - cartridge 310ml
530207000 - Seal & Bond MS60 white (RAL 9016) - sausage 310ml
530208000 - Seal & Bond MS60 white (RAL 9016) - sausage 600ml
530216000 - Seal & Bond MS60 white (RAL 9016) - cartridge 310ml
530307000 - Seal & Bond MS60 grey (RAL 7004) - sausage 310ml
530308000 - Seal & Bond MS60 grey (RAL 7004) - sausage 600ml
530316000 - Seal & Bond MS60 grey (RAL 7004) - cartridge 310ml



Packages
573306000 - SBF-220 Liquid Seal black - 202ml presspack

LIQUID SEAL SBF-220

OIL-RESISTANT LIQUID GASKET

- ▶ **Quickly any shape and immediately water and airtight**
- ▶ **Resistant to chemicals and high pressure**
- ▶ **Remains flexible and stable at both high and low temperatures**
- ▶ **Can be used horizontally and vertically**

SBF-220 Liquid Seal is a silicone sealant of the acetic acid type, permanently elastic and with excellent chemical and temperature resistance. Easy to use, without additional tools, thanks to the presspack packaging that also contains no harmful propellants.

APPLICATIONS

- Sealing of machine and engine components, threaded connections, flange connections, air ducts, inlet and outlet nozzles, compressors, pumps, turbines, transmissions, petrol and water pumps, crankcase and valve covers, cooling systems, heating oil burners, drainage systems and heat exchangers, among others.
- Insulation and moisture-proofing of electrical contacts on electric motors.
- Prevention of galvanic action.



Packages
590411000 - Nova Power Grip 401 2-K - cartridge 250ml
590413000 - Nova Power Grip 403 2-K - cartridge 250ml
590419000 - Nova Power Grip 409 2-K - cartridge 250ml

NOVA POWER GRIP 401/403/409 2-K

2K PU FOR REPAIR AND BONDING

- ▶ **High filling capacity and unique adhesion**
- ▶ **Can be sanded, tapped or drilled very quickly**

The Nova Power Grip adhesives are super-strong and high-quality 2-component adhesives for mounting and repairing hard, flexible, semi-flexible and fibre-filled plastics, painted steel, stone, concrete, melamine, wood, The Nova Power Grip adhesives approach the strength and flexibility of synthetic materials and each has its specific properties.

APPLICATIONS

- **Nova Power Grip 401 2-K** is a superfast assembly and repair adhesive for gluing or repairing headlight supports, bumpers, trims, clips for door cladding,
- **Nova Power Grip 403 2-K** possesses a longer open working time (3-4 minutes) and is suitable for mounting and repairing spoilers, bumpers, headlights, trims,
- **Nova Power Grip 409 2-K** possesses a very long open working time (8-10 minutes), making it perfect for bonding large or hard-to-reach surfaces such as spoilers, panels, bumpers,



Packages
526106000 - Seal & Bond MS50 2-K black - cartridge 280ml
526306000 - Seal & Bond MS50 2-K light grey - cartridge 280ml

SEAL & BOND MS50 2-K

2K CONSTRUCTION ADHESIVE AND SEALANT IN HANDY 1K CARTRIDGE

- ▶ **Fast curing to the core, even in extremely thick layers.**
- ▶ **High tensile strength, UV and weather resistant.**
- ▶ **Perfect adhesion on most materials without the use of primer.**
- ▶ **Can be painted quickly with both solvent-based and water-based paints, even wet on wet.**

APPLICATIONS

- bonding and sealing of spoilers, body kits, construction sills,...
- ideal for the mounting of cargo platforms and side walls of refrigeration cars, delivery vans,...
- installation of sunroofs
- sealing of water leaks in boots
- bodywork parts with a covering function can be glued. This is completely in conformity with the GOCA standards of the car inspection PL002-06 under notion III.

NEW 2025

NOVA POWER GRIP 2K ME NPG-1370

LOW-ISOCYANATE, IMPACT-RESISTANT CONSTRUCTION ADHESIVE

- ▶ **Gluing, filling and repairing**
- ▶ **ME: Micro emission, very low content of free isocyanates**

Our latest 2K PU power grip combines innovative technology ; LOW MDI with unmatched performance. Thanks to its advanced formulation, you achieve an extremely fast , firm and durable bond. Due to its impact resistant and plastic shore D 70, this product has impact resistance without sacrificing structural integrity. And with its strong filling ability, it is ideal for applications where irregularities and gaps can be seamlessly filled.

This product is perfectly suitable for industrial use, repair and production, where reliability and quality are key.

The LOW MDI effect ensures a healthier working environment , and the employee using this product professionally is not required to undergo training !



Packages
590416000 - NPG-1370 Nova Power Grip 2K ME - cartridge 250ml
590906000 - Tip NPG 2-K - 12st





Packages
596111000 - Megaplast MM
cartridge 50ml

MEGAPLAST MM

STRUCTURAL BONDING AND REPAIRING

- **2K methyl methacrylate adhesive**
- **Super-adhesion on plastic.**
- **Quick curing.**
- **UV- and solvent-resistant.**
- **Stable up to +150°C.**

Megaplast MM has excellent adhesion to textured paint, alu and PVC (in combination with Special Primer). Its fast curing (15-30 minutes) makes it the perfect adhesive to use in production and assembly. Megaplast MM is approved for the paint-bake cycle, powder paint and matt paint (200°- 20 minutes).



Packages
594111000 - Megaplast PU 90s
black - cartridge 50ml

MEGAPLAST PU 90S

2K PU FOR SUPER FAST REPAIR AND BONDING OF PLASTIC, METAL,...

- **Prepolymerised technology.**
- **Can be sanded fast- even on thin layers/ after 10 minutes.**
- **Approaches the strength and flexibility of synthetic materials.**
- **Practical packaging: one cartridge per repair.**

Megaplast PU is a professional 2-component, self-mixing PU system for superfast gluing and repairing. Megaplast PU can be sanded quickly, even on thin layers. Megaplast PU approaches the strength and flexibility of synthetic materials. Megaplast PU is the handiest and fastest repair method. Megaplast PU can be used several times and closed perfectly again.



Packages
594201000 - Megaplast PU 25s
black - cartridge 50ml

MEGAPLAST PU 25S

2K PU FOR INSTANT REPAIR AND BONDING OF PLASTIC, METAL,...

- **Prepolymerised technology.**
- **Can be sanded fast- even on thin layers: after 5 minutes.**
- **Approaches the strength and flexibility of synthetic materials.**
- **Practical packaging: one cartridge per repair.**

Megaplast PU is a professional 2-component, self-mixing PU system for superfast gluing and repairing. Megaplast PU can be sanded quickly, even on thin layers. Megaplast PU approaches the strength and flexibility of synthetic materials. Megaplast PU is the handiest and fastest repair method. Megaplast PU can be used several times and closed perfectly again.



Packages
501003000 - Al-Fix - Bottle 20 ml



Packages
501205000 - Al-Fix Gel - tube 20 ml



Packages
501403000 - Al-Fix Flexible - Bottle 20ml



Packages
501303000 - Al-Fix Black - Bottle 20 ml

AL-FIX*

CLEAR CA GLUE

- ▶ **Bonds in seconds.**
- ▶ **High tensile shear strength - shows no shrinkage.**
- ▶ **Very economical - the thinner the adhesive, the stronger the joint.**

AL-FIX GEL*

CLEAR AND FILLING CA GLUE

- ▶ **Filling capacity makes reinforcing adhesive seam possible.**
- ▶ **Very high tensile strength - stronger than the base material.**
- ▶ **High shear strength and no shrinkage.**

AL-FIX FLEXIBLE*

FLEXIBLE AND CLEAR CA GLUE

- ▶ **Suitable for elastic materials.**
- ▶ **Flexible bonding, with prolonged working time.**
- ▶ **Excellent chemical, temperature and moisture resistant.**
- ▶ **Moisture, shock, sliding and impact resistant**

AL-FIX BLACK*

BLACK FLEXIBLE CA GLUE

- ▶ **Extremely suitable for gluing elastic materials in combination with hard materials.**
- ▶ **Excellent chemical and moisture resistant.**
- ▶ **Moisture, shock, sliding and impact resistant**



Packages
501211000 - AFX-150 Al-Fix 2K - 11gr



Packages
501104000 - Al-Fix Aktivator - aerosol 200ml



Packages
501080000 - Al-Fix Remover - Bottle 20ml

AL-FIX 2K AFX-150

FILLING CA GLUE

- ▶ **Filling capacity up to 5 mm.**
- ▶ **Fast and uniform curing.**
- ▶ **Also for vertical use**

Al-Fix 2K is a multifunctional 2-component cyanoacrylate adhesive which, thanks to its gel form, can also be used vertically without flowing. Using the fine mixing nozzle, Al-Fix 2K can be precisely dosed and applied.

APPLICATIONS

- Excellent adhesion to various substrates such as metals, many plastics, rubber, wood, paper,
- For applications with a variable bond gap up to 5 mm.
- For applications where complete curing of the excess adhesive is required.

AL-FIX AKTIVATOR

ACTIVATES CA GLUES

- ▶ **astens the curing time of the Al-fix glues.**
- ▶ **Makes adhesion possible on porous materials such as wood.**
- ▶ **To be used on Al-Fix Gel**

AL-FIX REMOVER

CA GLUE REMOVER

- ▶ **100% solvent-free.**
- ▶ **Dissolves fast and easily ca glues.**
- ▶ **Removes even hardened ca glue and PU-foam**

*Al-Fix enables strong bonding between most different materials, with the exception of materials containing polyethylene, polypropylene and fluorine. Bondable materials: ABS, aluminium, bakelite, bronze, buthyl, chloroprene, chrome, delrin, glass, copper, natural rubber, NBR, neoprene, nitrile, phenol, polycarbonate, polystyrene, porcelain, rigid PVC, stainless steel, steel.

Electrical connectors



Packages

830310000 - Duoflux - 0,2mm - 0,7mm - clear - 50pcs
830320000 - Duoflux - 0,5mm - 1mm - rood - 50pcs
830330000 - Duoflux - 1,5mm - 2,5mm - blauw - 50pcs
830340000 - Duoflux - 3mm - 6mm - geel - 50pcs



Packages

800320000 - Thermoflux - 122cm - 3,2mm - 1mm - black
800480000 - Thermoflux - 122cm - 4,8mm - 1,5mm - black
800640000 - Thermoflux - 122cm - 6,4mm - 2mm - black
800940000 - Thermoflux - 122cm - 9,4mm - 3mm - black
801270000 - Thermoflux - 122cm - 12,7mm - 4,1mm - black
801910000 - Thermoflux - 122cm - 19,1mm - 7,9mm - black
802540000 - Thermoflux - 122cm - 25,4mm - 10mm - black
804000000 - Thermoflux - 122cm - 40mm - 13mm - black

DUOFLUX

CONNECTING, SOLDERING, INSULATING AND SEALING TWO CONDUCTORS

- ▶ Watertight connection of both flexible and rigid conductors.
- ▶ Transparent insulation allows visual control of the connection.
- ▶ Resistant to temperatures from -60°C to +130°C.

THERMOFLUX

BLACK, DOUBLE-WALLED SHRINK SLEEVE

- ▶ The outer wall shrinks and adapts to every shape.
- ▶ The inner wall melts and glues the connection, making them strong and perfectly waterproof.
- ▶ Excellent resistance to corrosion, UV, water, chemicals and acids.
- ▶ Can be used directly on copper.
- ▶ Durable, flame-resistant and permanently flexible.

Surface Protection & Treatment



Packages
112002000 - Alu 1000 - aerosol 400ml

ALU 1000

WELDABLE AND PAINTABLE ALUMINIUM
BASE LAYER

- ▶ **Combination of pure aluminium and selected synthetic resins for a unique adhesion.**
- ▶ **Cooperative with spot welding and semi-automatic; wet or dry.**
- ▶ **Perfectly paintable and temperature resistant.**

Alu 1000 is an anti-corrosion coating with extremely good adhesion to metals such as steel, galvanized steel, aluminum, and most paints and plastics. Exposed to higher temperatures it will aluminise automatically. The pure aluminium particles will melt together with the metal and will protect against rust. Forms a whole through fusion with the spot weld and the sheet metal. Alu 1000 is elastic, chemically resistant and is perfectly paintable with most primers. Alu 1000 has elastic properties.

APPLICATIONS

- as weldthrough base layer in welding industry, general maintenance, car body work, garages,...
- as an anti corrosion layer for collectors, central heating burners, exhausts, brake calipers,...



Packages
639001000 - MFL-2480 2K Metal Filler - cartridge 195ml
639010390 - Tip MFL-2480 - 12pcs²

NEW 2025

2K METAL FILLER MFL-2480

EFFICIENT 2-COMPONENT METAL REPAIR

- ▶ **Safe alternative to tin solder**
- ▶ **Can be sanded quickly**
- ▶ **Non-shrink**
- ▶ **Strong adhesion to all metals**

MFL-2480 2K Metal Filler is a lead-free alternative to tin solder when restoring all steel and aluminium surfaces. Low temperature processing prevents deformation of the sheet material. Fast curing 2-component epoxy with good workability and high filling capacity.

APPLICATIONS

- Repairing damaged body panels
- Finishing contours
- Repairing hard to reach places
- Repairing welded joints



Packages
119020000 - Metalsol - Bottle 1L
119025000 - Metalsol - Can 5L

METALSOL

RUST-CONVERTING AND RUST-PREVENTING PRIMER

- **Converts rust into a stable and impenetrable layer.**
- **Neutralizes rust with a visible action.**
- **Easy to apply with a brush or spray gun.**
- **Fill and / or paint over after drying.**

Metalsol is a milky coloured synthetic emulsion that will convert the iron oxides into a tough, black layer after contact with steel and under the influence of air humidity. The metal organic layer obtained after curing will protect the surface against new rust formation. Metalsol doesn't only function as a rust converter, but at the same time as ideal undercoat for the application of filler and laquer. Metalsol is water- and solventproof after curing.

APPLICATIONS

- Preventively and curatively treats rust in all industrial applications: maintenance, repairs or restauration works.



Packages
120510000 - IPR-570 Impact Protect black - aerosol 500ml

NEW 2025

IMPACT PROTECT IPR-570

PROTECTIVE ELASTIC UNDERCOATING

- **Elastic coating**
- **Instantly waterproof**
- **Protects against impact and corrosion**

IPR-570 Impact Protect is a versatile impact resistant coating. It effectively dampens sound and vibrations, adheres durably to various materials and can be painted over with almost all paint systems. The coating offers strong chemical resistance and retains its properties over a wide temperature range, ensuring a long service life. Free from bitumen and silicone.

APPLICATIONS

- Chassis, wheel arches, floor pans: durable barrier against corrosion and stone chips.
- Protection of metal structures: steel and aluminium beams, pipelines and tanks.
- Machine parts: protection against moisture and chemicals.





ALWAYS CONSULT THE
TECHNICAL DATA SHEET
ON WWW.NOVATIO.COM



SEAL & BOND SPECIAL PRIMER

BONDING PRIMER FOR DIFFICULT MATERIALS

- ▶ **Ideal for PP, PE, ABS, powder coatings, painted surfaces, ...**
- ▶ **Can be used for glue, tapes and coatings**
- ▶ **Transparent and invisible after rapid drying**

Seal & Bond Special Primer guarantees a better bonding on synthetic materials, powder coating, paints... Seal & Bond Special Primer combines a high elasticity with a fast drying time. After +/-10 minutes gluing is possible. Seal & Bond Special Primer is to be applied directly on the surface that needs to be glued. Because of the application of the primer the surface is ideal for bonding MS Polymers, silicones, tapes, paints...

APPLICATIONS

- Improving bonding of difficult materials to glue, shiny materials, bumpers, aluminum powder coated window profiles, sandwich paneling, doors, exterior rear-view mirrors, spoilers... .
- Surfaces: PP, PP/EPDM, ABS, SAN PC, PA, PUR-RIM, R-TRU, PPO, PBT, PUR flexible foam, UP-GF Plastics, powder coatings, painted surfaces... . 100% free of heavy metals.



Packages

590920000 - Seal & Bond Special Primer - aerosol 200ml
590922000 - Seal & Bond Special Primer - aerosol 400ml



Packages

12222000 - Nova Power Paint black (RAL 9005) - aerosol 400ml
120232000 - Nova Power Paint white (RAL 9010) - aerosol 400ml

NOVA POWER PAINT

CONCENTRATED ACRYLIC PAINT

- ▶ **Unique adhesion without primer**
- ▶ **High coverage**
- ▶ **Fast drying**
- ▶ **Remains flexible**

Nova Power Paint contains more solids and fewer solvents, resulting in a large covering capacity and a lower environmental impact. Super-fast drying - dust-dry after 5 minutes at 20 ° C and gas-resistant after 24 hours. Nova Power Paint has a unique adhesion and can be used on most plastics without a primer. Nova Power Paint is permanently flexible due to the added plasticizer and has good adhesion to bare metals.

APPLICATIONS

- finishing of Nova Power Grip plastic repairs.
- refreshing bumpers, grills, spoilers, decorative strips, door sills, protective mirrors for exterior mirrors, control cabinets, ...
- can be perfectly used on flexible materials such as vinyl, also for tarpaulins.
- good adhesion to most plastics - including polycarbonate and polyester such as illuminated signs, ... and PVC such as signage.

NOVAFILL FLEX

ADHESION PROMOTOR, PRIMER AND FILLER

- ▶ **Adheres to metal, galva, lacquer and due to its flexibility also to plastic**
- ▶ **Can be sanded quickly, both dry and wet**
- ▶ **Fills pores and light scratches**
- ▶ **Paintable with most lacquers and paints**

Novafill Flex is a finish filler, that fulfils the function of primer, as well as undercoat, as well as filler. Novafill Flex has an exceptional adhesion on metals, galvanised synthetic materials, wood and lacquered surfaces. Novafill Flex is an ideal precision finish of other fillers. Novafill Flex is shock-, blow- and vibrationproof. Novafill Flex is quickly and perfectly sandable to a supersmooth surface. Novafill Flex is repaintable with all current solvent varnishes, as well as with all waterbased varnishes. Novafill Flex has excellent resistance to petrols and diesels


APPLICATIONS

- Fills up pores, scratches and unevennesses.
- Wherever a precise smooth finish is necessary for further esthetical varnishing.
- Replaces other undercoats and primers and therefore it is therefore very economical in use.



Packages

120601000 - Novafill Flex - aerosol 500ml



Tapes



Packages

554129390 - High Tech Tape black - roll 12mm / 33m
554068000 - High Tech Tape grey - roll 6mm / 10m
554128000 - High Tech Tape grey - roll 12mm / 10m
554198000 - High Tech Tape grey - roll 19mm / 10m
554258000 - High Tech Tape grey - roll 25mm / 10m

HIGH TECH TAPE

DOUBLE-SIDED ACRYLIC TAPE

- ▶ For permanent mounting on most materials
- ▶ Very high initial strength, but repositionable
- ▶ UV, moisture and heat resistant and liquid proof
- ▶ High chemical resistance
- ▶ Temperature resistant from -30°C to +150°C

The tape has a closed cell structure, is therefore 100% liquid-tight and guarantees structural bonding. The protective film is easy to remove.

APPLICATIONS

- bonding of decorative frames, emblems, electrical components, decorative covers on side mirrors.



Packages

566315000 - Nova Clear Tape - roll 15cm / 2m

NOVA CLEAR TAPE

TRANSPARENT AND SELF-ADHESIVE PU-FILM

- ▶ Protects hard surfaces against wear
- ▶ Temperature and impact resistant
- ▶ Can take many shapes thanks to 75% elasticity
- ▶ Can be painted

Nova Clear Tape is a high quality, polyurethane film with acrylic glue.

APPLICATIONS

- Protects aluminium, stainless steel, chromium plate, PU, glass, lacquer, acrylic plastic, ABS, ...
- Protects against chemical pollution, grit, rust, scratches, ... vibrations, friction, ...

NOVATEX TAPE

QUALITY TAPE FOR UNIVERSAL
MAINTENANCE AND REPAIR



Packages
561017000 - Novatex Tape zwart - roll 19mm / 10m
561018000 - Novatex Tape zwart - roll 50mm / 50m
561028000 - Novatex Tape grijs - roll 50mm / 50m
561048000 - Novatex Tape blauw - roll 50mm / 50m

- **Very high adhesion on most surfaces.**
- **Easy to tear, also in the length.**
- **Temperature and water resistant**

Novatex Tape is a woven cloth tape, provided with a polyethylene protection and a strong adhesive coating. Easy to tear, also lengthwise.

APPLICATIONS

- sealing air ducts and funnels.
- bundling cables.
- keeping objects in place while bonding.
- protecting sharp edges and corners.

NOVA PRO TAPE

THE PROFESSIONAL PROTECTIVE TEXTILE TAPE



Packages
553198000 - Nova Pro Tape - roll 19mm / 10m

- **Prevents cracking, squeaking, vibrations and wear**
- **Esthetical repair for an original look**
- **A water-resistant PET-coat finished with textile**

Nova Pro Tape has good adhesion, even on difficult materials such as silicone cables. The tape has a good temperature resistance and is sound absorbing. Nova Pro Tape resists ageing and rotting. Thanks to the woolly textile and very thin structure of Nova Pro Tape overlappings are almost invisible.

APPLICATIONS

- protection and bundling of cables in dashboard or switch boxes against vibrations.
- protection of cables, tubes, wires, pipes.
- gives your repair an original look.
- for the installation of LPG.



NOVA STRUCTURAL TAPE

BLACK, SELF-ADHESIVE STRUCTURAL FILM



Packages
566515000 - Nova Structural Tape - roll 15cm / 2m

- **Lasting protection against wear**
- **Increases impact resistance**
- **Temperature resistant and colorfast**

Nova Structural Tape Is a high quality, polymeric vinylfilm that protects weak spots. Protects against wear by vibration and friction. Adheres to the smoothest plastics, lacquers, aluminium, stainless steel, anodised aluminium,

APPLICATIONS

- Protects against chemical pollution, crushed stone, rust, scratches, vibration and friction.
- Protects painted body parts in various materials.
- Interior construction: for general maintenance, protection and repairs.



Tools



NOVADRILL

UNIQUE COBALT DRILL BIT WITH SPLIT POINT

- **Very high toughness reduces breaking to a minimum. Up to 10x longer cutting life**
- **No centre punching - not even on curved surfaces**
- **Optimal heat and chip removal due to deep helix**
- **Less temperature development due to cobalt alloy**
- **Especially suitable for drilling hard alloy steels and stainless steel**
- **Very effective in the removal of broken screws, bolts, studs and socket screws**

Novadrill is an H.S.S. Co spiral drill bit according to DIN 338 Type N. Novadrill has a cylindrical shank with split point (from dia 2,5 mm to dia 13 mm). The top angle is 133°. Novadrill is especially appropriate for mental removal of hard to dress metal types.

Packages					
325001000	Novadrill Set 19pcs 1-10MM UNIV	325045000	Novadrill Hsse-Co Din 338 4.5	325100000	Novadrill Hsse-Co Din 338 10.0
325002000	Novadrill Set 25pcs 1-13MM UNIV	325050000	Novadrill Hsse-Co Din 338 5.0	325102000	Novadrill Hsse-Co Din 338 10.2
325005000	Novadrill Set 9pcs cobalt drill bit assortment for tap measurements	325052000	Novadrill Hsse-Co Din 338 5.2	325105000	Novadrill Hsse-Co Din 338 10.5
		325055000	Novadrill Hsse-Co Din 338 5.5	325110000	Novadrill Hsse-Co Din 338 11.0
325010000	Novadrill Hsse-Co Din 338 1.0	325060000	Novadrill Hsse-Co Din 338 6.0	325115000	Novadrill Hsse-Co Din 338 11.5
325015000	Novadrill Hsse-Co Din 338 1.5	325065000	Novadrill Hsse-Co Din 338 6.5	325120000	Novadrill Hsse-Co Din 338 12.0
325020000	Novadrill Hsse-Co Din 338 2.0	325068000	Novadrill Hsse-Co Din 338 6.8	325125000	Novadrill Hsse-Ce Din 338 12.5
325025000	Novadrill Hsse-Co Din 338 2.5	325070000	Novadrill Hsse-Co Din 338 7.0	325130000	Novadrill Hsse-Co Din 338 13.0
325030000	Novadrill Hsse-Co Din 338 3.0	325075000	Novadrill Hsse-Co Din 338 7.5	326456000	Novadrill spot weld6 x 45mm
325033000	Novadrill Hsse-Co Din 338 3.3	325080000	Novadrill Hsse-Co Din 338 8.0	326458000	Novadrill spot weld 8 x 45mm
325035000	Novadrill Hsse-Co Din 338 3.5	325085000	Novadrill Hsse-Co Din 338 8.5	326808000	Novadrill spot weld 8 x 80mm
325040000	Novadrill Hsse-Co Din 338 4.0	325090000	Novadrill Hsse-Co Din 338 9.0		
325042000	Novadrill Hsse-Co Din 338 4.2	325095000	Novadrill Hsse-Co Din 338 9.5		



Packages
 360400000 - Novaflame Multi Torch
 360401000 - Novaflame Multi Torch - refill
 360419000 - Novaflame Multi Torch - deflector

NOVAFLAME MULTI TORCH

AUTONOMOUS, MULTIFUNCTIONAL HEAT GENERATOR

- ▶ **Handy 5 in 1 tool: cut and melt, solder, connect and heat, with or without a flame**
- ▶ **With a thermal regulation**
- ▶ **Automatic feed shut-off when using the cap**
- ▶ **Ideal for repairing printed circuit-boards, cable bundles, and also to facilitate the cutting and repair of PS, PP, PE, PTFE,..**

APPLICATIONS

5 functions in 1

- The hot air head is a very practical instrument when soldering the Duoflux and Topflux connectors without any connection damage to the surrounding cables.
- Deflector: for very temperature-sensitive backgrounds.
- Soldering bolt: in the set you will find 2 replaceable soldering bits of different dimensions.
- Torch: the torch shape can be used to loosen small fixed bolts and nuts by heating them.
- Hot knife: the hot cutting knife can be used to cut polystyrene plates, nylon nets, canvas,....



Packages
 700310390 - TRS-140 Tire Repair String 10cm (60pcs)
 700320390 - TRS-140 Tire Repair String 20cm (30pcs)

TIRE REPAIR STRING TRS-140

TIRE REPAIR SYSTEM

- ▶ **Adapts to any shape of hole or cut**
- ▶ **Repairs up to 6 mm on tread and shoulders**

MULTIGUN MTG-001

CARTRIDGE GUN WITH ADJUSTABLE POWER TRANSMISSION

- ▶ **Stepless power setting from 12/1 to 25/1**
- ▶ **For light sealants and heavy adhesives in standard tube**
- ▶ **Ergonomic lightweight design**
- ▶ **Rotatable tube holder**

Gun with stepless adjustable power transmission from 12/1 for the clean application of light, flexible sealant up to 25/1 for easy pumping of heavy adhesive, 2K adhesive or a chemical anchor and everything in between depending on the application. Heavy duty materials for a long life and a treated steel rod with hanging hook. Ergonomically balanced for optimal relief of fingers and wrists and a rotating tube holder to position the nozzle in the right angle.



What makes Novatio unique?



Novatio provides solutions for everyone who makes, protects, maintains and repairs.

We look, across industries and sectors, at the work that needs to be done. We develop the right applications for that. This is how we make 'making' better.

Discover more at

novatio.com

We do a lot more

We believe that all makers should be able to be proud of their work. Innovation for makers therefore extends beyond just adhesives. Novatio goes further with more than 1,000 products in bonding, sealing and treating surfaces.

Our people

An experienced team of co-creators. Each of our staff, whether working in sales or production, is trained to understand your problem from the first conversation.



Industrielaan 5B
2250 Olen - Belgium
+32 14 25 76 40
info@novatio.be

Novatio is a registered trademark of Novatech International NV