SAFETY DATA SHEET

novatio

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

FCP-111

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FCP-111Registration number REACH: Not applicable (mixture)Product type REACH: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses Sealant

Adhesive

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Manufacturer of the product

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Supplemental information

EUH208Contains: N-(3-(trimethoxysilyl)propyl)ethylenediamine. May produce an allergic reaction.EUH210Safety data sheet available on request.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
Created by: Brandweerinformatiecentrum vool	r gevaarlijke stoffen	vzw (BIG)	Publicat	tion date: 2005-1	2-06	en
Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw			Date of	revision: 2022-0	6-15	16239-033
Reason for revision: 2; 3.2						878-
Revision number: 0500			BIG nun	nber: 42851		1/10

		FC	CP-111			
N-(3-(trimethoxysilyl)propyl) ethylenediamine 01-2119970215-39	1760-24-3 217-164-6	0.3%≤C<1%	Skin Sens. 1B; H317 Acute Tox. 4; H332 STOT RE 2; H373 Eye Dam. 1; H318	(1)(10)	Constituent	
(1) For H- and EUH-statements in f (10) Subject to restrictions of Anne		No. 1907/2006				
SECTION 4: First aid me	easures					
4.1. Description of first aid	measures					
number 112. Treat symp symptoms. After inhalation: Remove victim into fresh After skin contact:	toms starting with mos air. In case of respirate	t life-threaten ory problems,	vital functions. In case of in ing injuries and disorders. consult a doctor/medical s immediately with (lukewai	Keep victim unde	er observation, possi	bility of delayed
After eye contact: Rinse immediately with doctor/medical service. After ingestion:			enses, if present and easy t nedical service. Do not wa			
4.2. Most important sympt 4.2.1 Acute symptoms						
After inhalation: No effects known.						
After skin contact: No effects known. After eye contact: No effects known. After ingestion: No effects known. 4.2.2 Delayed symptoms						
No effects known. 4.3. Indication of any imme If applicable and availab		-	cial treatment needed			
SECTION 5: Firefighting	measures					
5.1. Extinguishing media 5.1.1 Suitable extinguishing m Small fire: Quick-acting ABC Major fire: Class B foam 5.1.2 Unsuitable extinguishing Small fire: Water (quick-act Major fire: Water; risk of	Cpowder extinguisher, Qu (not alcohol-resistant). media: ing extinguisher, reel); risl		owder extinguisher, Quick-act ansion.	ing class B foam ex	tinguisher, Quick-actin	g CO2 extinguisher.
5.2. Special hazards arising Upon combustion: forma			of nitrous vapours.			
5.3. Advice for firefighters 5.3.1 Instructions: No specific fire-fighting in 5.3.2 Special protective equipe Gloves (EN 374). Protecti	ment for fire-fighters:	r EN 13034). H	leat/fire exposure: self-cor	ntained breathing	g apparatus (EN 136	+ EN 137).
SECTION 6: Accidental	release measui	res				
 6.1. Personal precautions, p No naked flames. 6.1.1 Protective equipment for See section 8.2 6.1.2 Protective equipment for 	protective equipmen r non-emergency personn r emergency responders ective clothing (EN 1460	nt and emerg				
Reason for revision: 2; 3.2			D	blication date: 200	5-12-06	
1 10 1 2 15 10 11 2 3.2				te of revision: 202		
Revision number: 0500			BIO	G number: 42851		2 / 10

Contain released product.

6.3. Methods and material for containment and cleaning up

Solid spill: cover with absorbent material. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe strict hygiene. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place.

7.2.2 Keep away from:

Heat sources, water/moisture.

- 7.2.3 Suitable packaging material:
 - Synthetic material, metal

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

- 8.1.2 Sampling methods
- If applicable and available it will be listed below.
- 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers N-(3-(trimethoxysily!)propyl)ethylenediamine

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	260 mg/m ³	
	Acute systemic effects inhalation	260 mg/m ³	

DNEL/DMEL - General population N-(3-(trimethoxysilyl)propyl)ethylenediamine

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL Long-term systemic effects inhalation		50 mg/m³	
	Acute systemic effects inhalation	50 mg/m³	
	Long-term systemic effects oral	8 mg/kg bw/day	

PNEC N-(3-(trimethoxysilyl)propyl)ethylenediamine

Compartments	Value	Remark	
Fresh water	0.062 mg/l		
Marine water	0.006 mg/l		
Fresh water (intermittent releases)	0.62 mg/l		
STP	25 mg/l		
Fresh water sediment	0.22 mg/kg sediment dw		
Marine water sediment	0.022 mg/kg sediment dw		
Soil	0.009 mg/kg soil dw		

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

Reason for revision: 2; 3.2	Publication date: 2005-12-06
	Date of revision: 2022-06-15

8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions.

b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
natural rubber	> 120 minutes	≥ 0.4 mm	Class 4	
nitrile rubber	> 120 minutes	≥ 0.4 mm	Class 4	
PVA	> 120 minutes	≥ 0.4 mm	Class 4	

c) Eye protection:

Safety glasses (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Odour	Characteristic odour
Odour threshold	No data available in the literature
Colour	Variable in colour, depending on the composition
Particle size	Not applicable (mixture)
Explosion limits	No data available in the literature
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available in the literature
Kinematic viscosity	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available in the literature
Relative vapour density	No data available in the literature
Vapour pressure	No data available in the literature
Solubility	Water ; insoluble
Relative density	1.30 ; 20 °C
Absolute density	1300 kg/m³ ; 20 °C
Decomposition temperature	No data available in the literature
Auto-ignition temperature	No data available in the literature
Flash point	No data available in the literature
рН	Not applicable (non-soluble in water)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

Water/moisture.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

Reason for revision: 2; 3.2

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results Acute toxicity

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral		EPA OPPTS 870.1100	2295 mg/kg bw		Rat (male / female)	Experimental value	
Dermal		EPA OPPTS 870.7600	> 2000 mg/kg bw		Rabbit (male / female)	Experimental value	
Inhalation (aerosol)	LC50	Equivalent to OECD 403	1.49 mg/l - 2.44 mg/l		Rat (male / female)	Experimental value	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients N-(3-(trimethoxysilyl)propyl)ethylenediamine

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
Еуе	Serious eye damage	OECD 405		24; 48; 72 hours		Single treatment without rinsing
Skin		EPA OPPTS 870.2500	4 h	24; 48; 72 hours	 Experimental value	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients <u>N-(3-(trimethoxysilyl)propyl)ethylenediamine</u>

Route of exposure	Result	Method	• • • • • •	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (male / female)	Experimental value	

Conclusion

Not classified as sensitizing for skin Not classified as sensitizing for inhalation

Specific target organ toxicity

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients <u>N-(3-(trimethoxysilyl)propyl)ethylenediamine</u>

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	NOAEL	OECD 422	≥ 500 mg/kg bw		No effect	28 day(s) - 29 day(s)	Rat (male / female)	Experimental value
Dermal	NOAEL	Subacute toxicity test	≥ 1545 mg/kg bw/day		No adverse systemic effects	11 day(s)	Rat (male / female)	Experimental value
Inhalation (aerosol)	NOAEC	OECD 413	15 mg/m³ air	Respiratory tract		13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value
Inhalation (aerosol)	LOAEL	OECD 413	45 mg/m ³ air	Respiratory tract		13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value

Conclusion

Not classified for subchronic toxicity

Reason for revision: 2; 3.2

Publication date: 2005-12-06 Date of revision: 2022-06-15

BIG number: 42851

Mutagenicity (in vitro)

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Chinese hamster ovary (СНО)		Experimental value	

Mutagenicity (in vivo)

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Intraperitoneal)	Equivalent to OECD	30 h - 72 h	Mouse (male / female)		Experimental value
	474				

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

FCP-111

No (test)data on the mixture available

Judgement is based on the relevant ingredients N-(3-(trimethoxysily!)propy!)ethylenediamine

	Parameter	Method	Value	Exposure time	Species	Effect	- 0.	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	750 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	750 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect		Experimental value
Effects on fertility (Oral (stomach tube))	NOAEL	Equivalent to OECD 422	≥ 500 mg/kg bw/day		Rat (male / female)	Degeneration of heart tissue		Experimental value

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

FCP-111

No (test)data on the mixture available

Chronic effects from short and long-term exposure

FCP-111

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

FCP-111

No (test)data on the mixture available Judgement of the mixture is based on the relevant ingredients

Reason for revision: 2; 3.2

Parameter Method Value Duration Species Test design Fresh (salt Value deterr								
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	EU Method C.1	597 mg/l	96 h	Danio rerio	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	EU Method C.2	81 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	8.8 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	3.1 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish								Data waiving
Long-term toxicity aquatic crustacea	NOEC		≥ 1 ppm	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Reproduction
Toxicity aquatic micro- organisms	EC50	DIN 38412-8	67 mg/l	16 h	Pseudomonas putida	Static system	Fresh water	Experimental value; Nominal concentration

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Biodegradation water

Method	Value	Duration	Value determination				
EU Method C.4	39 %; GLP	28 day(s)	Experimental value				
Half-life water (t1/2 water)							
Method	Value	Primary	Value determination				
		degradation/mineralisation					
OECD 111	0.025 h; pH = 7	Primary degradation	Experimental value				

Conclusion

Water

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

FCP-111

Log	Ком
-----	-----

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

N-(3-(trimethoxysilyl)propyl)ethylenediamine

BCF fishes

	Parameter	Method		Value	Duration	Species		Value determination
								Data waiving
Lo	Log Kow							
	Method		Remark		Value		Temperature	Value determination
	KOWWIN				-0.3		20 °C	QSAR

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

N-(3-(trimethoxysilyl)propyl)ethylenediamine

(le	og) Koc			
[Parameter	Method	Value	Value determination
[log Koc	SRC PCKOCWIN v2.0	3.477	Calculated value

Conclusion

Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

FCP-111

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014) **Ozone-depleting potential (ODP)**

Reason for revision: 2; 3.2

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Groundwater

Groundwater pollutant

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Water ecotoxicity pH pH shift

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Dispose of the small quantities as household waste. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

- 15 01 02 (plastic packaging).
- 15 01 04 (metallic packaging).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14. <u>1</u> . UN number						
Transport	Not subject					
4.2. UN proper shipping name						
14.3. Transport hazard class(es)						
Hazard identification number						
Class						
Classification code						
14.4. Packing group						
Packing group						
Labels						
14.5. Environmental hazards						
Environmentally hazardous substance mark	no					
14.6. Special precautions for user						
Special provisions						
Limited quantities						
14.7. Maritime transport in bulk according to IMO instruments						
Annex II of MARPOL 73/78	Not applicable, based on available data					

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0.00 %	
0 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8	 Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even
(,, , , , , , , , , , , , , , , , , , ,	0

Reason for revision: 2; 3.2

	types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	 with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: can be used as fuel in decorative oil lamps for supply to the general public, and, present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall
		 classification, packaging and labeling of Uangerous substances and infictines, suppliers sinarial ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are legible are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

National legislation Belgium FCP-111

No data available

National legislation The Netherlands

FCP-111

Waterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)	
National legislation France		_

National legislation France FCP-111

No data available

National legislation Germany

WGK	WGK 1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017			
N-(3-(trimethoxysilyl)propyl)ethylenediamine				
TA-Luft	5.2.5/I			

National legislation Austria

FCP-111

No data available

National legislation United Kingdom

FCP-111

No data available

Other relevant data

FCP-111

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H332 Harmful if inhaled.

H373 May cause damage to organs (respiratory tract) through prolonged or repeated exposure if inhaled.

EUH210 Safety data sheet available on request.

EUH208 Contains a sensitising substance. May produce an allergic reaction.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration

Reason for revision: 2; 3.2

FCP-111		
OECD	Organisation for Economic Co-operation and Development	
PBT	Persistent, Bioaccumulative & Toxic	
PNEC	Predicted No Effect Concentration	
STP	Sludge Treatment Process	
vPvB	very Persistent & very Bioaccumulative	

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2; 3.2

Publication date: 2005-12-06 Date of revision: 2022-06-15

Revision number: 0500