

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

NOVALUBE CERAMIC H1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : NOVALUBE CERAMIC H1
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Lubricant
Anti-corrosion agent

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
☎ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Eye Dam.	category 1	H318: Causes serious eye damage.
Skin Irrit.	category 2	H315: Causes skin irritation.

2.2. Label elements



Contains: calcium dihydroxide.

Signal word Danger

H-statements

H318 Causes serious eye damage.
H315 Causes skin irritation.

P-statements

P280 Wear protective gloves, protective clothing and eye protection/face protection.
P264 Wash hands thoroughly after handling.
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

2.3. Other hazards

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)
Technische Schoolstraat 43 A, B-2440 Geel
<http://www.big.be>
© BIG vzw

Reason for revision: 5; 6; 7; 8; 10; 11; 12; 13; 15; 16

Revision number: 0402 (supersedes revision 0401 of 2021-06-16)

Publication date: 2010-08-17

Date of revision: 2025-11-18

BIG number: 49121

1 / 10

NOVALUBE CERAMIC H1

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
calcium dihydroxide 01-2119475151-45	1305-62-0 215-137-3	10% ≤C<20%	Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT SE 3; H335	(1)(2)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

Tingling/irritation of the skin.

After eye contact:

Corrosion of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (alcohol-resistant), Water spray if puddle cannot expand.

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Reason for revision: 5; 6; 7; 8; 10; 11; 12; 13; 15; 16

Publication date: 2010-08-17

Date of revision: 2025-11-18

Revision number: 0402

BIG number: 49121

2 / 10

NOVALUBE CERAMIC H1

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Cover the solid spill with inert absorbent material. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: room temperature. Meet the legal requirements. Keep only in the original container. Store in a dry area. Keep container in a well-ventilated place. Keep out of direct sunlight. Keep container tightly closed.

7.2.2 Keep away from:

Heat sources, (strong) acids.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

EU

Calcium dihydroxide	Time-weighted average exposure limit 8 h (Indicative occupational exposure limit value)	1 mg/m ³ (1)
	Short time value (Indicative occupational exposure limit value)	4 mg/m ³ (1)

(1) (2): Respirable fraction

Belgium

Calcium (dihydroxyde de)	Time-weighted average exposure limit 8 h	1 mg/m ³ (1)
	Short time value	4 mg/m ³ (1)

(1) Fraction alvéolaire

The Netherlands

Calcium-dihydroxide	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.33 ppm (1)
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	1 mg/m ³ (1)
	Short time value (Public occupational exposure limit value)	1.3 ppm (1)
	Short time value (Public occupational exposure limit value)	4 mg/m ³ (1)

(1) respirabel

NOVALUBE CERAMIC H1

France

Calcium (hydroxyde de)	Time-weighted average exposure limit 8 h (VRI: Valeur réglementaire indicative)	1 mg/m ³ (1)
	Short time value (VRI: Valeur réglementaire indicative)	4 mg/m ³ (1)

(1) La valeur limite concerne la fraction alvéolaire

Germany

Calciumdihydroxid	Time-weighted average exposure limit 8 h (TRGS 900)	1 mg/m ³ (1)
-------------------	---	-------------------------

(1) Einatembare Fraktion; UF: 2 (l)

Austria

Calciumdihydroxid	Tagesmittelwert (MAK)	1 mg/m ³ (1)
	Kurzzeitwert 5(Mow) 8x (MAK)	4 mg/m ³ (1)

(1) Einatembare Fraktion

UK

Calcium hydroxide	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1 mg/m ³ (1)
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	5 mg/m ³ (2)
	Short time value (Workplace exposure limit (EH40/2005))	4 mg/m ³ (1)

(1) Respirable fraction

(2) Inhalable fraction

USA (TLV-ACGIH)

Calcium hydroxide	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	5 mg/m ³
-------------------	--	---------------------

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Calciumdihydroxide	NIOSH	7020

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

calcium dihydroxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	1 mg/m ³	
	Acute local effects inhalation	4 mg/m ³	

DNEL/DMEL - General population

calcium dihydroxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	1 mg/m ³	
	Acute local effects inhalation	4 mg/m ³	

PNEC

calcium dihydroxide

Compartments	Value	Remark
Fresh water	0.49 mg/l	
Fresh water (intermittent releases)	0.49 mg/l	
Marine water	0.32 mg/l	
STP	3 mg/l	
Soil	1080 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type B at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 240 minutes	0.4 mm	Class 5	

NOVALUBE CERAMIC H1

butyl rubber	> 480 minutes	0.4 mm	Class 6	
--------------	---------------	--------	---------	--

c) Eye protection:

Face shield (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Colour	White
Odour	Odourless
Odour threshold	Not applicable
Melting point	No data available in the literature
Boiling point	No data available in the literature
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	No data available in the literature
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature
pH	No data available in the literature
Kinematic viscosity	No data available in the literature
Dynamic viscosity	No data available in the literature
Solubility	No data available in the literature
Log Kow	Not applicable (mixture)
Vapour pressure	No data available in the literature
Absolute density	1300 kg/m ³ ; 20 °C
Relative density	1.30 ; 20 °C
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

(strong) acids.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

NOVALUBE CERAMIC H1

No (test) data on the mixture available

Judgement is based on the relevant ingredients

NOVALUBE CERAMIC H1

calcium dihydroxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 425	> 2000 mg/kg bw		Rat (female)	Experimental value	
Dermal	LD50	OECD 402	> 2500 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (dust)	LC50	OECD 436	> 6.04 mg/l	4 h	Rat (male / female)	Experimental value	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

NOVALUBE CERAMIC H1

No (test)data on the mixture available

Classification is based on the relevant ingredients

calcium dihydroxide

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage	OECD 405	1 h	1; 24; 48; 72 hours	Rabbit	Experimental value	
Skin	Irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	
Inhalation	Irritating; STOT SE cat.3					Literature study	

Conclusion

Causes skin irritation.

Causes serious eye damage.

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

NOVALUBE CERAMIC H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients

calcium dihydroxide

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 429			Mouse (female)	Experimental value	

Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

Specific target organ toxicity

NOVALUBE CERAMIC H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients

calcium dihydroxide

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 422	1000 mg/kg bw/day	No effect		Rat (male / female)	Experimental value	
Dermal							Data waiving	
Inhalation (dust)	NOAEC	OECD 412	0.107 mg/l	No effect	2 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

NOVALUBE CERAMIC H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 5; 6; 7; 8; 10; 11; 12; 13; 15; 16

Publication date: 2010-08-17

Date of revision: 2025-11-18

Revision number: 0402

BIG number: 49121

6 / 10

NOVALUBE CERAMIC H1

calcium dihydroxide

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S. typhimurium and E. coli)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 473	Human lymphocytes		Experimental value	

Mutagenicity (in vivo)

NOVALUBE CERAMIC H1

No (test) data on the mixture available
Judgement is based on the relevant ingredients

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

NOVALUBE CERAMIC H1

No (test) data on the mixture available
Judgement is based on the relevant ingredients

calcium dihydroxide

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	2150 mg/kg bw/day - 2280 mg/kg bw/day	No carcinogenic effect	104 week(s)	Rat (male / female)	Read-across	

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

NOVALUBE CERAMIC H1

No (test) data on the mixture available
Judgement is based on the relevant ingredients

calcium dihydroxide

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	≥ 440 mg/kg bw/day	10 days (gestation, daily)	Mouse	No effect	Read-across	
Maternal toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	≥ 440 mg/kg bw/day	10 days (gestation, daily)	Mouse	No effect	Read-across	
Effects on fertility (Oral (stomach tube))	NOEL	OECD 422	1000 mg/kg bw/day		Rat (male / female)	No effect	Experimental value	

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

NOVALUBE CERAMIC H1

Judgement is based on the relevant ingredients
Not classified for aspiration toxicity

Toxicity other effects

NOVALUBE CERAMIC H1

No (test) data on the mixture available

Chronic effects from short and long-term exposure

NOVALUBE CERAMIC H1

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

NOVALUBE CERAMIC H1

SECTION 12: Ecological information

12.1. Toxicity

NOVALUBE CERAMIC H1

No (test) data on the mixture available

Judgement of the mixture is based on the relevant ingredients
calcium dihydroxide

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	50.6 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Experimental value; Lethal
Acute toxicity crustacea	EC50	OECD 202	49.1 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Estimated value
Toxicity algae and other aquatic plants	ErC50	OECD 201	184.57 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Nominal concentration
	NOEC	OECD 201	48 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish								Data waiving
Long-term toxicity aquatic crustacea	NOEC		32 mg/l	14 day(s)	Crangon sp.	Semi-static system	Salt water	Experimental value; Growth
Toxicity aquatic micro-organisms	EC50	OECD 209	300.4 mg/l	3 h	Activated sludge	Static system	Fresh water	Experimental value; Respiration

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

Water

No test data of component(s) available

12.3. Bioaccumulative potential

NOVALUBE CERAMIC H1

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

calcium dihydroxide

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

PMT conclusion

Does not contain component(s) that meet(s) the criteria of PMT and/or vPvM as listed in Annex I of Regulation (EC) No 1272/2008

NOVALUBE CERAMIC H1

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

calcium dihydroxide

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

Water ecotoxicity pH

pH shift

Reason for revision: 5; 6; 7; 8; 10; 11; 12; 13; 15; 16

Publication date: 2010-08-17

Date of revision: 2025-11-18

Revision number: 0402

BIG number: 49121

8 / 10

NOVALUBE CERAMIC H1

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

13 02 06* (waste engine, gear and lubricating oils: synthetic engine, gear and lubricating oils). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number or ID number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
	No data available in the literature

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Does not contain component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

National legislation Belgium

NOVALUBE CERAMIC H1

No data available

National legislation The Netherlands

NOVALUBE CERAMIC H1

Waterbezwaarlijkheid B (4); Algemene Beoordelingsmethodiek (ABM)

Reason for revision: 5; 6; 7; 8; 10; 11; 12; 13; 15; 16

Publication date: 2010-08-17

Date of revision: 2025-11-18

Revision number: 0402

BIG number: 49121

9 / 10

NOVALUBE CERAMIC H1

National legislation France

NOVALUBE CERAMIC H1

No data available

National legislation Germany

NOVALUBE CERAMIC H1

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
-----	--

calcium dihydroxide

TA-Luft	5.2.1
TRGS900 - Risiko der Fruchtschädigung	Calciumdihydroxid; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden

National legislation Austria

NOVALUBE CERAMIC H1

No data available

National legislation United Kingdom

NOVALUBE CERAMIC H1

No data available

Other relevant data

NOVALUBE CERAMIC H1

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H335 May cause respiratory irritation.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ERC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
HS	Harmonized System of Nomenclature, a standardized international system for classifying goods under the Harmonized System Convention, as drawn up by the World Customs Organization Secretariat
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 5; 6; 7; 8; 10; 11; 12; 13; 15; 16

Publication date: 2010-08-17

Date of revision: 2025-11-18

Revision number: 0402

BIG number: 49121

10 / 10