

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

ACO-210

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : ACO-210
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Sealing compound

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
☎ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)
Ireland - Beaumont Hospital, Dublin (NPIC): +353 1 809 2166 (Public 8 am- 10 pm)
Ireland - Beaumont Hospital, Dublin (NPIC): +353 1 809 2566 (Professionals)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Skin Sens.	category 1	H317: May cause an allergic skin reaction.

2.2. Label elements



Contains: N-(3-(trimethoxysilyl)propyl)ethylenediamine; trimethoxyvinylsilane.

Signal word : Warning

H-statements :
H317 : May cause an allergic skin reaction.

P-statements :
P280 : Wear protective gloves, protective clothing and eye protection/face protection.
P272 : Contaminated work clothing should not be allowed out of the workplace.
P321 : Specific treatment (see information on this label).
P302 + P352 : IF ON SKIN: Wash with plenty of water and soap.
P333 + P313 : If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364 : Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

No other hazards known

ACO-210

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
polypropyleneglycol (MM=1000/1100)	25322-69-4 500-039-8	C<15%		(10)	Constituent	
calcium carbonate	471-34-1 207-439-9	C<70%		(2)	Constituent	
N-(3-(trimethoxysilyl)propyl) ethylenediamine 01-2119970215-39	1760-24-3 217-164-6	C<1%	Skin Sens. 1B; H317 Eye Dam. 1; H318 STOT SE 3; H335	(1)(10)	Constituent	
trimethoxyvinylsilane 01-2119513215-52	2768-02-7 220-449-8	C<2.5%	Flam. Liq. 3; H226 Skin Sens. 1B; H317 Acute Tox. 4; H332	(1)(6)(10)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

2 / 16

ACO-210

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO₂ and small quantities of nitrous vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Solid spill: cover with absorbent material. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water.

Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Remove contaminated clothing immediately. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 5 °C - 30 °C. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

Calcium (carbonate de)	Time-weighted average exposure limit 8 h	10 mg/m ³
------------------------	--	----------------------

France

Calcium (carbonate de)	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	10 mg/m ³
------------------------	--	----------------------

Germany

Polypropylenglykole (PPG)	<i>vgl. Abschn. IIb</i>	
---------------------------	-------------------------	--

ACO-210

UK

Calcium carbonate	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³ (1)
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m ³ (2)

(1) Inhalable dust
(2) Respirable dust

USA (TLV-ACGIH)

Polypropylene Glycols	Time-weighted average exposure limit 8 h (WEEL)	10 mg/m ³
-----------------------	---	----------------------

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Calciumdicarbonate	NIOSH	7020

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

polypropyleneglycol (MM=1000/1100)

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	14.81 mg/m ³	
	Long-term systemic effects dermal	4.2 mg/kg bw/day	

calcium carbonate

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	6.36 mg/m ³	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	130 mg/m ³	
	Long-term local effects inhalation	0.6 mg/m ³	
	Acute local effects inhalation	5.36 mg/m ³	

trimethoxyvinylsilane

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	27.6 mg/m ³	
	Acute systemic effects inhalation	73.6 mg/m ³	
	Long-term systemic effects dermal	0.91 mg/kg bw/day	

DNEL/DMEL - General population

polypropyleneglycol (MM=1000/1100)

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	2.6 mg/m ³	
	Long-term systemic effects dermal	1.5 mg/kg bw/day	
	Long-term systemic effects oral	1.5 mg/kg bw/day	

calcium carbonate

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	1.06 mg/m ³	
	Long-term systemic effects oral	6.1 mg/kg bw/day	
	Acute systemic effects oral	6.1 mg/kg bw/day	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	26 mg/m ³	
	Long-term local effects inhalation	0.1 mg/m ³	
	Acute local effects inhalation	4 mg/m ³	
	Acute systemic effects inhalation	26400 mg/m ³	
	Long-term systemic effects oral	4 mg/kg bw/day	

trimethoxyvinylsilane

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	6.8 mg/m ³	
	Acute systemic effects inhalation	54.4 mg/m ³	
	Long-term systemic effects dermal	0.63 mg/kg bw/day	
	Long-term systemic effects oral	0.63 mg/kg bw/day	

PNEC

calcium carbonate

Compartment	Value	Remark
STP	100 mg/l	

ACO-210

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Compartment	Value	Remark
Fresh water	0.05 mg/l	
Marine water	0.005 mg/l	
Fresh water (intermittent releases)	0.072 mg/l	
STP	20 mg/l	
Fresh water sediment	0.181 mg/kg sediment dw	
Marine water sediment	0.018 mg/kg sediment dw	
Soil	0.007 mg/kg soil dw	

trimethoxyvinylsilane

Compartment	Value	Remark
Fresh water	0.4 mg/l	
Fresh water (intermittent releases)	1.21 mg/l	
Marine water	0.04 mg/l	
Fresh water sediment	1.5 mg/kg sediment dw	
Marine water sediment	0.15 mg/kg sediment dw	
Soil	0.06 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection:

Face shield (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Colour	Light grey Black
Odour	Characteristic odour
Odour threshold	No data available (test not performed)
Melting point	No data available (test not performed)
Boiling point	No data available (test not performed)
Flammability	Not classified as flammable
Explosion limits	No data available (test not performed)
Flash point	No data available (test not performed)
Auto-ignition temperature	No data available (test not performed)
Decomposition temperature	No data available (test not performed)
pH	Not applicable (non-soluble in water)
Kinematic viscosity	No data available (test not performed)
Dynamic viscosity	25 mPa.s ; 23 °C
Solubility	Water ; insoluble
Log Kow	Not applicable (mixture)
Vapour pressure	No data available (test not performed)
Absolute density	1430 kg/m³ ; 20 °C
Relative density	1.43 ; 20 °C
Relative vapour density	No data available (test not performed)
Particle size	Not applicable

9.2. Other information

No data available

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

5 / 16

ACO-210

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO₂ and small quantities of nitrous vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

ACO-210

No (test) data on the mixture available

Judgement is based on the relevant ingredients
polypropyleneglycol (MM=1000/1100)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	OECD 402	> 3000 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	

calcium carbonate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 420	> 2000 mg/kg		Rat (female)	Experimental value	
Dermal	LD50	OECD 402	> 2000 mg/kg bw	24 h	Rat (male / female)	Experimental value	
Inhalation (aerosol)	LC50	OECD 403	> 3 mg/l air	4 h	Rat (male / female)	Experimental value	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	EPA OPPTS 870.1100	2295 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	EPA OPPTS 870.1200	> 2000 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (aerosol)	LC50	EPA OPPTS 870.1300	1.49 mg/l air - 2.44 mg/l air	4 h	Rat (male / female)	Experimental value	
Inhalation						Expert judgement	Not classified

Classification of this substance is debatable as it does not correspond to the conclusion from the test

trimethoxyvinylsilane

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	6899 mg/kg bw - 7012 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	3158 mg/kg bw - 3760 mg/kg bw	24 h	Rabbit (male / female)	Experimental value	
Inhalation (vapours)	LC50	Equivalent to OECD 403	16.8 mg/l	4 h	Rat (male / female)	Experimental value	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

ACO-210

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

6 / 16

ACO-210

No (test)data on the mixture available

Judgement is based on the relevant ingredients
polypropyleneglycol (MM=1000/1100)

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	EU Method B.5		24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	EPA OPPTS 870.2500	24 h		Rabbit	Experimental value	

calcium carbonate

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		1; 24; 48; 72 hours	Rabbit	Experimental value	Single treatment
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	
In vitro	Not irritating	OECD 439	15 minutes		Reconstructed human epidermis	Experimental value	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage	OECD 405		24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Slightly irritating	EPA OPPTS 870.2500	4 h	24; 48; 72 hours	Rabbit	Experimental value	
Inhalation	Irritating; STOT SE cat.3					Literature study	

trimethoxyvinylsilane

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405	24 h	1; 24; 48; 72 hours	Rabbit	Experimental value	Single treatment with rinsing
Skin	Not irritating		24 h	24; 48; 72 hours	Rabbit	Experimental value	

Conclusion

Not classified as irritating to the respiratory system
Not classified as irritating to the skin
Not classified as irritating to the eyes

Respiratory or skin sensitisation

ACO-210

No (test)data on the mixture available

Classification is based on the relevant ingredients
polypropyleneglycol (MM=1000/1100)

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 429			Mouse	Experimental value	

calcium carbonate

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 429			Mouse (female)	Experimental value	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (male / female)	Experimental value	

trimethoxyvinylsilane

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (female)	Experimental value	

Conclusion

May cause an allergic skin reaction.
Not classified as sensitizing for inhalation

Specific target organ toxicity

ACO-210

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

7 / 16

ACO-210

polypropyleneglycol (MM=1000/1100)

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 422	≥ 1000 mg/kg bw/day	No effect		Rat (male / female)	Experimental value	
Dermal							Data waiving	
Inhalation							Data waiving	

calcium carbonate

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 422	1000 mg/kg bw/day	No effect	48 day(s)	Rat (male / female)	Experimental value	
Inhalation (dust)	NOAEC local effects	OECD 413	≥ 0.212 mg/m ³ air	No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	
Inhalation (dust)	NOEC	OECD 413	0.399 mg/l	No adverse systemic effects	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	Equivalent to OECD 422	≥ 500 mg/kg bw/day	No effect	28 day(s) - 44 day (s)	Rat (male / female)	Experimental value	
Dermal	NOAEL	Subacute toxicity test	≥ 1545 mg/kg bw/day	No adverse systemic effects	11 day(s)	Rat (male / female)	Experimental value	
Inhalation (aerosol)	NOAEC	OECD 413	15 mg/m ³	No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	

trimethoxyvinylsilane

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 422	62.5 mg/kg bw/day	No effect	42 day(s) - 58 day (s)	Rat (male / female)	Experimental value	
Oral (stomach tube)	Dose level	OECD 422	250 mg/kg bw/day	Bladder (histopathological changes)	42 day(s) - 58 day (s)	Rat (male / female)	Experimental value	
Inhalation (vapours)	NOAEC	Subchronic toxicity test	0.605 mg/l	No effect	14 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

ACO-210

No (test)data on the mixture available

Judgement is based on the relevant ingredients

polypropyleneglycol (MM=1000/1100)

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster ovary (CHO)	No effect	Experimental value	

calcium carbonate

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 473	Human lymphocytes	No effect	Experimental value	

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

8 / 16

ACO-210

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Chinese hamster ovary (CHO)	No effect	Experimental value	

trimethoxyvinylsilane

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	
Negative without metabolic activation, positive with metabolic activation	OECD 473	CHL/IU cells	Chromosome aberrations	Experimental value	

Mutagenicity (in vivo)

ACO-210

No (test)data on the mixture available

Judgement is based on the relevant ingredients

polypropyleneglycol (MM=1000/1100)

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
					Data waiving	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Intraperitoneal)	Equivalent to OECD 474		Mouse (male / female)	No effect	Experimental value	Single intraperitoneal injection

trimethoxyvinylsilane

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Inhalation (vapours))	OECD 489	2 days (6h / day)	Rat (male)	No effect	Experimental value	

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

ACO-210

No (test)data on the mixture available

Judgement is based on the relevant ingredients

polypropyleneglycol (MM=1000/1100)

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Unknown							Data waiving	

calcium carbonate

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Unknown							Data waiving	

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

ACO-210

No (test)data on the mixture available

Judgement is based on the relevant ingredients

ACO-210

polypropyleneglycol (MM=1000/1100)

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	400 mg/kg bw/day		Rabbit (male / female)	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	40 mg/kg bw/day	29 days (gestation, daily)	Rabbit	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL	OECD 422	≥ 1000 mg/kg bw/day		Rat (male / female)	No effect	Experimental value	

calcium carbonate

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (diet))	NOAEC	Equivalent to OECD 414	1963 mg/kg bw/day - 2188 mg/kg bw/day	62 day(s)	Rat	Foetus (no effect)	Experimental value	
Maternal toxicity (Oral (diet))	NOAEC	Equivalent to OECD 414	1963 mg/kg bw/day - 2188 mg/kg bw/day	62 day(s)	Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOEL	OECD 422	1000 mg/kg bw/day	48 day(s)	Rat (male / female)	No effect	Experimental value	

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	750 mg/kg bw/day	14 day(s)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	750 mg/kg bw/day	14 day(s)	Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL	Equivalent to OECD 422	≥ 500 mg/kg bw/day	28 day(s) - 44 day (s)	Rat (male / female)	No effect	Experimental value	

trimethoxyvinylsilane

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Inhalation (vapours))	NOAEC	EPA OTS 798.4350	100 ppm	10 days (gestation, 6h / day)	Rat	Skeleton (no effect)	Experimental value	
Maternal toxicity (Inhalation (vapours))	NOAEC	EPA OTS 798.4350	25 ppm	10 days (gestation, 6h / day)	Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL	OECD 443	≥ 300 mg/kg bw/day		Rat (male / female)	No effect	Experimental value	

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

ACO-210

Judgement is based on the relevant ingredients
Not classified for aspiration toxicity

Toxicity other effects

ACO-210

No (test)data on the mixture available

Chronic effects from short and long-term exposure

ACO-210

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

ACO-210

No (test)data on the mixture available
Judgement of the mixture is based on the relevant ingredients

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

10 / 16

ACO-210

polypropyleneglycol (MM=1000/1100)

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	EU Method C.1	> 100 mg/l	96 h	Danio rerio	Static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	EU Method C.2	106 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	ErC50	EU Method C.3	> 100 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
	NOEC	EU Method C.3	100 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	NOEC	OECD 210	≥ 10 mg/l		Pisces			Literature study
Long-term toxicity aquatic crustacea	NOEC	OECD 211	> 10 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Read-across; GLP
Toxicity aquatic micro-organisms	NOEC	OECD 209	1000 mg/l	3 h	Activated sludge	Static system		Experimental value; GLP

calcium carbonate

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 100 %	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EC50	OECD 202	> 100 %	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 100 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Nominal concentration
	NOEC	OECD 201	50 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	Dose level		60 mg/l	42 day(s)	Oncorhynchus mykiss	Flow-through system	Fresh water	Experimental value; Calcium ion
Toxicity aquatic micro-organisms	EC50	OECD 209	> 1000 mg/l	3 h	Activated sludge			Literature study

N-(3-(trimethoxysilyl)propyl)ethylenediamine

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	EU Method C.1	597 mg/l	96 h	Danio rerio	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	EU Method C.2	81 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	8.8 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	3.1 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; GLP
Long-term toxicity aquatic crustacea	NOEC		> 1 ppm	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Reproduction
Toxicity aquatic micro-organisms	EC50	DIN 38412-8	67 mg/l	16 h	Pseudomonas putida	Static system	Fresh water	Experimental value; GLP

trimethoxyvinylsilane

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		191 mg/l	96 h	Oncorhynchus mykiss		Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EC50	EU Method C.2	169 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50		> 89 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; GLP
	NOEC		> 89 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; GLP
Long-term toxicity aquatic crustacea	NOEC	OECD 211	28 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro-organisms	EC50	OECD 209	> 100 mg/l	3 h	Activated sludge	Static system	Fresh water	Experimental value; Nominal concentration

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

11 / 16

ACO-210

12.2. Persistence and degradability

polypropyleneglycol (MM=1000/1100)

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	87 %; Activated sludge	28 day(s)	Experimental value

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Biodegradation water

Method	Value	Duration	Value determination
EU Method C.4	39 %; Activated sludge	28 day(s)	Experimental value

Half-life water (t_{1/2} water)

Method	Value	Primary degradation/mineralisation	Value determination
OECD 111	0.025 h; pH = 7	Primary degradation	Experimental value

trimethoxyvinylsilane

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	51 %; GLP	28 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	4.5 h	1.5E6 /cm ³	Calculated value

Half-life water (t_{1/2} water)

Method	Value	Primary degradation/mineralisation	Value determination
OECD 111	< 2.4 h; pH = 7	Primary degradation	Weight of evidence

Conclusion

Water

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

ACO-210

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

polypropyleneglycol (MM=1000/1100)

Log Kow

Method	Remark	Value	Temperature	Value determination
KOWWIN		-0.5	20 °C	QSAR

calcium carbonate

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (inorganic)			

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Log Kow

Method	Remark	Value	Temperature	Value determination
		-0.3	20 °C	QSAR

trimethoxyvinylsilane

Log Kow

Method	Remark	Value	Temperature	Value determination
KOWWIN		1.1	20 °C	QSAR

Conclusion

No straightforward conclusion can be drawn based upon the available numerical values

12.4. Mobility in soil

polypropyleneglycol (MM=1000/1100)

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	< 1.25	Experimental value

N-(3-(trimethoxysilyl)propyl)ethylenediamine

(log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	3.5	Calculated value

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Fugacity Model Level III	8.1E-5 %		1.5 %	83 %	16 %	Calculated value

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

12 / 16

ACO-210

trimethoxyvinylsilane

(log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	2.8	Calculated value

Conclusion

Contains component(s) that adsorb(s) into the soil
Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

PMT conclusion

Does not contain component(s) that meet(s) the criteria of PMT and/or vPvM as listed in Annex I of Regulation (EC) No 1272/2008

ACO-210

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

polypropyleneglycol (MM=1000/1100)

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

Groundwater

Groundwater pollutant

Water ecotoxicity pH

pH shift

calcium carbonate

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

N-(3-(trimethoxysilyl)propyl)ethylenediamine

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

Water ecotoxicity pH

pH shift

trimethoxyvinylsilane

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste.

Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

13 / 16

ACO-210

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number or ID number	Transport	Not subject
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
	Hazard identification number	
	Class	
	Classification code	
14.4. Packing group		
	Packing group	
	Labels	
14.5. Environmental hazards		
	Environmentally hazardous substance mark	no
14.6. Special precautions for user		
	Special provisions	
	Limited quantities	
14.7. Maritime transport in bulk according to IMO instruments		
	Annex II of MARPOL 73/78	Not applicable, based on available data

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
2.8 % - 3.4 %	
40 g/l - 49 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
- polypropyleneglycol (MM=1000/1100) - N-(3-(trimethoxysilyl)propyl) ethylenediamine - trimethoxyvinylsilane	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life-threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

14 / 16

ACO-210

· trimethoxyvinylsilane	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: — metallic glitter intended mainly for decoration, — artificial snow and frost, — “whoopee” cushions, — silly string aerosols, — imitation excrement, — horns for parties, — decorative flakes and foams, — artificial cobwebs, — stink bombs. 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: “For professional users only”. 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC. 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
· trimethoxyvinylsilane	Substances falling within one or more of the following points: (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council (c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.	Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081

National legislation Belgium

ACO-210

No data available

National legislation The Netherlands

ACO-210

Waterbezwaarlijkheid	Z (1); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

National legislation France

ACO-210

No data available

National legislation Germany

ACO-210

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
polypropyleneglycol (MM=1000/1100)	
TA-Luft	5.2.5
calcium carbonate	
TA-Luft	5.2.1
N-(3-(trimethoxysilyl)propyl)ethylenediamine	
TA-Luft	5.2.5
trimethoxyvinylsilane	
TA-Luft	5.2.5

National legislation Austria

ACO-210

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

15 / 16

ACO-210

No data available

National legislation United Kingdom

ACO-210

No data available

National legislation Ireland

ACO-210

No data available

Other relevant data

ACO-210

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
HS	Harmonized System of Nomenclature, a standardized international system for classifying goods under the Harmonized System Convention, as drawn up by the World Customs Organization Secretariat
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 1; 2; 3; 4; 5; 6; 8; 10; 11; 12; 13; 15; 16

Publication date: 2021-12-14

Date of revision: 2026-04-03

Revision number: 0100

BIG number: 67742

16 / 16