SAFETY DATA SHEET

novatio

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

FIXAPOX A

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: FIXAPOX ARegistration number REACH: Not applicaProduct type REACH: Mixture

: Not applicable (mixture)

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Epoxy resin

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen ☎ +32 14 85 97 37 ➡ +32 14 85 97 38 info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008						
Class	Category	Hazard statements				
Skin Sens.	category 1	H317: May cause an allergic skin reaction.				
Skin Irrit.	category 2	H315: Causes skin irritation.				
Eye Irrit.	category 2	H319: Causes serious eye irritation.				
Aquatic Chronic	category 2	H411: Toxic to aquatic life with long lasting effects.				

2.2. Label elements



Contains: bis-[4-(2,3-epoxipropoxi)phenyl]propane; formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol; oxirane, mono[(C12-14-alkyloxy)methyl] derivs..

Signal word	Warning		
H-statements			
H317	May cause an allergic skin reaction.		
H315	Causes skin irritation.		
H319	Causes serious eye irritation.		
H411	Toxic to aquatic life with long lasting effects.		
P-statements			
P280	Wear protective gloves, protective clothing and	eye protection/face protection.	
P264	Wash hands thoroughly after handling.		
P302 + P352	IF ON SKIN: Wash with plenty of water and soa).	
by: Brandweerinformatie	centrum voor gevaarlijke stoffen vzw (BIG)	Publication date: 2001-05-16	

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw Reason for revision: ATP17 Revision number: 0500

BIG number: 35115

Date of revision: 2022-07-09

878-16239-034-en

P333 + P313 P305 + P351 + P338 If skin irritation or rash occurs: Get medical advice/attention. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313

If eye irritation persists: Get medical advice/attention.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
bis-[4-(2,3-epoxipropoxi)phenyl]propane 01-2119456619-26	1675-54-3 216-823-5	25% <c<75%< td=""><td>Skin Sens. 1; H317 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Eye Irrit. 2; H319: C≥5%, (CLP Annex VI (ATP 0)) Skin Irrit. 2; H315: C≥5%, (CLP Annex VI (ATP 0))</td><td>(1)(2)(6)(10)</td><td>Constituent</td><td></td></c<75%<>	Skin Sens. 1; H317 Skin Irrit. 2; H315 Eye Irrit. 2; H319 Aquatic Chronic 2; H411 Eye Irrit. 2; H319: C≥5%, (CLP Annex VI (ATP 0)) Skin Irrit. 2; H315: C≥5%, (CLP Annex VI (ATP 0))	(1)(2)(6)(10)	Constituent	
formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	9003-36-5 500-006-8	10% <c<25%< td=""><td>Skin Sens. 1; H317 Skin Irrit. 2; H315 Aquatic Chronic 2; H411</td><td>(1)(10)</td><td>Constituent</td><td></td></c<25%<>	Skin Sens. 1; H317 Skin Irrit. 2; H315 Aquatic Chronic 2; H411	(1)(10)	Constituent	
oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 01-2119485289-22	68609-97-2 271-846-8	10% <c<25%< td=""><td>Skin Sens. 1; H317 Skin Irrit. 2; H315</td><td>(1)(10)</td><td>Constituent</td><td></td></c<25%<>	Skin Sens. 1; H317 Skin Irrit. 2; H315	(1)(10)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:
No effects known.

After skin contact:

Tingling/irritation of the skin.

After eye contact:

Irritation of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

Reason for revision: ATP17

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion. Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

On burning: release of toxic and corrosive gases/vapours (hydrogen chloride, carbon monoxide - carbon dioxide).

5.3. Advice for firefighters

5.3.1 Instructions:

Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water. Take account of environmentally hazardous firefighting water. Use water moderately and if possible collect or contain it.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product. Dam up the liquid spill. Prevent soil and water pollution. Prevent spreading in sewers.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Gas/vapour heavier than air at 20°C. Observe very strict hygiene - avoid contact. Remove contaminated clothing immediately. Keep container tightly closed. Do not discharge the waste into the drain.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a cool area. Keep container in a well-ventilated place. Keep out of direct sunlight.

7.2.2 Keep away from:

Heat sources, (strong) acids, (strong) bases.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material: No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Reason for revision: ATP17

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1	.2 Sampling methods	-	
	Product name	Test	Number
	Diglycidyl Ether of Bisphenol A	OSHA	1018

8.1.3 Applicable limit values when using the substance or mixture as intended If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNFL/DMFL Work

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	4.93 mg/m ³	
	Long-term systemic effects dermal	0.75 mg/kg bw/day	
kirane, mono[(C12-14-alkyloxy)n	nethyl] derivs.		
Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	3.6 mg/m ³	
	Long-term systemic effects dermal	1 mg/kg bw/day	
NEL/DMEL - General populatior s-[4-(2,3-epoxipropoxi)phenyl]p			
Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	0.87 mg/m³	
	Long-term systemic effects dermal	89.3 μg/kg bw/day	
	Long-term systemic effects oral	0.5 mg/kg bw/day	

	Long-term systemic enects of al	0.5 mg/kg bw/uay						
oxirane, mono[(C12-14-alkyloxy)r	pairane, mono[(C12-14-alkyloxy)methyl] derivs.							
Effect level (DNEL/DMEL)	Туре	Value	Remark					
DNEL	Long-term systemic effects inhalation	0.87 mg/m³						
	Long-term systemic effects dermal	0.5 mg/kg bw/day						
	Long-term systemic effects oral	0.5 mg/kg bw/day						

PNEC

Compartments	Value	Remark	
Fresh water	0.006 mg/l		
Marine water	0.001 mg/l		
Fresh water (intermittent releases)	0.018 mg/l		
Marine water (intermittent releases)	0.002 mg/l		
STP	10 mg/l		
Fresh water sediment	0.341 mg/kg sediment dw		
Marine water sediment	0.034 mg/kg sediment dw		
Soil	0.065 mg/kg soil dw		
Oral	11 mg/kg food		
xirane, mono[(C12-14-alkyloxy)methyl] derive	<u>.</u>		
Compartments	Value	Remark	
Fresh water	0.106 mg/l		
Marine water	0.011 mg/l		
Fresh water (intermittent releases)	0.072 mg/l		
STP	10 mg/l		
Fresh water sediment	307.16 mg/kg sediment dw		
Marine water sediment	30.72 mg/kg sediment dw		
Soil	1.234 mg/kg soil dw		

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection: Face shield (EN 166).

d) Skin protection: Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

Reason for revision: ATP17

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid			
Odour	Characteristic odour			
	Mild odour			
Odour threshold	No data available in the literature			
Colour	Light yellow			
Particle size	Not applicable (liquid)			
Explosion limits	No data available in the literature			
Flammability	Not classified as flammable			
Log Kow	Not applicable (mixture)			
Dynamic viscosity	700 mPa.s - 1100 mPa.s ; 25 °C			
Kinematic viscosity	No data available in the literature			
Melting point	No data available in the literature			
Boiling point	No data available in the literature			
Relative vapour density	No data available in the literature			
Vapour pressure	No data available in the literature			
Solubility	Water ; insoluble			
Relative density	1.12 ; 20 °C			
Absolute density	1120 kg/m³ ; 20 °C			
Decomposition temperature	No data available in the literature			
Auto-ignition temperature	No data available in the literature			
Flash point	> 110 °C			
рН	Not applicable (non-soluble in water)			

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

No data available.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures Keep away from naked flames/heat.

10.5. Incompatible materials

(strong) acids, (strong) bases.

10.6. Hazardous decomposition products

On burning: release of toxic and corrosive gases/vapours (hydrogen chloride, carbon monoxide - carbon dioxide).

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

FIXAPOX A

No (test)data on the mixture available

Judgement is based on the relevant ingredients bis-[4-(2,3-epoxipropoxi)phenyl]propane

13-[4-(2,3-ep0xipit										
Route of expos	ure Parameter	Method	Value	Exposure time	Species	Value	Remark			
						determination				
Oral	LD50	OECD 420	> 2000 mg/kg bw		Rat (female)	Experimental value				
Dermal	LD50	OECD 402	> 2000 mg/kg bw		Rat (male /	Experimental value				
					female)					
Inhalation (vap	ours) LC0		0.000008 ppm	5 h	Rat (male)	Experimental value				

Reason for revision: ATP17

Publication date: 2001-05-16 Date of revision: 2022-07-09

BIG number: 35115

oxiran	xirane, mono[(C12-14-alkyloxy)methyl] derivs.									
Ro	oute of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark		
							determination			
01	ral	LD50		26800 mg/kg bw		Rat (male)	Experimental value			
De	ermal	LD0		≥ 4000 mg/kg bw	24 h	Rabbit (male)	Experimental value			
	halation aturated vapour)	LC0		0.15 mg/l air	7 h	Rat	Experimental value			

Conclusion

Not classified for acute toxicity

Corrosion/irritation

FIXAPOX A

No (test)data on the mixture available Classification is based on the relevant ingredients

bis-[4-(2,3-epoxipropoxi)phenyl]propane

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark	
Eye	Not irritating	OECD 405		24; 48; 72 hrs; 7 days	Rabbit	Experimental value	Single exposure	
Eye	Irritating; category 2					Annex VI		
Skin	Slightly irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value		
Skin	Irritating; category 2					Annex VI		
naldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol								
Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark	

Route of exposure Result Method Exposure time Time point Species

	Skin	Irritating;					Literature study			
		category 2								
<u>ox</u>	oxirane, mono[(C12-14-alkyloxy)methyl] derivs.									
	Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark		
							determination			
	Eye	Slightly irritating	Equivalent to		1; 24; 48; 72 hours	Rabbit	Experimental			
			OECD 405				value			
	Skin	Moderately	EPA OTS 798.4470	24 h	24; 72 hours	Rabbit	Experimental			
		irritating					value			

Conclusion

Causes skin irritation.

Causes serious eye irritation.

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

FIXAPOX A

No (test)data on the mixture available

Classification is based on the relevant ingredients

bis-[4-(2,3-epoxipropoxi)phenyl]propane Route of exposure Result Method Exposure time Observation time Species point

Dermal (on the	Sensitizing	OECD 429			Mouse (female)	Experimental value			
ears)									
ormaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol									
Route of exposure	Result	Method	Exposure time	Observation time	Species	Value determination	Remark		
				point	-				
Skin	Sensitizing;					Literature study			
	category 1								
oxirane, mono[(C12-	14-alkyloxy)methy	derivs.							

	Route of exposure	Result	Method	Exposure time	Observation time	Species	Value determination	Remark
					point			
	Skin	Sensitizing	Buehler test		24; 48 hours	Guinea pig	Experimental value	
- '								

Conclusion

May cause an allergic skin reaction.

Not classified as sensitizing for inhalation

Specific target organ toxicity

FIXAPOX A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: ATP17

determination

Value determination Remark

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value
				U U				determinatio
Oral (stomach	NOAEL	OECD 408	50 mg/kg		No effect	14 weeks (7 days /	Rat (male /	Experimenta
tube)			bw/day			week)	female)	value
Dermal	NOAEL	OECD 411	100 mg/kg		No adverse	13 weeks (3 times /	Mouse (male)	Experimenta
	systemic		bw/day		systemic	week)		value
	effects				effects			
xirane, mono[(C12-14	alkyloxy)me	thyl] derivs.						
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determinatio
Dermal	NOEL	OECD 411	1 mg/kg			13 weeks (5 days /	Rat (male /	Experimenta
Derma	NOLL	0100 411	bw/day			week)	female)	value
Dermal	LOEL	OECD 411	10 mg/kg	Skin	Skin	13 weeks (5 days /	Rat (male /	Experimenta
			bw/day		rash/inflamm	week)	female)	value
					ation		,	
lot classified for subch ;enicity (in vitro) <u>POX A</u> No (test)data on the m	, xture availal	ble						
enicity (in vitro) <u>POX A</u> No (test)data on the m ludgement is based on	xture availal the relevant	ble ingredients						
POX A POX A No (test)data on the m udgement is based on is-14-(2,3-epoxipropox	xture availal the relevant i)phenylpro	ble ingredients <u>pane</u>	Tests	uhstrate	Effect	Value	determination	Remark
renicity (in vitro) <u>POX A</u> No (test)data on the m ludgement is based on <u>bis-14-(2,3-epoxipropox</u> Result	xture availal the relevant i)phenyl]pro Metl	ble ingredients <u>pane</u> hod		ubstrate	Effect			Remark
renicity (in vitro) POX A No (test)data on the m udgement is based on <u>vis-14-(2,3-epoxipropox</u> Result Negative with meta	xture availal the relevant i)phenyl]pro Metl bolic OEC	ble ingredients <u>pane</u>		ubstrate richia coli	Effect		determination imental value	Remark
renicity (in vitro) <u>POX A</u> No (test)data on the m ludgement is based on <u>bis-14-(2,3-epoxipropox</u> Result	xture availal the relevant i)phenyl]pro Metl bolic OEC	ble ingredients <u>pane</u> hod			Effect			Remark
renicity (in vitro) POX A No (test)data on the m ludgement is based on his-14-(2,3-epoxipropox Result Negative with meta activation, negative	xture availal the relevant i)phenyl]pro Metl bolic OEC	ble ingredients <u>pane</u> hod			Effect			Remark
renicity (in vitro) POX A No (test)data on the m udgement is based on <u>vis-14-(2,3-epoxipropox</u> Result Negative with meta activation, negative without metabolic	ixture availal the relevant i <u>)phenyl]pro</u> Meti bolic OEC	ble ingredients <u>pane</u> hod D 472			Effect			Remark
enicity (in vitro) POX A No (test)data on the m ludgement is based on bis-14-(2,3-epoxipropox Result Negative with meta activation, negative without metabolic activation	ixture availal the relevant i <u>)phenyl]pro</u> Meti bolic OEC	ble ingredients <u>pane</u> hod D 472 thyl] derivs.	Esche		Effect Effect	Exper	imental value	Remark Remark
enicity (in vitro) POX A No (test)data on the m iudgement is based on ois-14-(2,3-epoxipropox Result Negative with meta activation, negative without metabolic activation xirane, mono[(C12-14:	ixture availal the relevant i)phenyl]pro Meti bolic OEC alkyloxy)me Meti	ble ingredients <u>pane</u> hod D 472 thyl] derivs.	Esche Test s	richia coli	Effect	Exper Value	imental value	
enicity (in vitro) POX A No (test)data on the m ludgement is based on bis-[4-(2,3-epoxipropox Result Negative with meta activation, negative without metabolic activation vxirane, mono[(C12-14- Result	ixture availal the relevant i)phenyl]pro Meti bolic OEC alkyloxy)me Meti	ble ingredients <u>pane</u> hod D 472 thyl] derivs. hod	Esche Test s	richia coli ubstrate	Effect	Exper Value	imental value determination	
enicity (in vitro) POX A No (test)data on the m ludgement is based on bis-[4-[2,3-epoxipropox Result Negative with metat activation, negative without metabolic activation xxirane, mono[(C12-14- Result Positive with metat	ixture availal the relevant i)phenyl]pro Meti bolic OEC alkyloxy)me Meti	ble ingredients <u>pane</u> hod D 472 thyl] derivs. hod	Esche Test s	richia coli ubstrate	Effect	Exper Value	imental value determination	
enicity (in vitro) POX A No (test)data on the m ludgement is based on jis-[4-[2,3-epoxipropox Result Negative with metat activation, negative without metabolic activation xirane, mono[(C12-14: Result Positive with metat activation, positive	ixture availal the relevant i)phenyl]pro Meti bolic OEC alkyloxy)me Meti	ble ingredients <u>pane</u> hod D 472 thyl] derivs. hod	Esche Test s	richia coli ubstrate	Effect	Exper Value	imental value determination	
enicity (in vitro) POX A No (test)data on the m ludgement is based on uis-[4-(2,3-epoxipropox Result Negative with metat activation, negative without metabolic activation xirane, mono[(C12-14: Result Positive with metat activation, positive without metabolic	ixture availal the relevant i)phenyl]pro Meti bolic OEC -alkyloxy)me Meti polic OEC	ble ingredients <u>pane</u> hod D 472 thyl] derivs. hod	Esche Test s Bacte	richia coli ubstrate	Effect	Exper Value Exper	imental value determination	
enicity (in vitro) POX A No (test)data on the m ludgement is based on uis-[4-(2,3-epoxipropox Result Negative with metat activation, negative without metabolic activation xirane, mono[(C12-14: Result Positive with metat activation, positive without metabolic activation, positive without metabolic activation	ixture availat the relevant i)phenyl]pro Meti bolic OEC -alkyloxy)me Meti polic OEC	ble ingredients pane hod D 472 thyl] derivs. hod D 471	Esche Test s Bacte	richia coli ubstrate ria (S.typhimuri se hamster ova	Effect	Exper Value Exper	imental value determination imental value	
POX A No (test)data on the m ludgement is based on uis-[4-(2,3-epoxipropox Result Negative with meta activation, negative without metabolic activation exirane, mono[(C12-14: Result Positive with metabalic activation, positive without metabolic activation Negative with metabolic	ixture availat the relevant i)phenyl]pro Meti bolic OEC -alkyloxy)me Meti polic OEC	ble ingredients pane hod D 472 thyl] derivs. hod D 471	Esche Test s Bacte Chine	richia coli ubstrate ria (S.typhimuri se hamster ova	Effect	Exper Value Exper	imental value determination imental value	

Mutagenicity (in vivo)

FIXAPOX A

No (test)data on the mixture available

Judgement is based on the relevant ingredients <u>bis-[4-(2,3-epoxipropoxi)phenyl]propane</u>

Result	Method	Exposure time Test substrate		Organ	Value determination				
Negative (Oral (stomach tube))	OECD 488	4 weeks (daily)	Rat (male)		Experimental value				
oxirane, mono[(C12-14-alkyloxy)methyl] c	xirane, mono[(C12-14-alkyloxy)methyl] derivs.								
Result	Method	Exposure time	Test substrate	Organ	Value determination				
Negative	OECD 474		Mouse (male / female)		Experimental value				

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

FIXAPOX A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Dermal	NOEL	OECD 453	100 mg/kg bw/day	104 weeks (5 days / week)	Rat (female)	No carcinogenic effect		Experimental value
Oral (stomach tube)	NOAEL	OECD 453	15 mg/kg bw/day - 100 mg/kg bw/day	104 week(s)	Rat (male / female)	No carcinogenic effect		Experimental value

Conclusion

Not classified for carcinogenicity

Reason for revision: ATP17

Reproductive toxicity

FIXAPOX A

No (test)data on the mixture available Judgement is based on the relevant ingredients bis-[4-(2,3-epoxipropoxi)phenyl]propane

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	180 mg/kg bw/day	13 days (gestation, daily)	Rabbit	No effect		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	60 mg/kg bw/day	13 days (gestation, daily)	Rabbit	No effect		Experimental value
(stomach tube))	NOEL	OECD 416	750 mg/kg bw/day	238 day(s)	Rat (male / female)	No effect		Experimental value
ane, mono[(C12-14-alkyl	oxy)methyl] de	<u>rivs.</u>						
	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	OECD 414	200 mg/kg bw/day	10 days (6h / day)	Rat			Experimental value
	NOAEL (F1)		200 mg/kg bw/day	10 days (6h / day)	Rat (male / female)			Experimental value

10 days (6h / day)

10 days (6h / day)

Rat (female)

Rat (female)

Conclusion

Effects on fertility

Not classified for reprotoxic or developmental toxicity

NOAEL

NOAEL (P)

OECD 414

200 mg/kg

200 mg/kg

bw/day

bw/day

Toxicity other effects

FIXAPOX A

No (test)data on the mixture available

Chronic effects from short and long-term exposure

FIXAPOX A

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

FIXAPOX A

No (test)data on the mixture available

Classification is based on the relevant ingredients

bis-[4-(2,3-epoxipropoxi)phenyl]propane

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	1.75 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EC50	Equivalent to OECD 202	1.7 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	EC50	EPA 660/3 - 75/009	> 11 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; Growth rate
	NOEC	EPA 660/3 - 75/009	4.2 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish								Data waiving
Long-term toxicity aquatic crustacea	NOEC	Equivalent to OECD 211	0.3 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro- organisms	IC50		> 100 mg/l	3 h	Activated sludge			Experimental value; Respiration

Reason for revision: ATP17

Publication date: 2001-05-16 Date of revision: 2022-07-09

Revision number: 0500

BIG number: 35115

Experimental

Experimental

value

value

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	1.9 mg/l	96 h	Brachydanio rerio	Semi-static system	Fresh water	Weight of evidence
Acute toxicity crustacea	EC50	OECD 202	3.5 mg/l	48 h	Daphnia magna	Static system	Fresh water	Weight of evidence; GLP
Toxicity algae and other aquatic plants	EC50	Equivalent to OECD 201	> 1.8 mg/l	72 h	Selenastrum capricornutum	Static system	Fresh water	Experimental value
Long-term toxicity aquatic crustacea	NOEC	Equivalent to OECD 211	0.3 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
kirane, mono[(C12-14-alkyloxy	/)methyl] derivs.							
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	OECD 203	> 100 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EL50	OECD 202	7.2 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	IC50	OECD 201	843.75 mg/l	72 h	Selenastrum capricornutum		Fresh water	Experimental value; GLP
Toxicity aquatic micro- organisms	EC50	OECD 209	> 100 mg/l	3 h	Activated sludge	Static system	Fresh water	Read-across; GLP

Classification of this substance is debatable as it does not correspond to the conclusion from the test

Conclusion

Toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

bis-[4-(2,3-epoxipropoxi)phenyl]propane

Biodegradation water								
Method	Value	Duration	Value determination					
OECD 301F	5 %; Oxygen consumption	5 %; Oxygen consumption 28 day(s)						
ormaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol								
Biodegradation water								
Method	Value	Value Duration						
EU Method C.4	0 %	% 28 day(s)						
Half-life water (t1/2 water)								
Method	Value	Primary	Value determination					
		degradation/mineralisation						
OECD 111	86 h; pH = 7		Read-across					
irana mana[(C12.14.alkulavu)mat	he di ale si ca							

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

В	Biodegradation water							
	Method	Value	Duration	Value determination				
	OECD 301F	87 %; GLP	28 day(s)	Experimental value				

Conclusion

Water

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

FIXAPOX A

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

bis-[4-(2,3-epoxipropoxi)phenyl]propane

BCF fishes

Parameter	Method		Value	Duration	Species		Value determination			
BCF			31; Fresh weight				QSAR			
Log Kow										
Method		Remark		Value		Temperature	Value determination			
OECD 117				2.64 - 3.78		25 °C	Experimental value			
ormaldehyde, oligo	maldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol									

ehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		2.7 - 3.6		Experimental value

Reason for revision: ATP17

oxirane, mono[(C12-14-alkyloxy)methyl] derivs.

BCF fishes

Б	CF IISHES			-				
	Parameter	Method		Value	Duration	ation Species Value determinati		Value determination
	BCF	BCFWIN		160 - 263	Estimated value		Estimated value	
L	og Kow							
	Method		Remark		Value		Temperature	Value determination
	OECD 107				3.77		20 °C	Experimental value

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

bis-[4-(2,3-epoxipropoxi)phenyl]propane

	Parameter	Method	Value	Value determination
	log Koc	SRC PCKOCWIN v2.0	2.65	QSAR
for	maldehyde oligomeric reaction products with 1-chloro-2 3-epoxy	propage and phenol		

formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol

•				
	Parameter	Method	Value	Value determination
	log Koc	OECD 121	3.65	Experimental value
<u>ox</u> i	rane, mono[(C12-14-alkyloxy)methyl] derivs.			

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	> 5.63	Experimental value

Conclusion

Contains component(s) that adsorb(s) into the soil Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

FIXAPOX A

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

bis-[4-(2,3-epoxipropoxi)phenyl]propane

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 27* (separately collected fractions (except 15 01): paint, inks, adhesives and resins containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

14.<u>1. UN number</u>

UN number

Reason for revision: ATP17

3082

Proper shipping name	environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3- epoxipropoxi)phenyl]propane)
4.3. Transport hazard class(es)	
Hazard identification number	90
Class	9
Classification code	M6
4.4. Packing group	
Packing group	III
Labels	9
4.5. Environmental hazards	
Environmentally hazardous substance mark	yes
4.6. Special precautions for user	
Special provisions	274
Special provisions	335
Special provisions	375
Special provisions	601
Limited quantities	Combination packagings: not more than 5 liters per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass)

Rail (RID)

UN number	3082
14.2. UN proper shipping name	
Proper shipping name	environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3- epoxipropoxi)phenyl]propane)
14.3. Transport hazard class(es)	
Hazard identification number	90
Class	9
Classification code	M6
14.4. Packing group	
Packing group	III
Labels	9
14. <u>5. Environmental hazards</u>	
Environmentally hazardous substance mark	yes
14.6. Special precautions for user	
Special provisions	274
Special provisions	335
Special provisions	375
Special provisions	601
Limited quantities	Combination packagings: not more than 5 liters per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass)

Inland waterways (ADN)

14.1. UN number	
UN number	3082
14.2. UN proper shipping name	
Proper shipping name	environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3- epoxipropoxi)phenyl]propane)
14.3. Transport hazard class(es)	
Class	9
Classification code	M6
14.4. Packing group	
Packing group	III
Labels	9
14. <u>5</u> . Environmental hazards	
Environmentally hazardous substance mark	yes
14.6. Special precautions for user	
Special provisions	274
Special provisions	335
Special provisions	375
Special provisions	601
Limited quantities	Combination packagings: not more than 5 liters per inner packaging fo liquids. A package shall not weigh more than 30 kg. (gross mass)

Sea (IMDG/IMSBC)

14.	L. UN number	
	UN number	3082
14.	2. UN proper shipping name	
	Proper shipping name	environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3-
		epoxipropoxi)phenyl]propane)

Reason for revision: ATP17		

9
9
Р
yes
274
335
969
Combination packagings: not more than 5 liters per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)
Not applicable, based on available data
3082
environmentally hazardous substance, liquid, n.o.s. (bis-[4-(2,3- epoxipropoxi)phenyl]propane)
9
9
9

VOC content Directive 2010/75/EU

Passenger and cargo transport

SECTION 15: Regulatory information

Limited quantities: maximum net quantity per packaging

Special provisions

Special provisions

Special provisions

European legislation:

VOC content	Remark
112 g/l - 280 g/l	

A197

A215

A97

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

30 kg G

Directive 2012/18/EU (Seveso III)

Threshold values under normal circumstances				
		Top tier (tonnes)	•	For this substance or mixture the summation rule has to be applied for:
E2 Hazardous to the Aquatic Environment in Category Chronic 2	200	500	None	Eco-toxicity

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	territal and a second and a second structure of the filling state of	
formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol · oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 1 a to (b) effi derive (c)	EC) No 1272/2008: a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 ypes A and B, 2.9, 2.10, 2.12, 2.13 categories and 2, 2.14 categories 1 and 2, 2.15 types A o F; b) hazard classes 3.1 to 3.6, 3.7 adverse ffects on sexual function and fertility or on levelopment, 3.8 effects other than narcotic ffects, 3.9 and 3.10; c) hazard class 4.1;	 Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even with ornamental aspects, Articles not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

Reason for revision: ATP17

Publication date: 2001-05-16 Date of revision: 2022-07-09

BIG number: 35115

	FIXAP	ΟΧΑ	
		5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shi ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legib and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legil and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.	all bly bly c
 bis-[4-(2,3-epoxipropoxi)phenyl]propane oxirane, mono[(C12-14-alkyloxy)methyl] derivs. 	Substances falling within one or more of the following points: (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A or 1B — skin corrosive category 1 or eye irritant category 2 — serious eye damage category 1 or eye irritant category 2 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council (c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.	Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/20	81
<u>National legislation Belgium</u> <u>FIXAPOX A</u> No data available National legislation The Netherland	de		
FIXAPOX A	_		
Waterbezwaarlijkheid	A (2); Algemene Beoordelingsmethodiel	< (ABM)	
<u>National legislation France</u> <u>FIXAPOX A</u> No data available			
National legislation Germany FIXAPOX A			
WGK	2; Verordnung über Anlagen zum Umga	ng mit wassergefährdenden Stoffen (AwSV) - 18. April 2017	
bis-[4-(2,3-epoxipropoxi)phenyl			
TA-Luft formaldehyde, oligomeric react	5.2.5/I ion products with 1-chloro-2,3-epoxypropa	ne and phenol	
TA-Luft	5.2.5/I		
oxirane, mono[(C12-14-alkyloxy			
TA-Luft	5.2.5/I		
National legislation Austria FIXAPOX A			
No data available			
<u>National legislation United Kingdon</u> <u>FIXAPOX A</u>	<u>n</u>		
No data available			
Other relevant data			
FIXAPOX A			
No data available			
Reason for revision: ATP17		Publication date: 2001-05-16 Date of revision: 2022-07-09	
Revision number: 0500		BIG number: 35115 13 / 14	4

bis-[4-(2,3-epoxipropoxi)phenyl]propane

IARC - classification 3; Bisphenol a diglycidyl ether

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H411 Toxic to aquatic life with long lasting effects.

(*) ADI	INTERNAL CLASSIFICATION BY BIG Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative
	• •

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: ATP17

Publication date: 2001-05-16 Date of revision: 2022-07-09

Revision number: 0500

BIG number: 35115