



Siphon pump 200L

MANUAL SIPHON PUMP FOR 200L DRUMS

- ✓ Flow rate: 18.5 L/minute
- ✓ No electricity required
- ✓ 2-inch adaptor for upright 200-220 litre barrels

Technical Info

- Material: Polyethylene.
- Weight: +/- 400g.
- Total length: 1190 mm.
- Suction tube length: 850 mm.
- Suction tube external diameter: 25.5 mm.
- Discharge tube length: +/- 1200 mm.
- Discharge tube external diameter: 22.5 mm.
- Pump housing external diameter: 85 mm.
- Flow rate: +/- 18.5 litres per minute.

Packing

Siphon pump 200L

699901000

Product [SP200]

Characteristics

This lightweight, heavy-duty siphon pump is a fast and simple solution for transferring liquids from 200 L drums to smaller containers. The pump withstands a wide range of water-based and solvent-based liquids.

Applications

- Pump liquids from 200 L drums to smaller containers.
- Transfer of liquids.

Use

- The pump is suitable for pumping petrol, diesel, oils, water, pesticides, soaps, detergents, weak acids and bases, anti-freeze fluids and solvent-based products such as Safety Clean.
- Install the pump on a 200 L drum using the 2" screw adaptor. The suction tube depth is adjustable.
- Place the discharge tube in the receiving container.
- Pump up and down until the desired amount of liquid has been transferred.
- Do not use for pumping acetone, benzene, cresol, ethylphenol, methyl ethyl, concentrated sodium hydroxide, nitric acid, sulfuric acid, toluene, or other aggressive liquids (strong solvents, strong acids, and strong bases).
- If in doubt, contact the Novatio helpdesk or your representative before proceeding.