

SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

MEGAPLAST PU 90S curative

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : MEGAPLAST PU 90S curative
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Adhesive: component
Hardener

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
✉ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
✉ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

MEGAPLAST PU 90S curative

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
Talc (Mg ₃ H ₂ (SiO ₃) ₄)	14807-96-6 238-877-9	C>1%		(2)	Constituent	
oxydipropanol	25265-71-8 246-770-3	C>1%	EUH210	(2)	Constituent	
zeolites	1318-02-1 215-283-8	C>1%		(2)	Constituent	

(2) Substance with a Community workplace exposure limit

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO₂ extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO₂ are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

2 / 14

MEGAPLAST PU 90S curative

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Keep only in the original container. Keep container tightly closed.

7.2.2 Keep away from:

Heat sources, oxidizing agents, (strong) acids, (strong) bases, isocyanates.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

Particules non classifiées autrement	Time-weighted average exposure limit 8 h	10 mg/m ³ (1)
	Time-weighted average exposure limit 8 h	3 mg/m ³ (2)
Talc (sans fibre d'amiante)	Time-weighted average exposure limit 8 h	2 mg/m ³ (3)

(1) fraction inhalable

(2) Fraction alvéolaire

(3) poussières alvéolaires

The Netherlands

Talk	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.016 ppm (1)
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.25 mg/m ³ (1)

(1) respirabel

France

Poussières réputées sans effet spécifique	Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante)	0.9 mg/m ³ (1)
	Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante)	4 mg/m ³ (2)

(1) La valeur limite concerne la fraction alvéolaire

(2) La valeur limite concerne la fraction totale

Germany

Allgemeiner Staubgrenzwert: Alveolengängige Fraktion	Time-weighted average exposure limit 8 h (TRGS 900)	1.25 mg/m ³ (1)
Oxydipropanol (Dipropylenglykol)	Time-weighted average exposure limit 8 h (TRGS 900)	100 mg/m ³ (2)
	Summe aus Dampf und Aerosolen.	

(1) Alveolengängige Fraktion

(2) Einatembare Fraktion; UF: 2 (II)

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

3 / 14

MEGAPLAST PU 90S curative

Austria

Talc (asbestfaserfrei) (1) Alveolengängige Fraktion	Tagesmittelwert (MAK)	2 mg/m ³ (1)
--	-----------------------	-------------------------

UK

Inhalable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³
Respirable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m ³
Talc	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1 mg/m ³ (1)

(1) Respirable dust

USA (TLV-ACGIH)

Particles (insoluble or poorly soluble) not otherwise specified	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	3 mg/m ³ (1)
Talc: Containing asbestos fibers	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.1 fibers/cm ³ (2)
Talc: Containing no asbestos fibers	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	2 mg/m ³ (3)

(1) (R): Respirable fraction

(2) (F): Respirable fibers: length > 5 µm; aspect ratio ≥ 3:1, as determined by the membrane filter method at 400-450X magnification (4-mm objective), using phase-contrast illumination

(3) R,E: Respirable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Dust, Respirable Nuisance (Particulates)	NIOSH	0600
Dust, Respirable	ASTM	D 4532-92
Dust, Total Nuisance (Particulates)	NIOSH	0500
total aerosol mass	NIOSH	0501

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

Talc (Mg₃H₂(SiO₃)₄)

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	2.16 mg/m ³	
	Acute systemic effects inhalation	2.16 mg/m ³	
	Long-term local effects inhalation	3.6 mg/m ³	
	Acute local effects inhalation	3.6 mg/m ³	
	Long-term systemic effects dermal	43.2 mg/kg bw/day	
	Long-term local effects dermal	4.54 mg/cm ²	

oxydipropanol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects dermal	84 mg/kg bw/day	
	Long-term systemic effects inhalation	238 mg/m ³	

zeolites

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	3 mg/m ³	
	Long-term systemic effects dermal	2.5 mg/m ³	

DNEL/DMEL - General population

Talc (Mg₃H₂(SiO₃)₄)

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	1.08 mg/m ³	
	Acute systemic effects inhalation	1.08 mg/m ³	
	Long-term local effects inhalation	1.8 mg/m ³	
	Acute local effects inhalation	1.8 mg/m ³	
	Long-term systemic effects dermal	21.6 mg/kg bw/day	
	Long-term local effects dermal	2.27 mg/kg bw/day	
	Long-term systemic effects oral	160 mg/kg bw/day	
	Acute systemic effects oral	160 mg/kg bw/day	

oxydipropanol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects dermal	51 mg/kg bw/day	
	Long-term systemic effects inhalation	70 mg/m ³	
	Long-term systemic effects oral	24 mg/kg bw/day	

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

4 / 14

MEGAPLAST PU 90S curative

zeolites

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	0.003 mg/m ³	
	Long-term systemic effects dermal	1.25 mg/kg bw/day	
	Long-term systemic effects oral	1.25 mg/kg bw/day	

PNEC

Talc (Mg₃H₂(SiO₃)₄)

Compartment	Value	Remark
Fresh water	597.97 mg/l	
Fresh water (intermittent releases)	597.97 mg/l	
Marine water	141.26 mg/l	
Marine water (intermittent releases)	141.26 mg/l	
Fresh water sediment	31.33 mg/kg sediment dw	
Marine water sediment	3.13 mg/kg sediment dw	
Air	10 mg/m ³	

oxydipropanol

Compartment	Value	Remark
Fresh water	0.1 mg/l	
Marine water	0.01 mg/l	
Aqua (intermittent releases)	1 mg/l	
Fresh water sediment	0.238 mg/kg sediment dw	
Marine water sediment	0.0238 mg/kg sediment dw	
Soil	0.0253 mg/kg soil dw	
STP	1000 mg/l	
Oral	313 mg/kg food	

zeolites

Compartment	Value	Remark
Fresh water	3.2 mg/l	
Marine water	0.32 mg/l	
STP	95 mg/l	
Soil	600 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374), Change gloves frequently.

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	> 0.5 mm	Class 6	

c) Eye protection:

Safety glasses (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Colour	White
Odour	Mild odour
Odour threshold	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available in the literature
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	212 °C
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

5 / 14

MEGAPLAST PU 90S curative

pH	Not applicable (non-soluble in water)
Kinematic viscosity	No data available in the literature
Dynamic viscosity	50000 mPa.s
Solubility	Water ; insoluble
Log Kow	Not applicable (mixture)
Vapour pressure	No data available in the literature
Absolute density	1225 kg/m ³ ; 25 °C
Relative density	1.23 ; 25 °C
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

Oxidizing agents, (strong) acids, (strong) bases, isocyanates.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

MEGAPLAST PU 90S curative

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg₃H₂(SiO₃)₄)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 423	> 5000 mg/kg bw		Rat (male)	Experimental value	
Dermal	LD50	OECD 402	> 2000 mg/kg bw	24 h	Rat (male / female)	Experimental value	
Inhalation (aerosol)	LC50	OECD 403	> 2.1 mg/l	4 h	Rat (male / female)	Experimental value	(maximum achievable concentration)

oxydipropanol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 5010 mg/kg bw		Rabbit (male / female)	Experimental value	
Inhalation	LC50	Equivalent to OECD 403	2.34 mg/l		Rat (male / female)	Experimental value	

zeolites

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	> 5110 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 2000 mg/kg bw		Rabbit (female)	Experimental value	
Inhalation (dust)	LC50		> 3.35 mg/l air	4 h	Rat (male / female)	Experimental value	

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

6 / 14

MEGAPLAST PU 90S curative

Conclusion

Not classified for acute toxicity

Corrosion/irritation

MEGAPLAST PU 90S curative

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg₃H₂(SiO₃)₄)

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		1; 24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Not applicable (in vitro test)	Not irritating	EU Method B.46			Reconstructed human epidermis	Experimental value	

oxydipropanol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Experimental value	
Dermal	Not irritating	Equivalent to OECD 404		24; 48; 72 hours	Rabbit	Experimental value	
Dermal	Not irritating	Patch test	24 h	24 hours	Human	Experimental value	

zeolites

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		24; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Not irritating	OECD 404	4 h	1; 24; 48; 72 hours	Rabbit	Experimental value	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

MEGAPLAST PU 90S curative

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg₃H₂(SiO₃)₄)

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406			Guinea pig (female)	Experimental value	
Inhalation	Not sensitizing				Rat (male)	Experimental value	

oxydipropanol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Dermal	Not sensitizing	Equivalent to OECD 406		24; 48; 72 hours	Guinea pig (male / female)	Experimental value	
Dermal	Not sensitizing	Patch test			Human (male / female)	Experimental value	

zeolites

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406			Guinea pig	Experimental value	

Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

Specific target organ toxicity

MEGAPLAST PU 90S curative

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

7 / 14

MEGAPLAST PU 90S curative

Talc (Mg3H2(SiO3)4)

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOAEL	Equivalent to OECD 452	100 mg/kg bw/day	No effect	101 day(s)	Rat (male / female)	Experimental value	
Dermal							Data waiving	
Inhalation (aerosol)	NOAEC	Equivalent to OECD 452	10.8 mg/m ³ air	No effect	52 weeks (7h / day, 5 days / week)	Rat (male / female)	Experimental value	

oxydipropanol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral	NOAEL	OECD 453	470 mg/kg bw	Liver (biochemical changes)	105 week(s)	Rat (male / female)		
Inhalation							Not relevant, expert judgement	

zeolites

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOAEL	Subchronic toxicity test	5000 ppm	No effect	90 day(s)	Rat (male)	Experimental value	
Oral (diet)	NOAEL	Subchronic toxicity test	10000 ppm	No effect	90 day(s)	Rat (female)	Experimental value	
Dermal							Data waiving	
Inhalation (dust)	NOAEL		> 20 mg/m ³ air	No effect	4 weeks (3 times / week)	Rat (male / female)		

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

MEGAPLAST PU 90S curative

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg3H2(SiO3)4)

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	

oxydipropanol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative	OECD 471	Bacteria (S.typhimurium)		Experimental value	
Negative	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	

zeolites

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S. typhimurium and E. coli)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	

Mutagenicity (in vivo)

MEGAPLAST PU 90S curative

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg3H2(SiO3)4)

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	Equivalent to OECD 478	5 days (1x / day)	Rat (male)	No effect	Experimental value	

oxydipropanol

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative	OECD 474		Mouse (male)		Experimental value	

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

8 / 14

MEGAPLAST PU 90S curative

zeolites

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	Equivalent to OECD 475		Rat (male)	No effect	Experimental value	Single treatment

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

MEGAPLAST PU 90S curative

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg₃H₂(SiO₃)₄)

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Inhalation (aerosol)	NOAEC	OECD 453	18 mg/m ³ air	No carcinogenic effect	113 weeks (6h / day, 5 days / week) - 122 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	
Oral (diet)	NOAEL	OECD 453	100 mg/kg bw/day	No carcinogenic effect	101 day(s)	Rat (male / female)	Experimental value	

oxydipropanol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral	NOAEL	OECD 453	2330 mg/kg bw/day		105 weeks (daily, 5 days / week)	Rat (male / female)	Experimental value	

zeolites

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOAEL	Carcinogenic toxicity study	≥ 60 mg/kg bw/day	No carcinogenic effect	104 week(s)	Rat (male / female)	Experimental value	

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

MEGAPLAST PU 90S curative

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Talc (Mg₃H₂(SiO₃)₄)

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	Developmental toxicity study	1600 mg/kg bw/day	10 days (1x / day)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	Developmental toxicity study	≥ 1600 mg/kg bw/day	10 days (1x / day)	Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL	Equivalent to OECD 416	> 900 mg/kg bw/day	13 days (1x / day)	Rabbit (female)	No effect	Experimental value	

oxydipropanol

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity	NOAEL	Equivalent to OECD 414	1200 mg/kg bw/day	9 day(s)	Rabbit (male / female)	No effect	Experimental value	
Effects on fertility	NOAEL (P)	Equivalent to OECD 416	10100 mg/kg bw/day	140 day(s)	Mouse (male / female)	No effect	Experimental value	

zeolites

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	> 1600 mg/kg bw/day	10 days (gestation, daily)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	> 1600 mg/kg bw/day	10 days (gestation, daily)	Rat	No effect	Experimental value	
Effects on fertility (Oral (diet))	NOAEL		≥ 2 %		Rat (male)	Testes (no effect)	Experimental value	

Conclusion

Not classified for reprotoxic or developmental toxicity

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

9 / 14

MEGAPLAST PU 90S curative

Aspiration hazard

MEGAPLAST PU 90S curative

Judgement is based on the relevant ingredients
Not classified for aspiration toxicity

Toxicity other effects

MEGAPLAST PU 90S curative

No (test)data on the mixture available

Chronic effects from short and long-term exposure

MEGAPLAST PU 90S curative

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

MEGAPLAST PU 90S curative

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

Talc (Mg₃H₂(SiO₃)₄)

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	ECOSAR v1.00	89581 mg/l	96 h	Pisces		Fresh water	QSAR
Acute toxicity crustacea	LC50	ECOSAR v1.00	36812 mg/l	48 h	Daphnia sp.		Fresh water	QSAR
Toxicity algae and other aquatic plants	EC50	ECOSAR v1.00	7203 mg/l	96 h	Algae		Fresh water	QSAR
	NOEC	ECOSAR v1.00	918 mg/l	30 day(s)	Algae		Fresh water	QSAR
Long-term toxicity fish	NOEC	ECOSAR v1.00	5980 mg/l	30 day(s)	Pisces		Fresh water	QSAR
Long-term toxicity aquatic crustacea	NOEC	ECOSAR v1.00	1460 mg/l	30 day(s)	Daphnia sp.		Fresh water	QSAR

oxydiopropanol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 1000 mg/l	96 h	Oryzias latipes	Semi-static system	Fresh water	Experimental value
Acute toxicity crustacea	EC50	OECD 202	> 100 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	EC50	OECD 201	> 100 mg/l	72 h	Desmodesmus subspicatus		Fresh water	Experimental value
	NOEC	OECD 201	> 100 mg/l	72 h	Desmodesmus subspicatus		Fresh water	Experimental value
Acute toxicity other aquatic organisms	LC50	Other	3181 mg/l	48 h	Xenopus laevis		Fresh water	Experimental value
Long-term toxicity fish	ChV	ECOSAR	1340 mg/l	30 day(s)			Fresh water	QSAR
Long-term toxicity aquatic crustacea	ChV	ECOSAR	466 mg/l	16 day(s)	Daphnia sp.		Fresh water	QSAR
Toxicity aquatic micro-organisms	EC10	UBA	≥ 1000 mg/l	18 h	Pseudomonas putida	Static system	Fresh water	Experimental value

	Parameter	Method	Value	Duration	Species	Value determination
Toxicity birds	LD50	OPPTS 850.2100 Acute Oral Toxicity Test	> 2000 mg/l	14 day(s)	Colinus virginianus	Experimental value

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

10 / 14

MEGAPLAST PU 90S curative

zeolites

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	NOEC	EPA 660/3 - 75/009	> 680 mg/l	96 h	Pimephales promelas	Static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EC50	OECD 202	2808 mg/l	24 h	Daphnia magna	Static system	Fresh water	Read-across; Nominal concentration
Toxicity algae and other aquatic plants	ErC50	OECD 201	18 mg/l - 34 mg/l	96 h	Desmodesmus subspicatus	Static system	Fresh water	Read-across; Nominal concentration
	NOEC	OECD 201	10 mg/l	96 h	Desmodesmus subspicatus	Static system	Fresh water	Read-across; Nominal concentration
Long-term toxicity fish	NOEC	US EPA	> 86.7 mg/l	30 day(s)	Pimephales promelas	Flow-through system	Fresh water	Experimental value
Long-term toxicity aquatic crustacea	NOEC	OECD 211	32 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Nominal concentration

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

Talc (Mg₃H₂(SiO₃)₄)

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	18.602 h	1.5E6 /cm ³	QSAR

oxydipropanol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	93.4 %	28 day(s)	Experimental value
OECD 306	23.6 %	64 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.91	0.341 day(s)	1500000 /cm ³	QSAR

Conclusion

Water

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

MEGAPLAST PU 90S curative

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Talc (Mg₃H₂(SiO₃)₄)

BCF other aquatic organisms

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.01	3.162 l/kg			QSAR

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (inorganic)			

oxydipropanol

Log Kow

Method	Remark	Value	Temperature	Value determination
Equivalent to OECD 107		-0.462	21.7 °C	Test data

zeolites

BCF other aquatic organisms

Parameter	Method	Value	Duration	Species	Value determination
BCF		0.59 - 0.95; Fresh weight	28 day(s)		Experimental value

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (inorganic)			

Conclusion

Does not contain bioaccumulative component(s)

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

11 / 14

MEGAPLAST PU 90S curative

12.4. Mobility in soil

Talc (Mg₃H₂(SiO₃)₄)

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	0 %	0 %	39.3 %	56 %	4.72 %	QSAR

oxydipropanol

(log) Koc

Parameter	Method	Value	Value determination
log Koc		0.78	Calculated value

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	0.11 %		0.08 %	53.7 %	46.1 %	Calculated value

zeolites

(log) Koc

Parameter	Method	Value	Value determination
			Data waiving

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
	0.00 %		0.31 %	59.79 %	39.9 %	Calculated value

Conclusion

Contains component(s) with potential for mobility in the soil
Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

MEGAPLAST PU 90S curative

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Groundwater

Groundwater pollutant

Talc (Mg₃H₂(SiO₃)₄)

Water ecotoxicity pH

pH shift

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number or ID number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

12 / 14

MEGAPLAST PU 90S curative

Hazard identification number	
Class	
Classification code	
14.4. Packing group	
Packing group	
Labels	
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
14.7. Maritime transport in bulk according to IMO instruments	
Annex II of MARPOL 73/78	Not applicable, based on available data

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
	No data available in the literature

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

National legislation Belgium

MEGAPLAST PU 90S curative

No data available

National legislation The Netherlands

MEGAPLAST PU 90S curative

Waterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

National legislation France

MEGAPLAST PU 90S curative

No data available

National legislation Germany

MEGAPLAST PU 90S curative

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
-----	--

Talc (Mg₃H₂(SiO₃)₄)

TA-Luft	5.2.1
---------	-------

oxydipropanol

TA-Luft	5.2.5
---------	-------

TRGS900 - Risiko der Fruchtschädigung Oxydipropanol (Dipropylenglykol); Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden

zeolites

TA-Luft	5.2.1
---------	-------

National legislation Austria

MEGAPLAST PU 90S curative

No data available

National legislation United Kingdom

MEGAPLAST PU 90S curative

No data available

Other relevant data

MEGAPLAST PU 90S curative

No data available

Talc (Mg₃H₂(SiO₃)₄)

IARC - classification	3; Talc
-----------------------	---------

TLV - Carcinogen	Talc: Containing no asbestos fibers; A4
------------------	---

	Talc: Containing asbestos fibers; A1
--	--------------------------------------

zeolites

IARC - classification	3; Zeolites other than erionite
-----------------------	---------------------------------

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

13 / 14

MEGAPLAST PU 90S curative

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

EUH210 Safety data sheet available on request.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2; 3

Publication date: 2006-02-01

Date of revision: 2024-03-14

Revision number: 0400

BIG number: 35069

14 / 14