

# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

## Q-fix 120 A

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Product name** : Q-fix 120 A  
**Registration number REACH** : Not applicable (mixture)  
**Product type REACH** : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1 Relevant identified uses

Resin

##### 1.2.2 Uses advised against

No uses advised against

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier of the safety data sheet

Novatio\*  
Industrielaan 5B  
B-2250 Olen  
☎ +32 14 25 76 40  
☎ +32 14 22 02 66  
info@novatio.be  
\*NOVATIO is a registered trademark of Novatech International N.V.

##### Manufacturer of the product

Novatech International N.V.  
Industrielaan 5B  
B-2250 Olen  
☎ +32 14 85 97 37  
☎ +32 14 85 97 38  
info@novatech.be

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :  
+32 14 58 45 45 (BIG)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Skin Sens.	category 1	H317: May cause an allergic skin reaction.

#### 2.2. Label elements



Contains: tetramethylene dimethacrylate; methacrylic acid, monoester with propane-1,2-diol.

**Signal word** Warning

##### H-statements

H317 May cause an allergic skin reaction.

##### P-statements

P280 Wear protective gloves, protective clothing and eye protection/face protection.  
P272 Contaminated work clothing should not be allowed out of the workplace.  
P321 Specific treatment (see information on this label).  
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.  
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
P362 + P364 Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards

No other hazards known

# Q-fix 120 A

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
tetramethylene dimethacrylate 01-2119667415-30	2082-81-7 218-218-1	5%≤C<20%	Skin Sens. 1B; H317	(1)(10)	Constituent	
methacrylic acid, monoester with propane-1,2-diol 01-2119490226-37	27813-02-1 248-666-3	1%<C<8.5%	Skin Sens. 1; H317 Eye Irrit. 2; H319	(1)(10)	Constituent	
1,1'-(p-tolylimino)dipropen-2-ol 01-2119980937-17	38668-48-3 254-075-1	C<1.25%	Acute Tox. 2; H300 Eye Irrit. 2; H319	(1)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

#### After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

#### After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

#### After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.2.1 Acute symptoms

##### After inhalation:

No effects known.

##### After skin contact:

No effects known.

##### After eye contact:

No effects known.

##### After ingestion:

No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

### 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

#### 5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

### 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

2 / 14

# Q-fix 120 A

No specific fire-fighting instructions required.

## 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

#### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Safety glasses (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

### 6.2. Environmental precautions

Contain released product.

### 6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

### 6.4. Reference to other sections

See section 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Remove contaminated clothing immediately. Keep container tightly closed.

### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Storage temperature: 5 °C - 25 °C. Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Keep only in the original container.

#### 7.2.2 Keep away from:

Heat sources, oxidizing agents.

#### 7.2.3 Suitable packaging material:

No data available

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 Threshold values

##### DNEL/DMEL - Workers

tetramethylene dimethacrylate

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	14.5 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	4.2 mg/kg bw/day	

methacrylic acid, monoester with propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	14.7 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	4.2 mg/kg bw/day	

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

3 / 14

# Q-fix 120 A

## 1,1'-(p-tolylimino)dipropen-2-ol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	2.47 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	0.7 mg/kg bw/day	

## DNEL/DMEL - General population

### tetramethylene dimethacrylate

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	4.3 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	2.5 mg/kg bw/day	
	Long-term systemic effects oral	2.5 mg/kg bw/day	

### methacrylic acid, monoester with propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	4.35 mg/m <sup>3</sup>	
	Long-term systemic effects dermal	2.5 mg/kg bw/day	
	Long-term systemic effects oral	2.5 mg/kg bw/day	

## 1,1'-(p-tolylimino)dipropen-2-ol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects oral	0.25 mg/kg bw/day	

## PNEC

### tetramethylene dimethacrylate

Compartment	Value	Remark
Fresh water	0.003 mg/l	
Fresh water (intermittent releases)	0.033 mg/l	
Marine water	0 mg/l	
STP	20 mg/l	
Fresh water sediment	0.12 mg/kg sediment dw	
Marine water sediment	0.012 mg/kg sediment dw	
Soil	0.022 mg/kg soil dw	

### methacrylic acid, monoester with propane-1,2-diol

Compartment	Value	Remark
Fresh water	0.904 mg/l	
Marine water	0.09 mg/l	
Fresh water (intermittent releases)	0.972 mg/l	
STP	10 mg/l	
Fresh water sediment	4.13 mg/kg sediment dw	
Marine water sediment	0.413 mg/kg sediment dw	
Soil	0.295 mg/kg soil dw	

## 1,1'-(p-tolylimino)dipropen-2-ol

Compartment	Value	Remark
Fresh water	0.13 mg/l	
Marine water	0.013 mg/l	
Fresh water (intermittent releases)	0.288 mg/l	
STP	3 mg/l	
Fresh water sediment	4.38 mg/kg sediment dw	
Marine water sediment	0.438 mg/kg sediment dw	
Soil	0.798 mg/kg soil dw	

## 8.1.5 Control banding

If applicable and available it will be listed below.

## 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

Respiratory protection not required in normal conditions.

#### b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	≥ 0.2 mm	Class 6	

#### c) Eye protection:

Safety glasses (EN 166).

#### d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

# Q-fix 120 A

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical form	Paste
Colour	Light beige
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available in the literature
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	Not applicable (solid)
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature
pH	Not applicable (non-soluble in water)
Kinematic viscosity	No data available in the literature
Dynamic viscosity	No data available in the literature
Solubility	Water ; insoluble
Log Kow	Not applicable (mixture)
Vapour pressure	No data available in the literature
Absolute density	1710 kg/m <sup>3</sup> ; 20 °C
Relative density	1.71 ; 20 °C
Relative vapour density	No data available in the literature
Particle size	No data available in the literature

### 9.2. Other information

No data available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Heating increases the fire hazard.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts with (strong) oxidizers.

### 10.4. Conditions to avoid

#### Precautionary measures

Keep away from naked flames/heat.

### 10.5. Incompatible materials

Oxidizing agents.

### 10.6. Hazardous decomposition products

Upon combustion: CO and CO<sub>2</sub> are formed.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Test results

#### Acute toxicity

##### Q-fix 120 A

No (test) data on the mixture available

Judgement is based on the relevant ingredients  
tetramethylene dimethacrylate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	10066 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	OECD 402	> 2000 mg/kg bw	24 h	Rat (female)	Experimental value	

# Q-fix 120 A

## methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	> 2000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50		> 5000 mg/kg bw	24 h	Rabbit (male)	Experimental value	

## 1,1'-(p-tolylimino)dipropan-2-ol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 423	25 mg/kg bw - 200 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	OECD 402	> 2000 mg/kg bw/day	24 h	Rat (male / female)	Experimental value	
Inhalation				8 h	Rat (male / female)	Experimental value	Not classified

### Conclusion

Not classified for acute toxicity

### **Corrosion/irritation**

#### Q-fix 120 A

No (test)data on the mixture available

Classification is based on the relevant ingredients

#### tetramethylene dimethacrylate

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Not irritating	Draize Skin Test	24 h	24; 48; 72 hours	Rabbit	Experimental value	

#### methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Irritating	Draize Test		24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Not irritating	Draize Test	24 h	24; 72 hours	Rabbit	Experimental value	

#### 1,1'-(p-tolylimino)dipropan-2-ol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Irritating	OECD 405	24 h	24; 48; 72 hours	Rabbit	Experimental value	Single treatment with rinsing
Skin	Not irritating	OECD 404	4 h	24; 48; 72 hours	Rabbit	Experimental value	

### Conclusion

Not classified as irritating to the respiratory system

Not classified as irritating to the skin

Not classified as irritating to the eyes

### **Respiratory or skin sensitisation**

#### Q-fix 120 A

No (test)data on the mixture available

Classification is based on the relevant ingredients

#### tetramethylene dimethacrylate

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 429			Mouse (female)	Experimental value	

#### methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	Patch test			Human (male / female)	Experimental value	
Dermal (on the ears)	Not sensitizing	Equivalent to OECD 429			Mouse (female)	Experimental value	

#### 1,1'-(p-tolylimino)dipropan-2-ol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406			Guinea pig (female)	Experimental value	

### Conclusion

May cause an allergic skin reaction.

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

6 / 14

# Q-fix 120 A

Not classified as sensitizing for inhalation

## Specific target organ toxicity

### Q-fix 120 A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

#### tetramethylene dimethacrylate

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 422	300 mg/kg bw/day	No effect		Rat (male / female)	Experimental value	

#### methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 422	300 mg/kg bw	No effect		Rat (male / female)	Experimental value	
Inhalation (vapours)	NOAEL systemic effects	OECD 413	0.35 mg/l	No adverse systemic effects	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	

#### 1,1'-(p-tolylimino)dipropen-2-ol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 408	20 mg/kg bw/day - 40 mg/kg bw/day	No effect	90 day(s)	Rat (male / female)	Experimental value	

## Conclusion

Not classified for subchronic toxicity

## Mutagenicity (in vitro)

### Q-fix 120 A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

#### tetramethylene dimethacrylate

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 473	Chinese hamster ovary (CHO)	No effect	Experimental value	

#### methacrylic acid, monoester with propane-1,2-diol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster ovary (CHO)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	

#### 1,1'-(p-tolylimino)dipropen-2-ol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster lung fibroblasts (V79)	No effect	Experimental value	

## Mutagenicity (in vivo)

### Q-fix 120 A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

7 / 14

# Q-fix 120 A

## tetramethylene dimethacrylate

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	OECD 474		Mouse (male / female)	Bone marrow (no effect)	Experimental value	Single treatment

## methacrylic acid, monoester with propane-1,2-diol

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	OECD 474		Mouse (male / female)	No effect	Experimental value	Single treatment

### Conclusion

Not classified for mutagenic or genotoxic toxicity

### Carcinogenicity

#### Q-fix 120 A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

## tetramethylene dimethacrylate

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Inhalation	NOAEC	Equivalent to OECD 451	≥ 4.1 mg/l air	No carcinogenic effect	102 weeks (6h / day, 5 days / week)	Mouse (male / female)	Experimental value	
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	≥ 90.3 mg/kg bw/day	No carcinogenic effect	104 week(s)	Rat (male)	Experimental value	
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	≥ 193.8 mg/kg bw/day	No carcinogenic effect	104 week(s)	Rat (female)	Experimental value	

## methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Inhalation (vapours)	NOAEC	Equivalent to OECD 451	≥ 2.05 mg/l air	No carcinogenic effect	102 weeks (6h / day, 5 days / week)	Rat (female)	Experimental value	
Inhalation (vapours)	NOAEC	Equivalent to OECD 451	≥ 4.1 mg/l air	No carcinogenic effect	102 weeks (6h / day, 5 days / week)	Rat (male)	Experimental value	
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	≥ 124 mg/kg bw/day	No carcinogenic effect	104 weeks (daily)	Rat (male)	Experimental value	
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	≥ 162 mg/kg bw/day	No carcinogenic effect	104 week(s)	Rat (female)	Experimental value	

### Conclusion

Not classified for carcinogenicity

### Reproductive toxicity

#### Q-fix 120 A

No (test)data on the mixture available

Judgement is based on the relevant ingredients

## tetramethylene dimethacrylate

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 422	300 mg/kg bw/day		Rat	Foetus (no effect)	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 422	300 mg/kg bw/day		Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOEL	OECD 422	300 mg/kg bw/day		Rat (male / female)	No effect	Experimental value	



# Q-fix 120 A

methacrylic acid, monoester with propane-1,2-diol

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	450 mg/kg bw/day	23 day(s)	Rabbit	No effect	Experimental value	
Developmental toxicity (Inhalation (vapours))	NOAEC	OECD 414	8.44 mg/l air	10 days (6h / day)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	450 mg/kg bw/day	23 day(s)	Rabbit	No effect	Experimental value	
Maternal toxicity (Inhalation (vapours))	NOAEC	OECD 414	8.44 mg/l air	10 days (6h / day)	Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL (P/F1)	OECD 416	400 mg/kg bw/day		Rat (male / female)	No effect	Experimental value	

1,1'-(p-tolylimino)dipropen-2-ol

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	20 mg/kg bw/day	14 days (1x / day)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	20 mg/kg bw/day	14 days (1x / day)	Rat	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL	OECD 422	40 mg/kg bw/day		Rat (male)	No effect	Experimental value	
Effects on fertility (Oral (stomach tube))	NOAEL	OECD 422	20 mg/kg bw/day		Rat (female)	No effect	Experimental value	

## Conclusion

Not classified for reprotoxic or developmental toxicity

## Aspiration hazard

Q-fix 120 A

Judgement is based on the relevant ingredients

Not classified for aspiration toxicity

## Toxicity other effects

Q-fix 120 A

No (test)data on the mixture available

## Chronic effects from short and long-term exposure

Q-fix 120 A

Skin rash/inflammation.

## 11.2. Information on other hazards

No evidence of endocrine disrupting properties

## SECTION 12: Ecological information

### 12.1. Toxicity

Q-fix 120 A

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

tetramethylene dimethacrylate

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	3.3 mg/l	96 h	Danio rerio	Semi-static system	Fresh water	Experimental value
Acute toxicity crustacea	EC50		28 mg/l	48 h	Invertebrata			QSAR
Toxicity algae and other aquatic plants	ErC50	OECD 201	9.8 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Measured concentration
	NOEC	OECD 201	2.1 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Measured concentration
Long-term toxicity aquatic crustacea	NOEC	OECD 211	5.1 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro-organisms	NOEC	Other	20 mg/l	28 day(s)	Activated sludge	Static system	Fresh water	Experimental value; Nominal concentration

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

9 / 14

# Q-fix 120 A

## methacrylic acid, monoester with propane-1,2-diol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	DIN 38412-15	493 mg/l	48 h	Leuciscus idus	Static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	> 143 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 97 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Measured concentration
	NOEC	OECD 201	≥ 97 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity aquatic crustacea	NOEC	OECD 211	45 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Reproduction

## 1,1'-(p-tolylimino)dipropen-2-ol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	Equivalent to OECD 203	120 mg/l	96 h	Pisces		Fresh water	QSAR
Acute toxicity crustacea	EC50	OECD 202	29 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Nominal concentration
Toxicity algae and other aquatic plants	ErC50	OECD 201	245 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Measured concentration
	NOEC	OECD 201	58 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	ChV	ECOSAR	15 mg/l	30 day(s)	Pisces		Fresh water	QSAR; Estimated value
Long-term toxicity aquatic crustacea	ChV	ECOSAR	8.6 mg/l	16 day(s)	Daphnia sp.		Fresh water	QSAR; Estimated value

### Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

## 12.2. Persistence and degradability

### tetramethylene dimethacrylate

#### Biodegradation water

Method	Value	Duration	Value determination
OECD 310	84 %; GLP	28 day(s)	Experimental value

### methacrylic acid, monoester with propane-1,2-diol

#### Biodegradation water

Method	Value	Duration	Value determination
OECD 301E	94 %; GLP	28 day(s)	Experimental value

#### Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	13 h	0.5E6 /cm <sup>3</sup>	Calculated value

## 1,1'-(p-tolylimino)dipropen-2-ol

#### Biodegradation water

Method	Value	Duration	Value determination
OECD 301B	39 %; GLP	28 day(s)	Experimental value

### Conclusion

#### Water

Contains non readily biodegradable component(s)

## 12.3. Bioaccumulative potential

### Q-fix 120 A

#### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

### tetramethylene dimethacrylate

#### Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		3.1	20 °C	Experimental value

### methacrylic acid, monoester with propane-1,2-diol

#### Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		0.97	20 °C	Experimental value

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

10 / 14

# Q-fix 120 A

## 1,1'-(p-tolylimino)dipropen-2-ol

### Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		2.1	24 °C	Experimental value

### Conclusion

Does not contain bioaccumulative component(s)

## 12.4. Mobility in soil

### tetramethylene dimethacrylate

#### (log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	1.9 - 2.5	Calculated value

### methacrylic acid, monoester with propane-1,2-diol

#### (log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	0.99	QSAR

## 1,1'-(p-tolylimino)dipropen-2-ol

#### (log) Koc

Parameter	Method	Value	Value determination
log Koc		2.5 - 2.6	Calculated value

### Conclusion

Contains component(s) with potential for mobility in the soil

## 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

## 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

## 12.7. Other adverse effects

### Q-fix 120 A

#### Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

#### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

### tetramethylene dimethacrylate

#### Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

#### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

#### Groundwater

Groundwater pollutant

### methacrylic acid, monoester with propane-1,2-diol

#### Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

#### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

#### Groundwater

Groundwater pollutant

## 1,1'-(p-tolylimino)dipropen-2-ol

#### Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

#### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

##### European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09\* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

#### 13.1.2 Disposal methods

# Q-fix 120 A

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

## 13.1.3 Packaging/Container

### European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

## SECTION 14: Transport information

### Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

#### 14.1. UN number or ID number

Transport	Not subject
-----------	-------------

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

#### 14.4. Packing group

Packing group	
Labels	

#### 14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

#### 14.6. Special precautions for user

Special provisions	
Limited quantities	

#### 14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
6.9 %	
118 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
· tetramethylene dimethacrylate · methacrylic acid, monoester with propane-1,2-diol	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach"

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

12 / 14

# Q-fix 120 A

		of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
· methacrylic acid, monoester with propane-1,2-diol	Substances falling within one or more of the following points: (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — skin sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council (c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.	Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081

## National legislation Belgium

### Q-fix 120 A

No data available

## National legislation The Netherlands

### Q-fix 120 A

Waterbezwaarlijkheid	B (3); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

## National legislation France

### Q-fix 120 A

No data available

## National legislation Germany

### Q-fix 120 A

WGK	1; Classification water polluting according to external literature source
tetramethylene dimethacrylate	
TA-Luft	5.2.5
methacrylic acid, monoester with propane-1,2-diol	
TA-Luft	5.2.5
1,1'-(p-tolylimino)dipropan-2-ol	
TA-Luft	5.2.5/I

## National legislation Austria

### Q-fix 120 A

No data available

## National legislation United Kingdom

### Q-fix 120 A

No data available

## Other relevant data

### Q-fix 120 A

No data available

## 15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

Reason for revision: 2; 3; 4; 6; 8; 9; 11; 12; 15

Publication date: 2008-12-01

Date of revision: 2025-06-19

Revision number: 0700

BIG number: 45230

13 / 14

# Q-fix 120 A

## SECTION 16: Other information

### Full text of any H- and EUH-statements referred to under section 3:

- H300 Fatal if swallowed.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.