# SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878



# SCREEN CLEAN WINTER

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

: SCREEN CLEAN WINTER Product name Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Anti-freezing agent

#### 1.2.2 Uses advised against

No uses advised against known

#### 1.3. Details of the supplier of the safety data sheet

### Supplier of the safety data sheet

Novatio\*

Industrielaan 5B

B-2250 Olen

**2** +32 14 25 76 40

**⊞** +32 14 22 02 66

info@novatio.be

\*NOVATIO is a registered trademark of Novatech International N.V.

#### Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

**2** +32 14 85 97 37

**4** +32 14 85 97 38

info@novatech.be

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

classified as dafigerous according to the criteria of Regulation (EC) NO 1272/2008			
Class	Category	Hazard statements	
Flam. Liq.	category 3	H226: Flammable liquid and vapour.	

# 2.2. Label elements



Signal word Warning

**H-statements** 

Flammable liquid and vapour.

H226 P-statements

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P210

P243 Take action to prevent static discharges.

Wear protective gloves and eye protection/face protection. P280

P233 Keep container tightly closed.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P303 + P361 + P353

P403 + P235 Store in a well-ventilated place. Keep cool.

#### 2.3. Other hazards

No other hazards known

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

Reason for revision: 3.2; 9; 12; 15 Revision number: 0400

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Publication date: 2011-05-17 Date of revision: 2021-07-21

BIG number: 44577 1/12

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
ethanol	64-17-5	C≤40%	Flam. Liq. 2; H225	(1)(2)(6)(10)	Constituent	
01-2119457610-43	200-578-6		Eye Irrit. 2; H319			

- (1) For H- and EUH-statements in full: see section 16
- (2) Substance with a Community workplace exposure limit
- (6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data
- (10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General:

Observe (own) safety. If you feel unwell, consult a doctor/medical service.

#### After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water.

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a

#### doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

# 4.2. Most important symptoms and effects, both acute and delayed

#### 4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

After eye contact:

No effects known.

#### After ingestion:

AFTER INGESTION OF HIGH QUANTITIES: Nausea. Vomiting. Headache.

#### 4.2.2 Delayed symptoms

No effects known.

# 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

# SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

### 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (alcohol-resistant), Water spray if puddle cannot expand.

# 5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

### 5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat.

# 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

Reason for revision: 3.2; 9; 12; 15

Publication date: 2011-05-17

Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 2 / 12

# SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment.

#### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

#### 6.2. Environmental precautions

Contain released product. Dam up the liquid spill. Try to reduce evaporation. Prevent spreading in sewers.

#### 6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

#### 6.4. Reference to other sections

See section 13.

#### SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 7.1. Precautions for safe handling

Keep away from naked flames/heat. Insufficient ventilation: use spark-/explosionproof appliances and lighting system. Insufficient ventilation: keep naked flames/sparks away. Insufficient ventilation: take precautions against electrostatic charges. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards. Keep container tightly closed. Do not discharge the waste into the drain.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Keep container in a well-ventilated place. Protect against frost. Fireproof storeroom. Provide for a tub to collect spills. Keep container tightly closed.

#### 7.2.2 Keep away from:

Heat sources, ignition sources, oxidizing agents, reducing agents, (strong) acids, (strong) bases.

### 7.2.3 Suitable packaging material:

# 7.2.4 Non suitable packaging material:

No data available

### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

# SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Alcool éthylique

#### 8.1.1 Occupational exposure

a) Occupational exposure limit values
If limit values are applicable and available these will be listed below.

#### Belgium

	Time-weighted average exposure limit 8 h	1907 mg/m <sup>3</sup>
he Netherlands		
thanol	Time-weighted average exposure limit 8 h (Public occupational exp limit value)	posure 136 ppm
	Time-weighted average exposure limit 8 h (Public occupational explimit value)	oosure 260 mg/m³
	Short time value (Public occupational exposure limit value)	992 ppm
	Short time value (Public occupational exposure limit value)	1900 mg/m <sup>3</sup>
rance		
Alcool éthylique	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	1000 ppm
	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	1900 mg/m <sup>3</sup>
	Short time value (VL: Valeur non réglementaire indicative)	5000 ppm

Time-weighted average exposure limit 8 h

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17

Revision number: 0400 BIG number: 44577 3 / 12

Date of revision: 2021-07-21

Short time value (VL: Valeur non réglementaire indicative)

1000 ppm

9500 mg/m<sup>3</sup>

#### Germany

Ethanol	Time-weighted average exposure limit 8 h (TRGS 900)	200 ppm
	Time-weighted average exposure limit 8 h (TRGS 900)	380 mg/m <sup>3</sup>

#### UK

Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1000 ppm
Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1920 mg/m³

#### USA (TLV-ACGIH)

osa (rev Accom)				
Ethanol	Short time value (TLV - Adopted Value)	1000 ppm		

#### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

Product name	Test	Number
Ethanol (Volatile Organic compounds)	NIOSH	2549
ethanol	NIOSH	8002
Ethyl Alcohol (Ethanol)(Alcohols I)	NIOSH	1400
Ethyl Alcohol	OSHA	100

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 Threshold values

#### **DNEL/DMEL - Workers**

#### ethanol

_				
	Effect level (DNEL/DMEL)	Туре	Value	Remark
	DNEL	Long-term systemic effects inhalation	950 mg/m³	
		Long-term systemic effects dermal	343 mg/kg bw/day	

#### **DNEL/DMEL - General population**

#### ethano

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	114 mg/m³	
	Long-term systemic effects dermal	206 mg/kg bw/day	
	Long-term systemic effects oral	87 mg/kg bw/day	

#### **PNEC**

#### ethanol

Compartments	Value	Remark
Fresh water	0.96 mg/l	
Marine water	0.79 mg/l	
Fresh water (intermittent releases)	2.75 mg/l	
STP	580 mg/l	
Fresh water sediment	3.6 mg/kg sediment dw	
Marine water sediment	2.9 mg/kg sediment dw	
Soil	0.63 mg/kg soil dw	
Oral	0.38 g/kg food	

#### 8.1.5 Control banding

If applicable and available it will be listed below.

### 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Insufficient ventilation: use spark-/explosionproof appliances and lighting system. Insufficient ventilation: keep naked flames/sparks away. Insufficient ventilation: take precautions against electrostatic charges. Measure the concentration in the air regularly. Work under local exhaust/ventilation.

#### 8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work. \\

#### a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

### b) Hand protection:

Protective gloves against chemicals (EN 374).

	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	0.35 mm	Class 6	

#### c) Eye protection:

Eye protection not required in normal conditions.

#### d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

#### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17 Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 4 / 12

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical form	Liquid
Odour	Characteristic odour
Odour threshold	No data available in the literature
Colour	No data available on colour
Particle size	Not applicable (liquid)
Explosion limits	3.00 - 19.00 vol %
Flammability	Flammable liquid and vapour.
Log Kow	Not applicable (mixture)
Dynamic viscosity	1 mPa.s ; 20 °C
Kinematic viscosity	1 mm²/s ; 20 °C
Melting point	-22 °C
Boiling point	78 °C - 100 °C
Relative vapour density	No data available in the literature
Vapour pressure	58.5 hPa ; 20 °C
Solubility	Water; soluble
Relative density	0.93 ; 20 °C
Absolute density	929 kg/m³ ; 20 °C
Decomposition temperature	No data available in the literature
Auto-ignition temperature	370 °C
Flash point	27 °C
рН	8.1

#### 9.2. Other information

Evaporation rate	2.00; Butyl acetate

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

May be ignited by sparks.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

#### **Precautionary measures**

Keep away from naked flames/heat. Insufficient ventilation: use spark-/explosionproof appliances and lighting system. Insufficient ventilation: keep naked flames/sparks away. Insufficient ventilation: take precautions against electrostatic charges.

#### 10.5. Incompatible materials

Oxidizing agents, reducing agents, (strong) acids, (strong) bases.

#### 10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

# SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Test results

#### **Acute toxicity**

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>ethanol</u>

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 401	10470 mg/kg bw		Rat (male /	Experimental value	
					female)		
Dermal						Data waiving	
Inhalation (vapours)	LC50	Equivalent to OECD	124.7 mg/l air	4 h	Rat (male /	Experimental value	
		403			female)		

#### Conclusion

Not classified for acute toxicity

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17 Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 5 / 12

#### Corrosion/irritation

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

ethanol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Irritating	OECD 405	14 day(s)	24; 48; 72 hours		Experimental value	Single treatment
Skin	Not irritating	OECD 404	24 h	1; 2; 3; 4; 5; 7 days		Experimental value	Single treatment

#### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

# Respiratory or skin sensitisation

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>ethanol</u>

Route of exposure	Result	Method	•	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 429			Mouse (male)	Experimental value	
Inhalation (vapours)	Not sensitizing				Rat (male / female)	Experimental value	

#### Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

# Specific target organ toxicity

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>ethanol</u>

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	-	Value determination
Oral (stomach tube)	LOAEL	Equivalent to OECD 408	3160 mg/kg	Liver; kidney	No effect	7 weeks (daily) - 14 weeks (daily)	Rat (male)	Experimental value
Dermal								Data waiving
Inhalation (vapours)	LOAEC	Equivalent to OECD 453	1.3 mg/l air	Pituitary	Histology	12 month(s)	Rat (male / female)	Read-across

# Conclusion

Not classified for subchronic toxicity

#### Mutagenicity (in vitro)

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

ethanol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic	Equivalent to OECD 476	Mouse (lymphoma L5178Y	No effect	Experimental value	
activation, negative		cells)			
without metabolic					
activation					

# Mutagenicity (in vivo)

### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>ethanol</u>

Result	Method	Exposure time	Test substrate	Organ	Value determination
Ambiguous (Oral (stomach tube))	Equivalent to OECD	5 days (1x / day)	Mouse (male)	General	Experimental value
	478				

#### Conclusion

Not classified for mutagenic or genotoxic toxicity

Reason for revision: 3.2; 9; 12; 15

Publication date: 2011-05-17

Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 6 / 12

# Carcinogenicity

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>ethanol</u>

Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
exposure								
Inhalation	NOAEC	Equivalent to	≥ 1.3 ppm	24 month(s)	Rat (male /	No carcinogenic		Read-across
(vapours)		OECD 453			female)	effect		
Oral (diet)	NOAEL	Equivalent to	> 3000	104 weeks (daily)	Rat (male /	No carcinogenic		Experimental value
		OECD 451	mg/kg		female)	effect		
			bw/day					

#### Conclusion

Not classified for carcinogenicity

#### Reproductive toxicity

# SCREEN CLEAN WINTER

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>ethanol</u>

	Parameter	Method	Value	Exposure time	Species	Effect	0	Value determination
Developmental toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	≥ 20000 ppm	20 days (7h / day)	Rat (male)	No effect	Stomach	Experimental value
Maternal toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	16000 ppm	20 days (7h / day)	Rat (female)	No effect		Experimental value
Effects on fertility (Oral (drinking water))	NOAEL (P)	Equivalent to OECD 416	20700 mg/kg bw/day	18 week(s)	Mouse (male / female)	No effect		Experimental value

#### Conclusion

Not classified for reprotoxic or developmental toxicity

#### **Toxicity other effects**

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

#### Chronic effects from short and long-term exposure

# SCREEN CLEAN WINTER

No effects known.

# 11.2. Information on other hazards

No evidence of endocrine disrupting properties

# SECTION 12: Ecological information

# 12.1. Toxicity

#### SCREEN CLEAN WINTER

No (test)data on the mixture available

 $\label{lem:lement} \mbox{ Judgement of the mixture is based on the relevant ingredients}$ 

Reason for revision: 3.2; 9; 12; 15

Publication date: 2011-05-17

Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 7 / 12

<u>ethanol</u>

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	US EPA	15300 mg/l	96 h	Pimephales promelas	Flow- through system	Fresh water	Experimental value
Acute toxicity crustacea	LC50	ASTM E729- 80	5012 mg/l	48 h	Ceriodaphnia dubia	Static system	Fresh water	Experimental value; Nominal concentration
Toxicity algae and other aquatic plants	ErC50	Equivalent to OECD 201	275 mg/l	3 day(s)	Chlorella vulgaris	Static system	Fresh water	Experimental value; Nominal concentration
Long-term toxicity fish	ChV	US EPA	245 mg/l	30 day(s)	Pisces		Fresh water	QSAR; Lethal
Long-term toxicity aquatic crustacea	NOEC		9.6 mg/l	9 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Nominal concentration
Toxicity aquatic micro- organisms	EC50		5800 mg/l	4 h	Paramaecium caudatum	Static system	Fresh water	Experimental value; Nominal concentration

#### Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

# 12.2. Persistence and degradability

<u>ethanol</u>

**Biodegradation water** 

Method	Value	Duration	Value determination
	84 %; Oxygen consumption	20 day(s)	Experimental value
Phototransformation air (DT50 air)			_

Method	Value	Conc. OH-radicals	Value determination	
	40 h	500000 /cm <sup>3</sup>	Calculated value	

#### Conclusion

Water

The surfactant(s) is/are biodegradable according to Regulation (EC) No 648/2004

# 12.3. Bioaccumulative potential

SCREEN CLEAN WINTER

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

#### <u>ethanol</u>

#### **BCF** fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF		1 - 4.5	72 h	Cyprinus carpio	Read-across

Log Kow

-0 ·····				
Method	Remark	Value	Temperature	Value determination
OECD 107		-0.35	24 °C	Experimental value

# Conclusion

Does not contain bioaccumulative component(s)

# 12.4. Mobility in soil

<u>ethanol</u>

(log) Koc

Y-81 ····			
Parameter	Method	Value	Value determination
log Koc		0	Calculated value

Percent distribution

Method	Fraction air	 Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	53.2 %	0.1 %	13.7 %	33.1 %	QSAR

# Conclusion

Contains component(s) with potential for mobility in the soil

#### 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

# 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17
Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 8 / 12

# 12.7. Other adverse effects

SCREEN CLEAN WINTER

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

ethanol

Groundwater

Groundwater pollutant

# SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

# 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

#### **European Union**

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

16 01 14\* (end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08): antifreeze fluids containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

#### 13.1.3 Packaging/Container

#### **European Union**

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

# SECTION 14: Transport information

# Road (ADR)

14. <u>1. UN number</u>	
UN number	1987
4.2. UN proper shipping name	
Proper shipping name	alcohols, n.o.s. (ethanol)
.4.3. Transport hazard class(es)	
Hazard identification number	30
Class	3
Classification code	F1
4.4. Packing group	
Packing group	III
Labels	3
4.5. Environmental hazards	
Environmentally hazardous substance mark	no
4. <u>6</u> . Special precautions for user	
Special provisions	274
Special provisions	601
Limited quantities	Combination packagings: not more than 5 liters per inner packaging for
	liquids. A package shall not weigh more than 30 kg. (gross mass)

#### Rail (RID)

(	(ND)			
14.	1. UN number			
	UN number	1987		
14.	2. UN proper shipping name			
	Proper shipping name	alcohols, n.o.s. (ethanol)		
14.	3. Transport hazard class(es)			
	Hazard identification number	30		
	Class	3		
	Classification code	F1		
14.	4. Packing group			
	Packing group	III		
	Labels	3		
14.	14.5. Environmental hazards			
	Environmentally hazardous substance mark	no		

14.6. Special precautions for user

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17 Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 9 / 12

SCREEN (	CLEAN WINTER
Special provisions	274
Special provisions	601
Limited quantities	Combination packagings: not more than 5 liters per inner packaging for
	liquids. A package shall not weigh more than 30 kg. (gross mass)
nd waterways (ADN)	
4. <u>1. UN number</u>	
UN number	1987
4.2. UN proper shipping name	
Proper shipping name	alcohols, n.o.s. (ethanol)
4.3. Transport hazard class(es)	
Class	3
Classification code	F1
4.4. Packing group	
Packing group	III
Labels	3
4.5. Environmental hazards	
Environmentally hazardous substance mark	no
4.6. Special precautions for user	land
Special provisions	274
Special provisions	601
Limited quantities	Combination packagings: not more than 5 liters per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)
(IMDG/IMSBC)	, , , , , , , , , , , , , , , , , , , ,
4.1. UN number	
UN number	1987
4.2. UN proper shipping name	1507
Proper shipping name	alcohols, n.o.s. (ethanol)
4.3. Transport hazard class(es)	alconois, moss. (certainor)
Class	3
4.4. Packing group	P
Packing group	III
Labels	3
4.5. Environmental hazards	
Marine pollutant	-
Environmentally hazardous substance mark	no
4.6. Special precautions for user	
Special provisions	223
Special provisions	274
Limited quantities	Combination packagings: not more than 5 liters per inner packaging for
·	liquids. A package shall not weigh more than 30 kg. (gross mass)
4.7. Maritime transport in bulk according to IMO instruments	L
Annex II of MARPOL 73/78	Not applicable, based on available data
(ICAO-TI/IATA-DGR)	
4. <u>1. UN number</u>	
UN number	1987
4.2. UN proper shipping name	
Proper shipping name	alcohols, n.o.s. (ethanol)
4.3. Transport hazard class(es)	
Class	3
4.4. Packing group	la.
Packing group	
Labels	3
4.5. Environmental hazards	
Environmentally hazardous substance mark	no
4.6. Special precautions for user	1,,,,,
Special provisions	A180
Special provisions	A3
Passenger and cargo transport	lea.
Limited quantities: maximum net quantity per packaging	10 L

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture <u>European legislation:</u>

VOC content Directive 2010/75/EU

VOC content	Remark
32.910 %	
305.730 g/l	

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17

Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 10 / 12

#### **REACH Annex XVII - Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
- ethanol	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in:  — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  — tricks and jokes,  — games for one or more participants, or any article intended to be used as such, even with ornamental aspects,  2. Articles not complying with paragraph 1 shall not be placed on the market.  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  — can be used as fuel in decorative oil lamps for supply to the general public, and,  — present an aspiration hazard and are labelled with H304,  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage";  b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";  c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- ethanol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  — metallic glitter intended mainly for decoration, — artificial snow and frost, — "whoopee" cushions, — silly string aerosols, — imitation excrement, — horns for parties, — decorative flakes and foams, — artificial cobwebs, — stink bombs.  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  "For professional users only".  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

# **National legislation Belgium**

SCREEN CLEAN WINTER

No data available

### **National legislation The Netherlands**

|--|

Waterbezwaarlijkheid	B (5); Algemene Beoordelingsmethodiek (ABM)
<u>ethanol</u>	
Huidopname (wettelijk)	Ethanol; H
SZW - Lijst van kankerverwekkende stoffen	Ethanol; Listed in SZW-list of carcinogenic substances
SZW - Lijst van voor de voortplanting giftige stoffen (ontwikkeling)	ethanol / ethylalcohol; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (ontwikkeling); 1A
SZW - Lijst van voor de voortplanting giftige stoffen (vruchtbaarheid)	ethanol / ethylalcohol; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (vruchtbaarheid); 1A
SZW - Lijst van voor de voortplanting giftige stoffen (borstvoeding)	ethanol / ethylalcohol; Opgenomen in SZW-lijst van voor de voortplanting giftige stoffen (borstvoeding)

# National legislation France SCREEN CLEAN WINTER

No data available

### **National legislation Germany**

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17

Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 11 / 12

#### SCREEN CLEAN WINTER

Lagerklasse (TRGS510)	3: Entzündbare Flüssigkeiten
WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
<u>ethanol</u>	
TA-Luft	5.2.5
TRGS900 - Risiko der	Ethanol; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen
Fruchtschädigung	Grenzwertes nicht befürchtet zu werden

#### **National legislation United Kingdom**

SCREEN CLEAN WINTER

No data available

Other relevant data
SCREEN CLEAN WINTER

No data available

ethanol

IARC - classification	1; Alcohol beverages
TLV - Carcinogen	Ethanol; A3

#### 15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

# SECTION 16: Other information

#### Full text of any H- and EUH-statements referred to under section 3:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H319 Causes serious eye irritation.

(\*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

ATE **Acute Toxicity Estimate** 

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level DNEL Derived No Effect Level EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

No Observed Adverse Effect Level NOAFI NOEC No Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic **PNEC** Predicted No Effect Concentration STP **Sludge Treatment Process** 

vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3.2; 9; 12; 15 Publication date: 2011-05-17

Date of revision: 2021-07-21

Revision number: 0400 BIG number: 44577 12 / 12