novatio[®]



XPR-100 Graffiti

Remover

REMOVES PAINTS, LACQUER AND INK

- ✓ Powerful and environmentally friendly.
 - Odourless, non-flammable and reusable for nine months.
 - Stronger than volatile solvent.

Technical Info

- Basis: acetal solvent.
- Forme: liquid.
- Color: transparent.
- Molecular weight: 164,2.
- Melting point: < -65°C.
- Boiling point: +210°C.
- Density: 0,9921 (20°C).
- Vapour pressure at 20°C: 0,0225 bar.
- Solubility in water: 100%.
- Flash point (ASTM D 92): 92°C.
- Flash point (ASTM D 93): 88°C.
- Auto ignition temperature: +210°C.
- Evaporation rate: 17,38 (match point: Butyl acetaat=1).
- Storage life: 18 months, dry, cool and frostfree.

Packing



Use

- Apply to the soiled surface and leave to soak.
- Wipe the soiling off and repeat this if necessary.
- · Always rinse with copious amounts of water before drying.

XPR-100 is greasy and evaporates slowly so a longer soaking time may be necessary. XPR-100 can be bonded with Novatio Megatix to extend the working time on vertical applications. If in doubt about the strength of the surface first test in an inconspicuous

Product [XGR]

Characteristics

- Penetrates printing inks, inks, traces of markers, water based an solvent based lacquers and paints and soaks them off.
- Is not corrosive, not irritant and non-flammable so safe to transport, to store and use.
- Strength means it is economic to use, and re-usable in rinsing and immersion baths for up to 9 months.



place. Leaving soiling to settle means XPR-100 can continue to be used for up to 9 months. Treat soiled product as chemical waste.



