



XPR-100 Extreme Remover

FOR REMOVING GRAFFITI, PAINT, SOOT, INK, GLUE, PUR FOAM

- Solvent-free.
- Odourless and non-flammable.
- Safe for health and the environment.
- Reusable for up to nine months.

Technical Info

- · Basis: acetal solvent.
- · Forme: liquid.
- · Color: transparent.
- · Molecular weight: 164,2.
- Melting point: < -65°C.
- Boiling point: +210°C.
- Density: 0,9921 (20°C).
- · Vapour pressure at 20°C: 0,0225 bar.
- · Solubility in water: 100%.
- · Flash point (ASTM D 92): 92°C.
- Flash point (ASTM D 93): 88°C.
- · Auto ignition temperature: +210°C.
- Evaporation rate: 17,38 (match point: Butyl acetaat=1).
- Storage life: 18 months, dry, cool and frostfree.

Packing

 XPR-100 Extreme Remover - can 1L
 493601000

 XPR-100 Extreme Remover - can 5L
 493605000

Product [EXR100]

Characteristics

The revolutionary solvent-free cleaner that handles even stubborn and even cured dirt. Penetrates and loosens where necessary. Non-corrosive, non-irritant and non-flammable so safe to stock. Economical to use due to its strength and 9-month reusability in rinse and dip tanks.

Applications

- · Graffiti removal.
- Cleaning of paint guns.
- Loosening old paint layers on furniture, walls, moulds, metal objects, etc.
- · Removal of hardened glue and sealant.
- · Cleaning paint brushes and rollers (including petrified ones).
- · Removal of combustion and fire contamination.

Use

- · Apply on the surface.
- · Leave to work depending on the degree of soiling (even hours).
- Wipe off contamination.
- · Repeat if necessary.



· Always rinse abundantly with water.

Extreme Remover is a greasy, slow-evaporating cleaner so a longer working time is possible where necessary. If in doubt about the strength of the substrate, first test on a low visibility area. By allowing soiling to settle, XPR-100 can be reused for 9 months. Treat contaminated product as chemical waste.