



Oxi-Remover Gel

OXIDATION REMOVER

- Superfast and efficient.
- Does not contain acids, is biodegradable.
- Removes rust marks safely from natural stone, concrete, textile, wood, ...
- Oxidation on silver, lead, copper, iron, ... disappears in an instant!
- Ideal for vertical and/or smooth surfaces.

Technical Info

- · Appearance at 20°C: liquid gel
- Colour: colourless/pinkish
- Odour: characteristic
- Viscosity, mPa.s/20°C: 350
- Boiling point: 100°C
- Fusion point: 0°C
- Vapour pressure PA/20°C: 2332
- Relative density: 1.124 pH: 9.5
- Solubility in water: completely
- · Flash point: non-applicable.
- Biodegradation: biodegradable. Watery solution. Safe on natural stone, concrete, wood, tiles, stone, glass, textile,... Quick-acting.
- Shelf life: 24 months, keep dry, cool and frostproof.
- Safety measures: consult the Safety Data Sheet.

Packing

Oxi-Remover Gel - aerosol 400ml

495102000

Product

Characteristics

- · A a powerful, fast working and very safe oxidation remover.
- Removes oxidation on silver, lead, copper, iron and works faster and safer than most current products.
- Removes oxidation spots caused by barbecue, garden-chairs, parasol foot, radiator stains, nails, flower-pots on tiles and floors, drips of zinc or copper rainpipes on tiles, walls, glass, etc., rust marks of screws or nails on hardwooden garden or terrace paths, traces of iron-rich water on baths, showers,

Applications

- · Ideal for horizontal and porous surfaces.
- Thanks to its gel shape it keeps on sticking and does not sag.
- · Can be used outside as well as inside.
- To remove rust stains (metal oxide) on all surfaces such as stone, concrete, wood, metal, textile, etc.
- Ideal for paths, drives, terraces, tiles, walls, floors (all natural stones, marble, concrete stone, bluestone, decorative stones, granite).
 On roofs: copper, zinc and lead oxide on roof tiles and other roof-
- On roofs: copper, zinc and lead oxide on roof tiles and other roof covering.
- To remove rust from tools, metal instruments, ...

Use

- · Spray and saturate the porous surface with Oxi-Remover.
- Treat it with Oxi-Remover Gel immediately after the application of the Oxi-Remover.
- This way you can prevent the accelerated drying of Oxi-Remover.
- · Rinse thorougly with water.

After the removal of the rust it is advisable to protect the surface.

On strongly affected and porous surfaces, the combination of Oxi-Remover and Oxi-Remover Gel can give a better result.

