# SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

# SURFACE POLISH

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : SURFACE POLISH
Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Polishing agent

Detergent according to Regulation (EC) No 648/2004

#### 1.2.2 Uses advised against

No uses advised against known

#### 1.3. Details of the supplier of the safety data sheet

## Supplier of the safety data sheet

Novatio\*

Industrielaan 5B

B-2250 Olen

**2** +32 14 25 76 40 **4** +32 14 22 02 66

info@novatio.be

\*NOVATIO is a registered trademark of Novatech International N.V.

#### Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

**2** +32 14 85 97 37

**₲** +32 14 85 97 38

info@novatech.be

## 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

## SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Eye Irrit.	category 2	H319: Causes serious eye irritation.

#### 2.2. Label elements



Signal word Warning

H-statements

H319 Causes serious eye irritation.

P-statements

P280 Wear eye protection.

P264 Wash hands thoroughly after handling.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

**Supplemental information** 

EUH208 Contains: tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione. May produce an allergic

reaction.

## 2.3. Other hazards

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be © BIG vzw Reason for revision: 8 Revision number: 0501 Publication date: 2008-09-04
Date of revision: 2023-11-28

78-16239-05

BIG number: 46829 1 / 16

Caution! Substance is absorbed through the skin

# SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name REACH Registration No	CAS No EC No List No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119463258-33	919-857-5	C≤20%	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 EUH066	(1)(10)	Constituent	
propan-2-ol 01-2119457558-25	67-63-0 200-661-7	C≤7%	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	(1)(2)(10)	Constituent	
isotridecanol, ethoxylated	69011-36-5 500-241-6	C≤2%	Eye Dam. 1; H318	(1)	Constituent	
tetrahydro-1,3,4,6-tetrakis(hydroxymethyl) imidazo[4,5-d]imidazole-2,5(1H,3H)-dione	5395-50-6 226-408-0	C≤0.2%	Skin Sens. 1; H317	(1)	Constituent	

<sup>(1)</sup> For H- and EUH-statements in full: see section 16

Note: numbers 9xx-xxx-x are provisional list numbers assigned by Echa pending an official EC inventory number

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

## After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

#### After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

#### After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.2.1 Acute symptoms

## After inhalation:

No effects known.

## After skin contact:

No effects known.

## After eye contact:

Irritation of the eye tissue.

#### After ingestion:

Headache. Nausea. Vomiting. Diarrhoea.

#### 4.2.2 Delayed symptoms

No effects known.

## 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

## 5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

#### 5.1.2 Unsuitable extinguishing media:

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 2 / 16

<sup>(2)</sup> Substance with a Community workplace exposure limit

<sup>(10)</sup> Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

## 5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

#### 5.3. Advice for firefighters

#### 5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective goggles (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

## SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

#### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

## 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective goggles (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

#### 6.2. Environmental precautions

Contain released product. Try to reduce evaporation.

## 6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

#### 6.4. Reference to other sections

See section 13.

# SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

## 7.1. Precautions for safe handling

Keep away from naked flames/heat. Gas/vapour heavier than air at 20°C. Observe strict hygiene. Keep container tightly closed.

## 7.2. Conditions for safe storage, including any incompatibilities

## 7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Keep container in a well-ventilated place. Protect against frost. Keep out of direct sunlight. Keep container tightly closed.

#### 7.2.2 Keep away from:

Heat sources, oxidizing agents, reducing agents, (strong) acids, (strong) bases.

#### 7.2.3 Suitable packaging material:

No data available

## 7.2.4 Non suitable packaging material:

No data available

#### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

## 8.1. Control parameters

#### 8.1.1 Occupational exposure

#### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

## Belgium

Alcool isopropylique	Time-weighted average exposure limit 8 h	200 ppm
	Time-weighted average exposure limit 8 h	500 mg/m <sup>3</sup>
	Short time value	400 ppm
	Short time value	1000 mg/m <sup>3</sup>
	·	•

#### France

Alcool isopropylique	Short time value (VL: Valeur non réglementaire indicative)	400 ppm
	Short time value (VL: Valeur non réglementaire indicative)	980 mg/m³

Reason for revision: 8 Publication date: 2008-09-04 Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 3 / 16

## Germany

Propan-2-ol	Time-weighted average exposure limit 8 h (TRGS 900)	200 ppm <b>(1)</b>
	Time-weighted average exposure limit 8 h (TRGS 900)	500 mg/m³ (1)
Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d) imidazol-2,5(1H,3H)-dion (Tetramethylolacetylendiharnstoff)	Time-weighted average exposure limit 8 h (TRGS 900)	0.046 ppm <b>(2)</b>
	Time-weighted average exposure limit 8 h (TRGS 900)	0.5 mg/m³ <b>(2)</b>
	Summe aus Dampf und Aerosolen.	

(1) UF: 2 (II)

(2) Einatembare Fraktion; UF: 2 (I)

#### Austria

2-Propanol Kurzzeitwert für Großguss	*) Kurzzeitwert für Großguss gilt bis 31.12.2013		
	Tagesmittelwert (MAK)	200 ppm	
	Tagesmittelwert (MAK)	500 mg/m <sup>3</sup>	
	Kurzzeitwert 30(Miw) 4x (MAK)	800 ppm	
	Kurzzeitwert 30(Miw) 4x (MAK)	2000 mg/m <sup>3</sup>	
2-Propanol	Tagesmittelwert (MAK)	200 ppm	
	Tagesmittelwert (MAK)	500 mg/m <sup>3</sup>	
	Kurzzeitwert 15(Miw) 4x (MAK)	800 ppm	
	Kurzzeitwert 15(Miw) 4x (MAK)	2000 mg/m³	

## UK

Propan-2-ol	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	400 ppm
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	999 mg/m³
	Short time value (Workplace exposure limit (EH40/2005))	500 ppm
	Short time value (Workplace exposure limit (EH40/2005))	1250 mg/m³

## **USA (TLV-ACGIH)**

2-propanol	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	200 ppm
	Short time value (TLV - Adopted Value)	400 ppm

## b) National biological limit values

If limit values are applicable and available these will be listed below.

#### Germany

Propan-2-ol (Aceton)	Urin: expositionsende, bzw. schichtende	25 mg/l	
Propan-2-ol (Aceton)	Vollblut: expositionsende, bzw. schichtende	25 mg/l	

## USA (BEI-ACGIH)

Urine: end of shift at end of workweek 40 mg/L Background, Nonspecific 2-Propanol (Acetone)

## 8.1.2 Sampling methods

2 Sampling methods					
Product name	Test	Number			
Isopropanol (Volatile Organic compounds)	NIOSH	2549			
Isopropyl Alcohol (Alcohols I)	NIOSH	1400			
Isopropyl Alcohol	NIOSH	3900			
Isopropyl Alcohol	OSHA	5001			
Petroleum Distillates Fractions	OSHA	48			

## 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

## 8.1.4 Threshold values

<u>DNEL/DMEL - Workers</u> hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	871 mg/m³	
	Long-term systemic effects dermal	77 mg/kg bw/day	

# propan-2-ol

TOPAN E OF						
Effect level (DNEL/DMEL)	Туре	Value	Remark			
DNEL	Long-term systemic effects inhalation	500 mg/m <sup>3</sup>				
	Long-term systemic effects dermal	888 mg/kg bw/day				

## **DNEL/DMEL - General population**

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 4/16

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	185 mg/m³	
	Long-term systemic effects dermal	46 mg/kg bw/day	
	Long-term systemic effects oral	46 mg/kg bw/day	

propan-2-ol

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	89 mg/m³	
	Long-term systemic effects dermal	319 mg/kg bw/day	
	Long-term systemic effects oral	26 mg/kg bw/day	

## 8.1.5 Control banding

If applicable and available it will be listed below.

#### 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

## 8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

## 8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

#### b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	0.35 mm	Class 6	

## c) Eye protection:

Protective goggles (EN 166).

#### d) Skin protection:

Protective clothing (EN 14605 or EN 13034). Head/neck protection.

#### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

# SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Physical form	Liquid					
Colour	No data available on colour					
Odour	Characteristic odour					
Odour threshold	No data available in the literature					
Melting point	0 ℃					
Boiling point	82 °C - 360 °C					
Flammability	Not classified as flammable					
Explosion limits	0.7 - 12.0 vol %					
Flash point	37 °C; Not sustaining combustion					
Auto-ignition temperature	260 °C					
	270 °C					
Decomposition temperature	No data available in the literature					
рН	8.0					
Kinematic viscosity	5702 mm²/s ; 40 °C					
Solubility	Water ; insoluble					
Log Kow	Not applicable (mixture)					
Vapour pressure	43 hPa ; 20 °C					
Absolute density	1140 kg/m³ ; 20 °C					
Relative density	1.14 ; 20 °C					
Relative vapour density	No data available in the literature					
Particle size	Not applicable (liquid)					

## 9.2. Other information

Evaporation rate	l1.300 : Butyl acetate	

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Heating increases the fire hazard. Neutral reaction.

## 10.2. Chemical stability

Stable under normal conditions.

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 5 / 16

## 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

#### **Precautionary measures**

Keep away from naked flames/heat.

## 10.5. Incompatible materials

Oxidizing agents, reducing agents, (strong) acids, (strong) bases.

#### 10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## 11.1.1 Test results

## **Acute toxicity**

## SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time		Value determination	Remark
Oral	LD50	OECD 401	> 5000 mg/kg bw			Read-across	
Dermal	LD50	Equivalent to OECD 402	> 2000 mg/kg bw		Rat (male / female)	Read-across	
Inhalation (vapours)	LC50	Equivalent to OECD 403	> 4.95 mg/l		Rat (male / female)	Read-across	

pro	กล	n-2	2-o

Route of exposure	Parameter	Method	Value	Exposure time		Value determination	Remark
Oral	LD50	Equivalent to OECD 401	5840 mg/kg bw		Rat	Experimental value	
Dermal	LD50	Equivalent to OECD 402	16400 ml/kg bw	24 h	Rabbit	Experimental value	
Inhalation (vapours)	LC50	Equivalent to OECD 403	> 10000 ppm	-	Rat (male / female)	Experimental value	

ahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione											
Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark				
						determination					
Oral	LD50	Equivalent to OECD	> 5000 mg/kg bw		Rat (male /	Experimental value					
		401			female)						
Inhalation (vapours)	LC0		≥ 13 mg/l air	7 h	Rat (male /	Experimental value					
			_		female)						

## Conclusion

Not classified for acute toxicity

## Corrosion/irritation

#### **SURFACE POLISH**

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Not irritating	OECD 405		24; 48; 72 hours	Rabbit		Single treatment without rinsing
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	

propan-2-ol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Irritating	Equivalent to OECD 405		1; 2; 3; 4; 7; 10; 14 days	Rabbit	l '	Single treatment without rinsing
Skin	Not irritating		4 h	4; 24; 48; 72 hours	Rabbit	Experimental value	

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 6 / 16

isotridecanol, ethoxylated

Route of exposure	Result	Method	Exposure time	Time point		Value determination	Remark
Eye	Serious eye damage	OECD 405		24; 48; 72 hours	Rabbit	Experimental value	

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
Eye	Slightly irritating	Equivalent to OECD 405		24; 48; 72 hours	Experimental value	
Skin	Not irritating	Equivalent to OECD 404	24 h	24; 72 hours	Experimental value	

#### Conclusion

Causes serious eye irritation.

Not classified as irritating to the skin

Not classified as irritating to the respiratory system

#### Respiratory or skin sensitisation

## SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

∹	dioCarbons, C5-C11, II-alkanes, Isoalkanes, Cyclics, < 2/a aromatics									
	Route of exposure	Result	Method		Observation time point	Species	Value determination	Remark		
	Skin		Equivalent to OECD 406			Guinea pig (male / female)	Read-across			

propan-2-ol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Dermal	Not sensitizing	OECD 406			Guinea pig (male / female)	Experimental value	

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406	l	Guinea pig (female)	Experimental value	

## Conclusion

Not classified as sensitizing for skin

Not classified as sensitizing for inhalation

#### Specific target organ toxicity

## SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

,,								
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	NOAEL	Equivalent to OECD 422	≥ 1000 mg/kg bw/day		No effect		Rat (male / female)	Read-across
Dermal								Data waiving
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	6 mg/l		No adverse systemic effects	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value
Inhalation (vanours)			STOT SE cat.3		Drowsiness,			Literature study

propan-2-ol

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value
								determination
Oral								Data waiving
Dermal								Data waiving
Inhalation (vapours)	NOAEC	OECD 451	5000 ppm			104 weeks (6h / day, 5 days / week)	, ,	Experimental value
Inhalation (vapours)	Dose level	Equivalent to OECD 403	5000 ppm	Central nervous system	Drowsiness, dizziness	6 h	, ,	Experimental value

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 7/16

 $\underline{tetrahydro-1,3,4,6-tetrakis(hydroxymethyl) imidazo[4,5-d] imidazole-2,5(1H,3H)-dione}$ 

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	- •	Value determination
Oral (stomach tube)	NOAEL	OECD 407	1000 mg/kg bw/day		No effect	28 day(s)		Experimental value

## Conclusion

Not classified for subchronic toxicity

## Mutagenicity (in vitro)

## SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result Method Test substrate Effect Value determination Remark								
	OECD 471	Bacteria (S.typhimurium)		Read-across	Remark			
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 473	Human lymphocytes		Read-across				

propan-2-ol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 476	Chinese hamster ovary (CHO)	No effect	Experimental value	

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster lung fibroblasts (V79)		Experimental value	
Positive with metabolic activation, positive without metabolic activation	OECD 473	Chinese hamster lung fibroblasts (V79)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

## Mutagenicity (in vivo)

#### **SURFACE POLISH**

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Inhalation (vapours))	Equivalent to OECD 478	5 days (6h / day)	Rat (male / female)		Experimental value

propan-2-ol

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Intraperitoneal)	Equivalent to OECD		Mouse (male / female)		Experimental value
	474				

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Intraperitoneal)	OECD 474		Mouse (male / female)		Experimental value

## Conclusion

Not classified for mutagenic or genotoxic toxicity

## Carcinogenicity

## SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 8 / 16

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Inhalation (vapours)	Dose level	Equivalent to OECD 453		105 weeks (6h / day, 5 days / week)	. , ,	No carcinogenic effect		Read-across

propan-2-ol

Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
exposure								
Inhalation	NOEL	OECD 451	5000 ppm	104 weeks (6h / day,	Rat (male /	No carcinogenic		Experimental value
(vapours)				5 days / week)	female)	effect		

#### Conclusion

Not classified for carcinogenicity

## Reproductive toxicity

#### SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

	Parameter	Method	Value	Exposure time	Species	Effect	- 0	Value determination
Developmental toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 days (gestation, daily)	Rat	No effect		Experimental value
Maternal toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 days (gestation, daily)	Rat	No effect		Experimental value
Effects on fertility (Inhalation (vapours))	NOAEC	Equivalent to OECD 413	≥ 400 ppm	14 weeks (6h / day, 5 days / week)	Rat (male / female)	No effect		Read-across

propan-2-ol

	Parameter	Method	Value	Exposure time	Species	Effect	- 0	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	400 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	400 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value
Effects on fertility (Oral (drinking water))	NOAEL	Equivalent to OECD 415	853 mg/kg bw/day		Rat (male / female)	No effect		Experimental value

#### Conclusion

Not classified for reprotoxic or developmental toxicity

## Aspiration hazard

## SURFACE POLISH

Judgement is based on the relevant ingredients Not classified for aspiration toxicity

## **Toxicity other effects**

## SURFACE POLISH

No (test)data on the mixture available

#### Chronic effects from short and long-term exposure

#### SURFACE POLISH

Skin rash/inflammation.

## 11.2. Information on other hazards

No evidence of endocrine disrupting properties

# SECTION 12: Ecological information

## 12.1. Toxicity

## SURFACE POLISH

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 9 / 16

hvdrocarbons, C9-		

	Parameter	Method	Value	Duration	Species		Fresh/salt water	Value determination
Acute toxicity fishes	LL50	OECD 203	> 1000 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EL50	OECD 202	> 1000 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Nominal concentration
Toxicity algae and other aquatic plants	EL50	OECD 201	> 1000 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system		Experimental value; Growth rate
	NOELR	OECD 201	100 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system		Experimental value; Growth rate

#### propan-2-ol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	Equivalent to OECD 203	9640 mg/l - 10000 mg/l	96 h	Pimephales promelas	Flow- through system	Fresh water	Experimental value; Lethal
Acute toxicity crustacea	LC50	Equivalent to OECD 202	> 10000 mg/l	24 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	Toxicity threshold		1800 mg/l	7 day(s)	Scenedesmus quadricauda	Static system	Fresh water	Experimental value; Toxicity test
Long-term toxicity fish	NOELR	Petrotox computer model	> 1000 mg/l	28 day(s)	Brachydanio rerio			Estimated value
Long-term toxicity aquatic crustacea	NOEC		141 mg/l	16 day(s)	Daphnia magna		Fresh water	Experimental value; Growth
Toxicity aquatic micro- organisms	Toxicity threshold	Equivalent to DIN 38412/8	1050 mg/l	16 h	Pseudomonas putida	Static system	Fresh water	Experimental value; Toxicity test
	EC50	ISO 8192	41676 mg/l	30 minutes	Activated sludge			Experimental value

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt	Value determination
							water	
Acute toxicity crustacea	EC50	OECD 202	> 38.9 mg/l	48 h		Semi-static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	3.85 mg/l	72 h		Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	1.22 mg/l	72 h		Static system	Fresh water	Experimental value; GLP

## Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008  $\,$ 

## 12.2. Persistence and degradability

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

## Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	80 %; Oxygen consumption	28 day(s)	Experimental value
opan-2-ol			

# Biodegradation water

Method	Value	Duration	Value determination
EU Method C.5	53 %; Oxygen consumption	5 day(s)	Experimental value
LO IVICATION C.S	33 70, Oxygen consumption	3 uu y (3)	Experimental value

## Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	17.668 h	1.5E6 /cm³	Calculated value

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

## Biodegradation water

Method	Value	Duration	Value determination
OECD 301A	70 % - 80 %; GLP	28 day(s)	Experimental value

#### Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	1.410 h	1.5E6 /cm³	Calculated value

## Conclusion

#### Water

The surfactant(s) is/are biodegradable according to Regulation (EC) No 648/2004

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 10 / 16

## 12.3. Bioaccumulative potential

## SURFACE POLISH

## Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

<u>hydrocarbons</u>, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### **BCF** fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.01	31 l/kg - 4786 l/kg;		Pisces	QSAR
		Fresh weight			

#### Log Kow

Method	Remark	Value	Temperature	Value determination
KOWWIN		3.2 - 6.2	20 °C	QSAR

#### propan-2-ol

#### BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFBAF v3.01	1015			Estimated value

#### Log Kow

N	Method	Remark	Value	Temperature	Value determination
			0.05	25 °C	Weight of evidence approach

 $\underline{tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)} \underline{imidazo[4,5-d]} \underline{imidazole-2,5(1H,3H)-dione}$ 

#### Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		1_7 (4 7)	24 °C	Experimental value

#### Conclusion

Contains bioaccumulative component(s)

#### 12.4. Mobility in soil

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### (log) Koc

Parameter	Method	Value	Value determination
Koc		466 - 140185	QSAR
log Koc		2.7 - 5.1	Calculated value

#### Percent distribution

Method	Fraction air		Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	80 %	0 %	13 %	3.4 %	3.6 %	Calculated value

#### propan-2-ol

## (log) Koc

Parameter	Method	Value	Value determination
log Koc	SRC PCKOCWIN v2.0	0.185 - 0.541	Calculated value

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

## (log) Koc

-0/						
Parameter	Method	Value	Value determination			
log Koc	SRC PCKOCWIN v2.0	1.000	Calculated value			

#### Conclusion

Contains component(s) with potential for mobility in the soil

## 12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

#### 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

## 12.7. Other adverse effects

## SURFACE POLISH

## Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

## Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

#### Groundwater

Groundwater pollutant

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 11 / 16

propan-2-ol

#### Groundwater

Groundwater pollutant

 $\underline{tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione}$ 

#### Groundwater

Groundwater pollutant

## **SECTION 13: Disposal considerations**

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

#### **European Union**

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29\* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

#### 13.1.3 Packaging/Container

#### **European Union**

Waste material code packaging (Directive 2008/98/EC).

15 01 10\* (packaging containing residues of or contaminated by dangerous substances).

# SECTION 14: Transport information

Road (ADR)		
14.1. UN number		
Transport		Not subject
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Hazard identification number		
Class		
Classification code		
14.4. Packing group		
Packing group		
Labels		
14.5. Environmental hazards		
Environmentally hazardous subs	tance mark	no
14.6. Special precautions for user		
Special provisions		
Limited quantities		
Specific mention		Substances having a flash-point > 35 °C (and < 60 °C) which do not sustain combustion are not substances of Class 3
Rail (RID)		
14. <u>1. UN number</u>		
Transport		Not subject
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Hazard identification number		

# Specific mention Inland waterways (ADN)

Classification code
14.4. Packing group
Packing group
Labels

14.<u>5. Environmental hazards</u>

14.6. Special precautions for user

Special provisions

Limited quantities

Environmentally hazardous substance mark

14.1. UN number/ID number

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 12 / 16

no

Substances having a flash-point > 35 °C (and < 60 °C) which do not

sustain combustion are not substances of Class 3

#### SURFACE POLISH Not subject Transport 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class Classification code 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark no 14.6. Special precautions for user Special provisions Limited quantities Specific mention Substances having a flash-point > 35 °C (and < 60 °C) which do not sustain combustion are not substances of Class 3 Sea (IMDG/IMSBC) 14.<u>1. UN number</u> Not subject Transport 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 14.4. Packing group Packing group Labels 14.5. Environmental hazards Marine pollutant Environmentally hazardous substance mark no 14.6. Special precautions for user Special provisions Limited quantities Substances having a flash-point > 35 °C (and < 60 °C) which do not Specific mention sustain combustion are not substances of Class 3 14.7. Maritime transport in bulk according to IMO instruments Annex II of MARPOL 73/78 Not applicable, based on available data Air (ICAO-TI/IATA-DGR) 14.1. UN number/ID number Transport Not subject 14.2. UN proper shipping name 14.3. Transport hazard class(es) Class 14.4. Packing group Packing group Labels 14.5. Environmental hazards Environmentally hazardous substance mark no 14.6. Special precautions for user Special provisions Specific mention Substances having a flash-point > 35 °C (and < 60 °C) which do not sustain combustion are not substances of Class 3 Passenger and cargo transport Limited quantities: maximum net quantity per packaging SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture **European legislation:**

VOC content Directive 2010/75/EU

VOC content	Remark
22.000 %	
250.360 g/l	

Directive 2012/18/EU (Seveso III)

Threshold values under special circumstances

Substance or category	Special circumstances	Low tier	Top tier	Group	For this substance or mixture
		(tonnes)	(tonnes)		the summation rule has to
					be applied for:

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 13 / 16

	Particular processing conditions, such as high pressure or high temperature, may create major- accident hazards	50	200	None	Flammability
1	Maintained at a temperature above the boiling point	10	50	None	Flammability

Ingredients according to Regulation (EC) No 648/2004 and amendments

 $5\text{-}15\% \ aromatic \ hydrocarbons, < 5\% \ anionic \ surfactants, \ tetramethylol \ acetylene diurea$ 

#### **REACH Annex XVII - Restriction**

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

and use of certain dangero	ous substances, mixtures and articles.	
	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
- hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics - propan-2-ol	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in:  — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,  — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects,  2. Articles not complying with paragraph 1 shall not be placed on the market.  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:  — can be used as fuel in decorative oil lamps for supply to the general public, and,  — present an aspiration hazard and are labelled with H304,  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).  5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:  a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage";  b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage";  c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
- hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics - propan-2-ol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:  — metallic glitter intended mainly for decoration,  — artificial snow and frost,  — "whoopee" cushions,  — silly string aerosols,  — imitation excrement,  — horns for parties,  — decorative flakes and foams,  — artificial cobwebs,  — stink bombs.  2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:  "For professional users only".  3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.  4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
· propan-2-ol	Substances falling within one or more of the following points:  (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:  — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation  — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation  — skin sensitiser category 1, 1A or 1B  — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2  — serious eye damage category 1 or eye irritant category 2	Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 14 / 16

(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council (c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooling purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.

## **National legislation Belgium**

SURFACE POLISH

No data available

<u>propan-2-ol</u>

Agents cancérigènes,
mutagènes et reprotoxiques e
aux agents possédant des
propriétés perturbant le
système endocrinien (Code du
bien-être au travail, Livre VI,
titre 2)

alcool isopropylique; VI.2.2.; Liste des procédés au cours desquels une substance ou un mélange se dégage; Procédé à l'acide fort dans la fabrication d'alcool isopropylique.

## National legislation The Netherlands

SURFACE POLISH

Waterbezwaarlijkheid A (3); Algemene Beoordelingsmethodiek (ABM)

## **National legislation France**

SURFACE POLISH

No data available

## **National legislation Germany**

SURFACE POLISH

WGK	2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017				
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics					
TA-Luft	5.2.5/I				
propan-2-ol					
TA-Luft	5.2.5				
	Propan-2-ol; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden				
tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione					
TA-Luft	5.2.5				
TRGS900 - Risiko der Fruchtschädigung	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d)imidazol-2,5(1H,3H)-dion (Tetramethylolacetylendiharnstoff); Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden				
Sensibilisierende Stoffe	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d)imidazol-2,5(1H,3H)-dion (Tetramethylolacetylendiharnstoff); Sh; Hautsensibilisierende Stoffe				

## **National legislation Austria**

SURFACE POLISH

No data available

## **National legislation United Kingdom**

SURFACE POLISH

No data available

## Other relevant data

SURFACE POLISH

No data available

propan-2-ol

IIAR( - classification	3; Isopropanol
TLV - Carcinogen	2-propanol; A4

## 15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

Reason for revision: 8 Publication date: 2008-09-04

Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 15 / 16

## SECTION 16: Other information

#### Full text of any H- and EUH-statements referred to under section 3:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH208 Contains a sensitising substance. May produce an allergic reaction.

(\*) INTERNAL CLASSIFICATION BY BIG

ADI Acceptable daily intake

AOEL Acceptable operator exposure level

ATE Acute Toxicity Estimate
BCF Bioconcentration Factor
BEI Biological Exposure Indices

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC10 Effect Concentration 10 %
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

GLP Good Laboratory Practice
LC0 Lethal Concentration 0 %
LC50 Lethal Concentration 50 %
LD50 Lethal Dose 50 %

LOAEC/LOAEL Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level

NOAEC/NOAEL No Observed Adverse Effect Concentration/No Observed Adverse Effect Level

NOEC/NOEL No Observed Effect Concentration/No Observed Effect Level
OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration

STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 8 Publication date: 2008-09-04
Date of revision: 2023-11-28

Revision number: 0501 BIG number: 46829 16 / 16