

SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

AC80

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : AC80
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Treated article according to Regulation (EU) No 528/2012
Construction: sealing compound

1.2.2 Uses advised against

Do not use for the manufacture of toys and childcare articles

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
✉ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
✉ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Supplemental information

EUH208 Contains: 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210 Safety data sheet available on request.

2.3. Other hazards

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances
Caution! Substance is absorbed through the skin

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

AC80

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
quartz (SiO ₂)	14808-60-7 238-878-4	40% <C<80%		(2)	Constituent	
titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm] 01-2119489379-17	13463-67-7 236-675-5	0.1%<C<1%	Carc. 2; H351	(1)(2)	Constituent	
ethanediol 01-2119456816-28	107-21-1 203-473-3	0.1%<C<1%	Acute Tox. 4; H302 STOT RE 2; H373	(1)(2)(6)(10)	Constituent	
1,2-benzisothiazol-3(2H)-one	2634-33-5 220-120-9	0.0025% <C<0.01%	Acute Tox. 2; H330 Skin Sens. 1A; H317 Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1A; H317: C≥0.036%, (CLP Annex VI (ATP 21))	(1)(10)	Constituent	M: 1 (Acute, CLP Annex VI (ATP 21)) M: 1 (Chronic, CLP Annex VI (ATP 21)) ATE inhalation (dust or mist): 0.21 mg/l ATE oral: 450 mg/kg
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) 01-2120764691-48	55965-84-9	C<0.0015%	Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 3; H301 Skin Sens. 1A; H317 Skin Corr. 1C; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 EUH071 Skin Irrit. 2; H315: 0,06% ≤C<0.6%, (CLP Annex VI (ATP 0)) Eye Dam. 1; H318: C≥0,6%, (CLP Annex VI (ATP 13)) Skin Corr. 1B; H314: C≥0,6%, (CLP Annex VI (ATP 0)) Eye Irrit. 2; H319: 0,06% ≤C<0,6%, (CLP Annex VI (ATP 0)) Skin Sens. 1A; H317: C≥0,0015%, (CLP Annex VI (ATP 13))	(1)(2)(10)	Constituent	M: 100 (Acute, CLP Annex VI (ATP 13)) M: 100 (Chronic, CLP Annex VI (ATP 13))

- (1) For H- and EUH-statements in full: see section 16
 (2) Substance with a Community workplace exposure limit
 (6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data
 (10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

2 / 19

AC80

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (alcohol-resistant), Water spray if puddle cannot expand.

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

In case of fire: possible release of toxic/corrosive gases/vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Solid spill: cover with absorbent material. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water.

Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe strict hygiene. Remove contaminated clothing immediately. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Keep container in a well-ventilated place. Protect against frost.

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

AC80

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

EU

Ethylene glycol	Time-weighted average exposure limit 8 h (Indicative occupational exposure limit value)	20 ppm
	Time-weighted average exposure limit 8 h (Indicative occupational exposure limit value)	52 mg/m ³
	Short time value (Indicative occupational exposure limit value)	40 ppm
	Short time value (Indicative occupational exposure limit value)	104 mg/m ³
Respirable crystalline silica dust	Time-weighted average exposure limit 8 h (Binding occupational exposure limit value)	0.1 mg/m ³ (1)

(1) (2): Respirable fraction

Belgium

Ethylèneglycol (en aérosol)	Time-weighted average exposure limit 8 h	20 ppm (1)
	Time-weighted average exposure limit 8 h	52 mg/m ³ (1)
	Short time value	40 ppm (1)
	Short time value	104 mg/m ³ (1)
Silices cristallines: quartz <i>shall apply from 2025-09-01</i>	Time-weighted average exposure limit 8 h	0.05 mg/m ³ (2)
Silices cristallines: quartz <i>shall apply until 2025-08-31</i>	Time-weighted average exposure limit 8 h	0.1 mg/m ³ (2)
Titane (dioxyde de)	Time-weighted average exposure limit 8 h	10 mg/m ³

(1) M: La mention "M" indique que lors d'une exposition supérieure à la valeur limite, des irritations apparaissent ou un danger d'intoxication aiguë existe. Le procédé de travail doit être conçu de telle façon que l'exposition ne dépasse jamais la valeur limite. Lors des mesurages, la période d'échantillonnage doit être aussi courte que possible afin de pouvoir effectuer des mesurages fiables. Le résultat des mesurages est calculé en fonction de la période d'échantillonnage.

(2) poussières alvéolaires

The Netherlands

Ethaan-1,2-diol	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	20 ppm (1)
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	3.9 ppm (2)
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	10 mg/m ³ (2)
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	52 mg/m ³ (1)
	Short time value (Public occupational exposure limit value)	40 ppm (1)
	Short time value (Public occupational exposure limit value)	104 mg/m ³ (1)
Kristallijn silicastof - kwarts	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.03 ppm (3)
	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	0.075 mg/m ³ (3)

(1) damp

(2) druppels

(3) respirabele fractie

France

Ethylèneglycol	Time-weighted average exposure limit 8 h (VRI: Valeur réglementaire indicative)	20 ppm (1)
	Time-weighted average exposure limit 8 h (VRI: Valeur réglementaire indicative)	52 mg/m ³ (1)
	Short time value (VRI: Valeur réglementaire indicative)	40 ppm (1)
	Short time value (VRI: Valeur réglementaire indicative)	104 mg/m ³ (1)
Silices cristallines : cristobalite, quartz, tridymite	Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire contraignante)	0.1 mg/m ³ (2)
Titane (dioxyde de), en Ti	Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative)	10 mg/m ³

(1) vapeur

(2) La valeur limite concerne la fraction alvéolaire

AC80

Germany

1,2-Benzisothiazol-3(2H)-on	<i>vgl. Abschn. IIb</i>	
5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on Gemisch im Verhältnis 3:1	Time-weighted average exposure limit 8 h (MAK)	0.2 mg/m ³ (1)
Ethandiol	Time-weighted average exposure limit 8 h (TRGS 900)	10 ppm (2)
	Time-weighted average exposure limit 8 h (TRGS 900)	26 mg/m ³ (2)
	<i>Summe aus Dampf und Aerosolen.</i>	
Titandioxid	Time-weighted average exposure limit 8 h (MAK)	0.3 mg/m ³ (3)

(1) Einatembare Fraktion; UF: I(2)

(2) UF: 2 (I)

(3) Alveolengängige Fraktion; UF: II(8)

Austria

5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on (Gemisch im Verhältnis 3:1)	Tagesmittelwert (MAK)	0.05 mg/m ³
Ethylenglykol	Tagesmittelwert (MAK)	10 ppm
	Tagesmittelwert (MAK)	26 mg/m ³
	Kurzzeitwert 5(Mow) 8x (MAK)	20 ppm
	Kurzzeitwert 5(Mow) 8x (MAK)	52 mg/m ³
Quarzfeinstaub(alveolengängiges kristallines Siliziumdioxid)	Tagesmittelwert (MAK)	0.05 mg/m ³ (1)
Titandioxid (Alveolarstaub)	Tagesmittelwert (MAK)	5 mg/m ³ (1)
	Kurzzeitwert 60(Miw) 2x (MAK)	10 mg/m ³ (1)

(1) Alveolengängige Fraktion

UK

Ethane-1,2-diol	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	20 ppm (1)
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³ (2)
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	52 mg/m ³ (1)
	Short time value (Workplace exposure limit (EH40/2005))	40 ppm (1)
	Short time value (Workplace exposure limit (EH40/2005))	104 mg/m ³ (1)
Silica, crystalline	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	0.1 mg/m ³ (3)
Titanium dioxide	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³ (4)
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m ³ (5)

(1) Vapour

(2) Particulates

(3) Respirable fraction

(4) Total inhalable

(5) Respirable

USA (TLV-ACGIH)

Ethylene glycol	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	25 ppm (1)
	Short time value (TLV - Adopted Value)	50 ppm (1)
	Short time value (TLV - Adopted Value)	10 mg/m ³ (2)
Silica, crystalline - α -quartz and cristobalite	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.025 mg/m ³ (3)
Titanium dioxide - finescale particles	Time-weighted average exposure limit 8 h (TLV - Intended Changes)	2.5 mg/m ³ (3)
Titanium dioxide - nanoscale particles	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.2 mg/m ³ (3)

(1) (V): Vapor fraction

(2) (I,H): Inhalable fraction, Aerosol only

(3) (R): Respirable fraction

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
1,2-ethanediol	NIOSH	5500
Ethylene Glycol	NIOSH	5523
Ethylene Glycol	OSHA	2024
Quartz (silica, crystalline, by XRD)	NIOSH	7500
quartz	NIOSH	7601
quartz	NIOSH	7602
Silica, Quartz in Coal Dust (Silica in coal mine dust)	NIOSH	7603

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

5 / 19

AC80

Product name	Test	Number
TiO2	NIOSH	7302
TiO2	NIOSH	7304

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	1.25 mg/m ³	

ethanediol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	35 mg/m ³	
	Long-term systemic effects dermal	106 mg/kg bw/day	

1,2-benzisothiazol-3(2H)-one

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	6.81 mg/m ³	
	Long-term systemic effects dermal	0.966 mg/kg bw/day	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	0.02 mg/m ³	
	Acute local effects inhalation	0.04 mg/m ³	

DNEL/DMEL - General population

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	210 $\mu\text{g}/\text{m}^3$	

ethanediol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	7 mg/m ³	
	Long-term systemic effects dermal	53 mg/kg bw/day	

1,2-benzisothiazol-3(2H)-one

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	1.2 mg/m ³	
	Long-term systemic effects dermal	0.345 mg/kg bw/day	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term local effects inhalation	0.02 mg/m ³	
	Acute local effects inhalation	0.04 mg/m ³	
	Long-term systemic effects oral	0.09 mg/kg bw/day	
	Acute systemic effects oral	0.11 mg/kg bw/day	

PNEC

1,2-benzisothiazol-3(2H)-one

Compartments	Value	Remark
Fresh water	4.03 $\mu\text{g}/\text{l}$	
Fresh water (intermittent releases)	1.1 $\mu\text{g}/\text{l}$	
Marine water	0.403 $\mu\text{g}/\text{l}$	
Marine water (intermittent releases)	110 ng/l	
STP	1.03 mg/l	
Fresh water sediment	49.9 $\mu\text{g}/\text{kg}$ sediment dw	
Marine water sediment	4.99 $\mu\text{g}/\text{kg}$ sediment dw	
Soil	3 mg/kg soil dw	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Compartments	Value	Remark
Fresh water	3.39 $\mu\text{g}/\text{l}$	
Fresh water (intermittent releases)	3.39 $\mu\text{g}/\text{l}$	
Marine water	3.39 $\mu\text{g}/\text{l}$	
Marine water (intermittent releases)	3.39 $\mu\text{g}/\text{l}$	
STP	0.23 mg/l	
Fresh water sediment	0.027 mg/kg sediment dw	
Marine water sediment	0.027 mg/kg sediment dw	
Soil	0.01 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

6 / 19

AC80

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe strict hygiene. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection:

Safety glasses (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Colour	Grey
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	> 0 °C
Boiling point	> 100 °C
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	No data available in the literature
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature
pH	7 - 9
Kinematic viscosity	> 21 mm ² /s
Dynamic viscosity	No data available in the literature
Solubility	Water ; miscible
Log Kow	Not applicable (mixture)
Vapour pressure	No data available in the literature
Absolute density	1660 kg/m ³ ; 20 °C
Relative density	1.66 ; 20 °C
Relative vapour density	No data available in the literature
Particle size	Not applicable (mixture)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No data available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

AC80

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

7 / 19

AC80

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	> 2000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal						Data waiving	
Inhalation (dust)	LC50	OECD 403	5.09 mg/l	4 h	Rat (male)	Experimental value	

ethanediol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	BASF-internal standards	7712 mg/kg bw		Rat (male / female)	Experimental value	Aqueous solution
Oral			category 4			Annex VI	
Dermal	LD50	Teratogenicity study	> 3500 mg/kg bw		Mouse (male / female)	Experimental value	
Inhalation (aerosol)	LC50	Teratogenicity study	> 2.5 mg/l air	6 h	Rat (male / female)	Experimental value	

In the light of practical experience, the classification for this substance is more stringent than the one based on test results of the used test organisms

1,2-benzisothiazol-3(2H)-one

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	ATE		450 mg/kg bw			Annex VI	
Oral	LD50	Equivalent to OECD 401	490 mg/kg bw		Rat (male / female)	Experimental value	
Skin	LD50	OECD 402	> 2000 mg/kg bw	24 h	Rat (male / female)	Experimental value	
Inhalation (dust)	ATE		0.21 mg/l	4 h		Annex VI	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	66 mg/kg bw		Rat (male / female)	Experimental value	Calculated by reference to active substance
Dermal	LD50	OECD 402	> 141 mg/kg bw	24 h	Rat (male / female)	Experimental value	Calculated by reference to active substance
Inhalation (dust)	LC50	OECD 403	0.17 mg/l air	4 h	Rat (male / female)	Experimental value	Calculated by reference to active substance

Conclusion

Not classified for acute toxicity

Corrosion/irritation

AC80

No (test)data on the mixture available

Judgement is based on the relevant ingredients

quartz (SiO₂)

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Slightly irritating					Literature study	
Skin	Not irritating					Literature study	

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		1; 24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Not irritating	Equivalent to OECD 404	4 h	48 hours	Rabbit	Experimental value	

ethanediol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	BASF-internal standards	24 h	1; 24; 48; 72 hrs; 8 days	Rabbit	Experimental value	
Skin	Not irritating	BASF-internal standards	20 h	8 days	Rabbit	Experimental value	

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

8 / 19

AC80

1,2-benzisothiazol-3(2H)-one

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage	EPA OPP 81-4		24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	EPA OPP 81-5	4 h	24; 48; 72 hours	Rabbit	Experimental value	
Skin	Irritating; category 2					Annex VI	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage			1; 24; 48; 72 hrs; 7; 14 days	Rabbit	Experimental value	Single treatment with rinsing
Skin	Corrosive	OECD 404	4 h	1; 24; 48; 72 hours	Rabbit	Experimental value	Aqueous solution

Conclusion

Not classified as irritating to the skin
 Not classified as irritating to the eyes
 Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

AC80

No (test) data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Dermal (on the ears)	Not sensitizing	Equivalent to OECD 429			Mouse (female)	Experimental value	
Inhalation (dust)	Not sensitizing				Mouse (female)	Experimental value	

ethanediol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Guinea pig maximisation test			Guinea pig (female)	Experimental value	

1,2-benzisothiazol-3(2H)-one

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (male / female)	Experimental value	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	OECD 406			Guinea pig (male / female)	Experimental value	

Conclusion

Not classified as sensitizing for skin
 Not classified as sensitizing for inhalation

Specific target organ toxicity

AC80

No (test) data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (stomach tube)	NOAEL	OECD 408	> 1000 mg/kg bw/day	No effect	90 day(s)	Rat (male / female)	Experimental value	
Dermal							Data waiving	
Inhalation (aerosol)	NOAEC	Subchronic toxicity test	2.1 mg/m ³ air	No effect	13 weeks (6h / day, 5 days / week)	Rat (female)	Experimental value	

AC80

ethanediol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOEL	Equivalent to OECD 408	150 mg/kg bw/day	Kidney (no effect)	16 weeks (daily)	Rat (male)	Experimental value	
Oral (diet)	Dose level	Equivalent to OECD 408	500 mg/kg bw/day	Kidney (histopathological changes)	16 weeks (daily)	Rat (male)	Experimental value	
Dermal	NOAEL	OECD 410	2200 mg/kg bw - 4400 mg/kg bw	No effect	4 weeks (daily, 5 days / week)	Dog (male)	Experimental value	

1,2-benzisothiazol-3(2H)-one

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOAEL	EPA OPP 82-1	69 mg/kg bw/day	No effect	90 day(s)	Rat (male / female)	Experimental value	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOAEL systemic effects	OECD 409	22 mg/kg bw/day	No adverse systemic effects	13 weeks (7 days / week)	Dog (male / female)	Experimental value	Calculated by reference to active substance
Dermal	NOAEL systemic effects	EPA OPP 82-3	2.625 mg/kg bw/day	No adverse systemic effects	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	Calculated by reference to active substance
Dermal	NOAEC local effects	EPA OPP 82-3	0.105 mg/kg bw/day	Skin (no effect)	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	Calculated by reference to active substance
Inhalation (aerosol)	NOAEL	OECD 413	0.34 mg/m ³ air	No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value	

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

AC80

No (test) data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 473	Chinese hamster ovary (CHO)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

ethanediol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative	OECD 471	Bacteria (S. typhimurium and E. coli)	No effect	Experimental value	

1,2-benzisothiazol-3(2H)-one

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

10 / 19

AC80

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Result	Method	Test substrate	Effect	Value determination	Remark
Positive with metabolic activation, positive without metabolic activation	EPA OPP 84-2	Bacteria (S. typhimurium and E. coli)		Experimental value	Aqueous solution
Positive with metabolic activation, positive without metabolic activation	OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	Aqueous solution

Mutagenicity (in vivo)

AC80

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	OECD 474		Mouse (male / female)	No effect	Experimental value	Single treatment

ethanediol

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (diet))	Chromosome aberration assay		Rat (male / female)	No effect	Experimental value	

1,2-benzisothiazol-3(2H)-one

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	OECD 486		Rat (male)	No effect	Experimental value	Single treatment

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative (Oral (stomach tube))	EPA OPP 84-2	2 dose(s)/24-hour interval	Mouse (male / female)	No effect	Experimental value	Aqueous solution

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

AC80

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Inhalation (dust)			category 2				Annex VI	
Oral (diet)	NOEL	Carcinogenic toxicity study	2500 mg/kg bw/day	No carcinogenic effect	103 weeks (7 days / week)	Rat (male / female)	Experimental value	

ethanediol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (diet)	NOAEL	Carcinogenic toxicity study	1000 mg/kg bw/day	No carcinogenic effect	24 month(s)	Rat (male / female)	Experimental value	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral (drinking water)	NOEL	OECD 453	300 ppm	No carcinogenic effect	24 month(s)	Rat (male / female)	Experimental value	Calculated by reference to active substance

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

AC80

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

11 / 19

AC80

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	1000 mg/kg bw/day	2 weeks (7 days / week)	Rat	No effect	Experimental value	
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	1000 mg/kg bw/day	2 weeks (7 days / week)	Rat	No effect	Experimental value	
Effects on fertility (Oral (diet))	NOAEL	OECD 443	≥ 1000 mg/kg bw/day	14 day(s)	Rat (male / female)	No effect	Experimental value	

ethanediol

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Inhalation (aerosol))	NOAEC	Developmental toxicity study	150 mg/m ³ air	10 days (6h / day)	Rat	No effect	Experimental value	
Maternal toxicity (Inhalation (aerosol))	NOAEC	Developmental toxicity study	1000 mg/m ³ air	10 days (6h / day)	Rat	No effect	Experimental value	
Effects on fertility (Oral (diet))	NOAEL	3 generation study	> 1000 mg/kg bw/day		Rat (male / female)	No effect	Experimental value	

1,2-benzisothiazol-3(2H)-one

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Effects on fertility (Oral (diet))	NOAEL	EPA OPPTS 870.3800	112 mg/kg bw/day		Rat (female)	No effect	Experimental value	

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral (stomach tube))	NOAEL	EPA OPP 83-3	≥ 19.6 mg/kg bw/day	10 days (gestation, daily)	Rat	No effect	Experimental value	Aqueous solution
Maternal toxicity (Oral (stomach tube))	LOAEL	EPA OPP 83-3	28 mg/kg bw/day	10 days (gestation, daily)	Rat	Maternal toxicity	Experimental value	Aqueous solution
Effects on fertility (Oral (drinking water))	NOAEL	OECD 416	30 ppm	10 week(s)	Rat (male / female)	No effect		Calculated by reference to active substance

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

AC80

Judgement is based on the relevant ingredients
Not classified for aspiration toxicity

Toxicity other effects

AC80

No (test)data on the mixture available

Chronic effects from short and long-term exposure

AC80

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

AC80

No (test)data on the mixture available
Judgement of the mixture is based on the relevant ingredients

AC80

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		> 1000 mg/l		Pisces		Fresh water	Literature study
Acute toxicity crustacea	EC50		> 1000 mg/l		Invertebrata		Fresh water	Literature study
Toxicity algae and other aquatic plants	EC50	OECD 201	> 100 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
	NOEC	OECD 201	≥ 100 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	NOEC	Equivalent to OECD 212	≥ 1000 mg/l	8 day(s)	Danio rerio	Semi-static system	Fresh water	Experimental value; Nominal concentration
Long-term toxicity aquatic crustacea	NOEC	OECD 211	≥ 5 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Weight of evidence; Reproduction
Toxicity aquatic micro-organisms	NOEC	OECD 209	≥ 1000 mg/l	3 h	Activated sludge	Static system	Fresh water	Experimental value; Respiration

No classification for aquatic toxicity since the toxicity limits are above the water solubility

ethanediol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	EPA 600/4-90/027	72860 mg/l	96 h	Pimephales promelas	Static system	Fresh water	Experimental value
Acute toxicity crustacea	EC50	OECD 202	> 100 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	EC50	EPA 600/9-78-018	6500 mg/l - 13000 mg/l	96 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
	NOEC	OECD 201	> 100 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Nominal concentration
Long-term toxicity fish	NOEC	ASTM	> 40 mg/l	28 day(s)	Menidia peninsulae	Flow-through system	Marine water	Experimental value; Fresh weight
Long-term toxicity aquatic crustacea	NOEC	EPA 600/4-90/027	8590 mg/l	7 day(s)	Ceriodaphnia sp.	Semi-static system	Fresh water	Experimental value; Reproduction
Toxicity aquatic micro-organisms	EC20	ISO 8192	> 1995 mg/l	30 minutes	Activated sludge	Static system	Fresh water	Read-across

1,2-benzisothiazol-3(2H)-one

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity crustacea	EC50	ASTM E729-88	989 µg/l	96 h	Americamysis bahia	Static system	Salt water	Experimental value; GLP
Toxicity algae and other aquatic plants	ErC50	OECD 201	110 µg/l	72 h	Pseudokirchneriella subcapitata			Experimental value; Measured concentration
	NOEC	OECD 201	40 µg/l	72 h	Pseudokirchneriella subcapitata			Experimental value; Measured concentration

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	EPA OPP 72-1	0.19 mg/l	96 h	Oncorhynchus mykiss	Flow-through system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50		0.007 mg/l	48 h	Acartia tonsa		Salt water	Experimental value; GLP
Toxicity algae and other aquatic plants	NOEC	OECD 201	0.49 µg/l	48 h	Skeletonema costatum	Static system	Salt water	Experimental value; Growth rate
	ErC50	OECD 201	19.9 µg/l	72 h	Skeletonema costatum	Static system	Salt water	Experimental value; GLP
Long-term toxicity fish	NOEC	OECD 210	46.4 µg/l	35 day(s)	Danio rerio	Flow-through system	Fresh water	Experimental value; GLP
Long-term toxicity aquatic crustacea	NOEC	EPA OPP 72-4	0.1 mg/l	21 day(s)	Daphnia magna	Flow-through system	Fresh water	Experimental value; Nominal concentration

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

13 / 19

AC80

ethanediol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301A	90 % - 100 %	10 day(s)	Experimental value

1,2-benzisothiazol-3(2H)-one

Biodegradation water

Method	Value	Duration	Value determination
OECD 301C	85 %; GLP	63 day(s)	Experimental value

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Biodegradation water

Method	Value	Duration	Value determination
OECD 301B	48 % - 56 %; GLP	28 day(s)	Experimental value

Conclusion

Water

Biodegradability: not applicable

12.3. Bioaccumulative potential

AC80

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

quartz (SiO2)

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (inorganic)			

ethanediol

Log Kow

Method	Remark	Value	Temperature	Value determination
		-1.4		Calculated

1,2-benzisothiazol-3(2H)-one

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	Equivalent to OECD 305	6.6; Fresh weight	56 day(s)	Lepomis macrochirus	Experimental value

Log Kow

Method	Remark	Value	Temperature	Value determination
EU Method A.8		0.7	20 °C	Experimental value

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	OECD 305	41 - 54; Fresh weight	28 day(s)	Lepomis macrochirus	Experimental value

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		-0.32 - 0.7	20 °C	Experimental value

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

ethanediol

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Other	0.03 %		0 %	0 %	100 %	Calculated value

1,2-benzisothiazol-3(2H)-one

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	0.97	Experimental value

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

(log) Koc

Parameter	Method	Value	Value determination
Koc	OECD 106	6.4 - 10	Experimental value
log Koc		0.81 - 1	Calculated value

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

14 / 19

AC80

Conclusion

Contains component(s) with potential for mobility in the soil
Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

The criteria of PBT and vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006 do not apply to inorganic substances.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

AC80

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

quartz (SiO₂)

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

ethanediol

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Groundwater

Groundwater pollutant

1,2-benzisothiazol-3(2H)-one

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number or ID number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

15 / 19

AC80

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
0.38 %	
8.4 g/l	

ethanediol

Product name	Skin resorption
Ethylene glycol	Skin

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
· ethanediol	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.
· 1,2-benzisothiazol-3(2H)-one · reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	Substances falling within one or more of the following points: (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation	Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

16 / 19

AC80

— skin sensitizer category 1, 1A or 1B
 — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2
 — serious eye damage category 1 or eye irritant category 2
 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council
 (c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.
 The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.

National legislation Belgium

AC80

No data available

quartz (SiO₂)

Additional classification	Silices cristallines: quartz; C; La mention "C" signifie que l'agent en question relève du champ d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail.
Agents cancérigènes, mutagènes et reprotoxiques et aux agents possédant des propriétés perturbant le système endocrinien (Code du bien-être au travail, Livre VI, titre 2)	silice cristalline alvéolaire; VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa 3

ethanediol

Résorption peau	Ethylèneglycol (en aérosol); D; La mention "D" signifie que la résorption de l'agent, via la peau, les muqueuses ou les yeux, constitue une partie importante de l'exposition totale. Cette résorption peut se faire tant par contact direct que par présence de l'agent dans l'air.
-----------------	--

National legislation The Netherlands

AC80

Waterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

quartz (SiO₂)

SZW - Lijst van kankerverwekkende stoffen	silica (respirabel stof, kristallijn); Opgenomen in SZW-lijst van kankerverwekkende stoffen
---	---

ethanediol

Huidopname (wettelijk)	Ethaan-1,2-diol; H
------------------------	--------------------

National legislation France

AC80

No data available

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Catégorie cancérogène	Titane (dioxyde de), en Ti; C2
-----------------------	--------------------------------

ethanediol

Risque de pénétration percutanée	Ethylèneglycol; Risque de pénétration percutanée
----------------------------------	--

National legislation Germany

AC80

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
-----	--

quartz (SiO₂)

TA-Luft	5.2.7.1.1/II
---------	--------------

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

TA-Luft	5.2.2/III
---------	-----------

ethanediol

TA-Luft	5.2.5
---------	-------

TRGS900 - Risiko der Fruchtschädigung	Ethandiol; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden
---------------------------------------	--

Hautresorptive Stoffe	Ethandiol; H; Hautresorptiv
-----------------------	-----------------------------

1,2-benzisothiazol-3(2H)-one

TA-Luft	5.2.5/I
---------	---------

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

TA-Luft	5.2.5/I
---------	---------

National legislation Austria

AC80

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

17 / 19

AC80

No data available

quartz (SiO₂)

Krebserzeugend	Quarzfeinstaub(alveolengängiges kristallines Siliziumdioxid); III C
----------------	---

ethanediol

besondere Gefahr der Hautresorption	Ethylenglykol; H
-------------------------------------	------------------

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)

Gefahr der Sensibilisierung der Haut	5-Chlor-2-methyl-2,3- dihydroisothiazol-3-on und 2- Methyl-2,3-di-dihydroisothiazol- 3-on (Gemisch im Verhältnis 3:1); Sh
--------------------------------------	---

National legislation United Kingdom

AC80

No data available

quartz (SiO₂)

Carcinogen	Silica, crystalline; Carc
------------	---------------------------

ethanediol

Skin absorption	Ethane-1,2-diol; Sk
	Ethane-1,2-diol; Sk

Other relevant data

AC80

No data available

quartz (SiO₂)

TLV - Carcinogen	Silica, crystalline - α -quartz and cristobalite; A2
------------------	---

IARC - classification	1; Silica dust, crystalline, in the form of quartz or cristobalite
-----------------------	--

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter $\leq 10 \mu\text{m}$]

TLV - Carcinogen	Titanium dioxide - nanoscale particles; A3
------------------	--

	Titanium dioxide - finescale particles; A3
--	--

IARC - classification	2B; Titanium dioxide
-----------------------	----------------------

ethanediol

TLV - Carcinogen	Ethylene glycol; A4
------------------	---------------------

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H351 Suspected of causing cancer if inhaled.
- H373 May cause damage to organs (kidneys) through prolonged or repeated exposure if swallowed.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.
- EUH208 Contains a sensitising substance. May produce an allergic reaction.
- EUH210 Safety data sheet available on request.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

18 / 19

AC80

PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3; 8; 15

Publication date: 2019-01-08

Date of revision: 2024-09-16

Revision number: 0300

BIG number: 61329

19 / 19