SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2015/830

MAINTENANCE SPRAY H1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name **Registration number REACH** Product type REACH

: MAINTENANCE SPRAY H1 : Not applicable (mixture)

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses Lubricating grease

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio* Industrielaan 5B B-2250 Olen +32 14 25 76 40 **▲** +32 14 22 02 66 info@novatio.be *NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen +32 14 85 97 37 **i ⊟** +32 14 85 97 38 info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 Class Cl				
Aerosol category 1 H22		H222: Extremely flammable aerosol.		
Aerosol category 1		H229: Pressurised container: May burst if heated.		

2.2. Label elements

Signal word H-statements H222 H229 P-statements P210 P211 P251 P410 + P412 Supplemental informatic	Do not spray on an open flame or other ignition Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temper		
EUH066	Repeated exposure may cause skin dryness or cracki	ng.	
2.3. Other hazards			
Gas/vapour spreads at flo	oor level: ignition hazard		
Created by: Brandweerinformatiece Technische Schoolstraat 43 A, B-244 http://www.big.be © BIG vzw	entrum voor gevaarlijke stoffen vzw (BIG) 10 Geel	Publication date: 2008-03-03 Date of revision: 2020-09-28	134-16239-704-en
Reason for revision: 2; 3; 8 Revision number: 0400		Product number: 45858	1 / 15
			- / 15

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark
hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics 01-2119456377-30		30% <c<60%< td=""><td>Asp. Tox. 1; H304</td><td>(1)(10)</td><td>Constituent</td></c<60%<>	Asp. Tox. 1; H304	(1)(10)	Constituent
hydrocarbons, C11-C13, isoalkanes, < 2% aromatics 01-2119456810-40		10% <c<30%< td=""><td>Asp. Tox. 1; H304</td><td>(1)(10)</td><td>Constituent</td></c<30%<>	Asp. Tox. 1; H304	(1)(10)	Constituent
petroleum gases, liquefied	68476-85-7 270-704-2	10% <c<30%< td=""><td>Flam. Gas 1; H220 Press. Gas - Liquefied gas;</td><td>(1)(2)(10)</td><td>Propellant</td></c<30%<>	Flam. Gas 1; H220 Press. Gas - Liquefied gas;	(1)(2)(10)	Propellant
white mineral oil (petroleum) 01-2119487078-27	8042-47-5 232-455-8	5% <c<10%< td=""><td>Asp. Tox. 1; H304</td><td>(1)(2)(10)</td><td>Constituent</td></c<10%<>	Asp. Tox. 1; H304	(1)(2)(10)	Constituent

(1) For H- and EUH-statements in full: see heading 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact: If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms After inhalation: Dizziness. Narcosis.
After skin contact: ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.
After eye contact: No effects known.
After ingestion: No effects known.
4.2.2 Delayed symptoms No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Water, Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting CO2 extinguisher. Major fire: Quantities of water.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed. Pressurised container: May burst if heated.

5.3. Advice for firefighters

5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistant risk of physical explosion.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

Reason for revision: 2; 3; 8

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment.

6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

6.1.2 Protective equipment for emergency responders Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See heading 8.2

6.2. Environmental precautions

Dam up the liquid spill.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See heading 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Gas/vapour heavier than air at 20°C. Avoid prolonged and repeated contact with skin.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Store in a cool area. Keep container in a well-ventilated place. Fireproof storeroom. Keep out of direct sunlight. Protect against frost.

7.2.2 Keep away from:

Heat sources, ignition sources, oxidizing agents.

7.2.3 Suitable packaging material: Aerosol.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Huiles minérales (brouillards)	Time-weighted average exposure limit 8 h	5 mg/m ³
	Short time value	10 mg/m ³
Pétrole (gaz liquéfié)	Time-weighted average exposure limit 8 h	1000 ppm
	Time-weighted average exposure limit 8 h	1826 mg/m ³
The Netherlands		
Olienevel (minerale olie)	Time-weighted average exposure limit 8 h (Public occupational exposur limit value)	e 5 mg/m³
Germany		
Weißes Mineralöl (Erdöl)	Time-weighted average exposure limit 8 h (TRGS 900)	5 mg/m³
UK		
Liquefied petroleum gas	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1000 ppm
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	1750 mg/m ³
	Short time value (Workplace exposure limit (EH40/2005))	1250 ppm
	Short time value (Workplace exposure limit (EH40/2005))	2180 mg/m ³

Reason for revision: 2; 3; 8

Publication date: 2008-03-03 Date of revision: 2020-09-28

Revision number: 0400

Product number: 45858

USA (TLV-ACGIH)

USA (TEV-Acdin)		
Mineral oil, excluding metal working fluids: Pure, highly and	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	5 mg/m³ (I)
severely refined		
(I): Inhalable fraction		

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1	8.1.2 Sampling methods				
	Product name	Test	Number		
	Oil Mist (Mineral)	NIOSH	5026		

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers w

w	mite mineral on (petroleum)
	Effect level (DNEL/DMEL)

Effect level (DNEL/DMEL)	Туре	Value	Remark			
DNEL	Long-term systemic effects inhalation	164.56 mg/m³				
	Long-term systemic effects dermal	217.05 mg/kg bw/day				
DNEL/DMEL - General population	DNEL/DMEL - General population					

white mineral oil (petroleum)

Effect level (DNEL/DMEL) Type		Value	Remark
DNEL	Long-term systemic effects inhalation		
	Long-term systemic effects dermal	93.02 mg/kg bw/day	
	Long-term systemic effects oral	25 mg/kg bw/day	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Measure the concentration in the air regularly.

8.2.2 Individual protection measures, such as personal protective equipment

Avoid prolonged and repeated contact with skin. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection:

Protective goggles (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See headings 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Aerosol
Odour	Hydrocarbon odour
Odour threshold	No data available in the literature
Colour	No data available on colour
Particle size	Not applicable (mixture)
Explosion limits	1.4 - 10.9 vol % ; Propellant
Flammability	Extremely flammable aerosol.
Log Kow	Not applicable (mixture)
Dynamic viscosity	Not applicable (aerosol)
Kinematic viscosity	Not applicable (aerosol)
Melting point	No data available in the literature
Boiling point	-40 °C2 °C ; Propellant
Evaporation rate	No data available in the literature
Relative vapour density	No data available in the literature
Vapour pressure	5900 hPa - 17600 hPa ; Propellant
Solubility	Water ; insoluble
Relative density	No data available in the literature
Decomposition temperature	No data available in the literature
Auto-ignition temperature	Not applicable (aerosol)
Flash point	Not applicable (aerosol)
Explosive properties	Not classified

Reason for revision: 2; 3; 8

Publication date: 2008-03-03 Date of revision: 2020-09-28

Revision number: 0400

Product number: 45858

Oxidising properties рΗ

Not classified No data available in the literature

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

10.2. Chemical stability

Unstable on exposure to heat.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks.

10.5. Incompatible materials

Oxidizing agents.

10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

11.1.1 Test results

Acute toxicity

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

LC50

402

403

Equivalent to OECD

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD	> 15000 mg/kg bw		Rat (male / female)	Experimental value	
		423			lemale)		
Dermal	LD50	Equivalent to OECD	> 3160 ml/kg bw	24 h		Experimental value	
		402			female)		
Inhalation (aerosol)	LC50	Equivalent to OECD	> 5.6 mg/l air	4 h	Rat (male /	Experimental value	
		403			female)		
rocarbons, C11-C13, i	soalkanes, <	2% aromatics					

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value
						determination
Oral	LD50	OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value
Dermal	LD50	Equivalent to OECD	≥ 3160 mg/kg bw	24 h	Rabbit (male /	Experimental value

> 5000 mg/m³ air

Inhalation (vapours) white mineral oil (petroleum)

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	Equivalent to OECD	> 5000 mg/kg bw		Rat (male /	Read-across	
		401			female)		
Dermal	LD50	Equivalent to OECD	> 2000 mg/kg bw	24 h	Rabbit (male /	Read-across	
		402			female)		
Inhalation (aerosol)	LC50	Equivalent to OECD	> 5 mg/l	4 h	Rat (male /	Read-across	
		403			female)		

8 h

Conclusion

Not classified for acute toxicity

Corrosion/irritation

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 2; 3; 8

Publication date: 2008-03-03 Date of revision: 2020-09-28

female)

Rat (male)

Remark

Experimental value

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		1; 24; 48; 72 hours	Rabbit	Read-across	
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	
drocarbons, C11-C1	3, isoalkanes, < 29	% aromatics			1		
Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		24; 72 hours	Rabbit	Read-across	Single treatme without rinsing
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hrs; 14 days	Rabbit	Read-across	
nite mineral oil (petr	oleum)		•	•		•	•
Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Read-across	Single treatme without rinsing
Skin	Not irritating	Equivalent to OECD 404	24 week(s)	24; 72 hours	Rabbit	Read-across	

Not classified as irritating to the respiratory system

Not classified as irritating to the skin

Respiratory or skin sensitisation

MAINTENANCE SPRAY H1

No (test)data on the mixture available Judgement is based on the relevant ingredients

hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	••••••	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406		24; 48 hours	Guinea pig (female)	Read-across	
drocarbons, C11-C1	3, isoalkanes, < 2	% aromatics	•	•			
Route of exposure	Result	Method	••••••	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	Equivalent to OECD 406			Guinea pig (male / female)	Read-across	

white mineral oil (petroleum)

Route of exposure	Result	Method	 Observation time point	Species	Value determination	Remark
Skin	0	Equivalent to OECD 406		Guinea pig (male)	Read-across	

Conclusion

Not classified as sensitizing for skin Not classified as sensitizing for inhalation

Specific target organ toxicity

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL	Equivalent to OECD 408	> 3000 mg/kg bw/day		No effect	13 weeks (daily)	Rat (male / female)	Read-across
Dermal								Data waiving
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	> 10400 mg/m³ air		No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Read-across
rocarbons, C11-C13,	isoalkanes,	< 2% aromatics						
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral	NOAEL	Equivalent to OECD 422	≥ 1000 mg/kg bw/day		No effect	>14 days (gestation, daily)	Rat (male / female)	
Dermal								Data waiving
Inhalation (vapours)	NOAEC	Equivalent to OECD 413	≥ 10400 mg/m³		No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Read-across

Reason for revision: 2; 3; 8

Publication date: 2008-03-03 Date of revision: 2020-09-28

Revision number: 0400

Product number: 45858

ite mineral oil (petrol	eum)	-						
Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (diet)	NOAEL	OECD 453	≥ 1200 mg/kg bw/day		No effect	24 month(s)	Rat (male / female)	Read-across
Dermal	NOAEL systemic effects	OECD 411	≥ 2000 mg/kg bw/day		No adverse systemic effects	13 weeks (daily)	Rat (male / female)	Read-across
Dermal	NOAEL local effects	OECD 411	< 125 mg/kg bw/day	Skin	No effect	13 weeks (daily)	Rat (male / female)	Experimental value
Inhalation (aerosol)	NOEL	Equivalent to OECD 412	50 mg/m ³	Lungs	No effect	4 weeks (6h / day, 5 days / week)	Rat (male / female)	Read-across
Inhalation (aerosol)	LOEL	Equivalent to OECD 412	210 mg/m ³	Lungs	Weight changes	4 weeks (6h / day, 5 days / week)	Rat (male / female)	Read-across

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation		Chinese hamster lung fibroblasts (V79)	No effect	Read-across	
Negative	OECD 471	Bacteria (S.typhimurium)	No effect	Read-across	
Negative	Equivalent to OECD 479	Chinese hamster ovary (CHO)	No effect	Read-across	
Negative		Human lymphocytes	No effect	Read-across	

hydrocarbons, C11-C13, isoalkanes, < 2% aromatics

	Result	Method	Test substrate	Effect	Value determination	Remark
	Negative	OECD 471	Bacteria (S.typhimurium)		Read-across	
	Negative	Equivalent to OECD 473	Human lymphocytes		Read-across	
<u>wh</u>	te mineral oil (petroleum)					
		NA 11 1				

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)	No effect	Read-across	
Negative with metabolic activation, negative without metabolic activation	OECD 473	Chinese hamster ovary (CHO)	No effect	Read-across	

Mutagenicity (in vivo)

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

	Result	Method	Exposure time	Test substrate	Organ	Value determination
	Negative	Equivalent to OECD 474		Mouse (male / female)	Bone marrow	Read-across
	Negative	Equivalent to OECD 478	5 days (6h / day)	Rat (male / female)		Experimental value
hyd	rocarbons, C11-C13, isoalkanes, < 2%	aromatics	-	-		
	Result	Method	Exposure time	Test substrate	Organ	Value determination
	Negative	Equivalent to OECD 474		Mouse (male / female)		Read-across
whi	te mineral oil (petroleum)					
	Result	Method	Exposure time	Test substrate	Organ	Value determination
	Negative (Intraperitoneal)	OECD 474		Mouse (male / female)	Bone marrow	Read-across

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Reason for revision: 2; 3; 8

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatio
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	> 2200 mg/m ³ air	105 weeks (6h / day, 5 days / week)	Rat (female)	No carcinogenic effect		Experimental value
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	138 mg/m ³ air	105 weeks (6h / day, 5 days / week)	Rat (male)		Kidney	Experimental value
Dermal								Data waiving
Oral	Т	1						Data waiving
nydrocarbons, C	11-C13, isoalka	nes, < 2% aromati	ics					
Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatio
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	≥ 2200 mg/m³ air	105 weeks (6h / day, 5 days / week)	Rat (female)	No carcinogenic effect		Read-across
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	138 mg/m ³ air	105 weeks (6h / day, 5 days / week)	Rat (male)	No carcinogenic effect		Read-across
white mineral oi	l (petroleum)		·		,		·	
Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determinatio
Dermal	NOEL	OECD 453	≥ 75 µl/week	104 weeks (3 times / week)	Mouse (male)	No carcinogenic effect		Read-across
Oral (diet)	NOAEL	OECD 453	≥ 1200 mg/kg bw/day	24 month(s)	Rat (male / female)	No carcinogenic effect		Read-across
onclusion				•				
Not classified fo	r carcinogenici [,]	ty						
ductive toxicity	,							
NTENANCE SPR/	<u>AY H1</u>							
No (test)data or	ı the mixture a [,]	vailable						
		evant ingredients						

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value
								determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 day(s)	Rat	No effect		Experimental value
Maternal toxicity	NOAEL	Equivalent to OECD 414	> 5220 mg/m³ air	10 day(s)	Rat	No effect		Experimental value
Effects on fertility	NOAEL	Equivalent to OECD 415	≥ 1500	13 weeks (daily)	Rat (female)	No effect		Read-across

hydrocarbons, C11-C13, isoalkanes, < 2% aromatics

	Parameter	Method	Value	Exposure time	Species	Effect	1.0.	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414		10 days (gestation, 6h / day)	Rat (female)	No effect		Experimental value
Maternal toxicity	NOAEL	Equivalent to OECD 414		10 days (gestation, 6h / day)	Rat	No effect		Experimental value
Effects on fertility	NOAEC	Equivalent to OECD 413	≥ 400 ppm		Rat (male / female)	No effect		Read-across

white mineral oil (petroleum)

	Parameter	Method	Value	Exposure time	Species	Effect	- 0.	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	> 5000 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect		Read-across
Maternal toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	> 5000 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect		Read-across
Effects on fertility (Dermal)	NOAEL	Equivalent to OECD 415	≥ 2000	≥ 13 weeks (5 days / week)	Rat (male / female)	No effect		Read-across

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

MAINTENANCE SPRAY H1

Reason for revision: 2; 3; 8

Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
			Skin	Skin dryness or cracking			Literature study Skin
							-
Irocarbons, C11-	-C13, isoalkanes, <	2% aromatics					
drocarbons, C11- Parameter	-C13, isoalkanes, < Method	< 2% aromatics Value	Organ	Effect	Exposure time	Species	Value determination

Conclusion

Repeated exposure may cause skin dryness or cracking.

Chronic effects from short and long-term exposure

MAINTENANCE SPRAY H1 Dry skin.

SECTION 12: Ecological information

12.1. Toxicity

MAINTENANCE SPRAY H1

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	Other	> 88444 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	EL50	OECD 202	> 1000 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	EL50	OECD 201	> 1000 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system		Experimental value; GLP
Long-term toxicity fish	NOELR		> 1000 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	QSAR; Growth rate
Long-term toxicity aquatic crustacea	NOELR	OECD 211	1 mg/l	21 day(s)	Daphnia magna	Daphnia magna Semi-static system		Read-across; GLP
Toxicity aquatic micro- organisms	EL50		> 1000 mg/l	48 h	Tetrahymena pyriformis		Fresh water	QSAR; Growth inhibition
ydrocarbons, C11-C13, isoalka	nes, < 2% aroma	<u>itics</u>						
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	OECD 203	> 1000 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Read-across; GLP
Acute toxicity crustacea	EL50	OECD 202	> 1000 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across; GLP
Toxicity algae and other aquatic plants	EL50	OECD 201	> 1000 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system		Read-across; GLP
	NOELR	OECD 201	1000 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system		Read-across; GLP
Long-term toxicity fish	NOELR		0.217 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	Calculated value; Growth rate
Long-term toxicity aquatic crustacea	NOELR	OECD 211	1 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro- organisms	EL50		> 1000 mg/l	48 h	Tetrahymena pyriformis		Fresh water	Calculated value; Growth inhibition

No classification for aquatic toxicity since the toxicity limits are above the water solubility

	Parameter	Method	Value	Duration	Species		Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	> 100 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Experimental value; Nominal concentration
Acute toxicity crustacea	LC50	OECD 202	> 100 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	NOEL	OECD 201	≥ 100 mg/l	72 h		Static system	Fresh water	Weight of evidence; Growth rate
Long-term toxicity fish	NOEL		≥ 1000 mg/l	28 day(s)	Oncorhynchus mykiss		Fresh water	QSAR
Long-term toxicity aquatic crustacea	NOEL	Equivalent to OECD 211	10 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Read-across; GLP

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

hydrocarbons, C12-C16, isoalkanes, cyclics, < 2% aromatics

Biodegradation water				
Method	Value	Duration	Value determination	
OECD 301F	76.6 %; Oxygen consumption	28 day(s)	Experimental value	
ydrocarbons, C11-C13, isoalkan	es, < 2% aromatics	·		
Biodegradation water				
Method	Value	Duration	Value determination	
OECD 301F	80 %; Oxygen consumption	28 day(s)	Read-across	
Biodegradation soil				
Method	Value	Duration	Value determination	
			Data waiving	
hite mineral oil (petroleum)			·	
Biodegradation water				
Method	Value	Duration	Value determination	
OECD 301F	31 %; GLP	28 day(s)	Read-across	
Phototransformation air (DT50	air)	•		

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.90	0.1 day(s) - 0.6 day(s)	1.5E6 /cm ³	Calculated value
iodegradation soil			
Method	Value	Duration	Value determination
			Data waiving

Conclusion

<u>Water</u>

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

MAINTENANCE SPRAY H1

/lethod	Rem	ark	Value	т	emperature	Value determination
	Not	applicable (mixture)				
vdrocarbons, C12	-C16, isoalkanes	cyclics, < 2% aromatic	-5			
BCF fishes			<u></u>			
Parameter	Method	Value	Duration	Specie	s	Value determination
BCF	BCFBAF v3.	00 144.3 l/kg				Calculated value
Log Kow	•	• -	•			
Method	d Remark		Value		Temperature	Value determination
	1	No data available				
ydrocarbons, C11	-C13, isoalkanes,	< 2% aromatics				•
BCF fishes						
Parameter	Method	Value	Duration	Specie	s	Value determination
BCF	BCFBAF v3.	00 144.3 l/kg				QSAR
BCF other aquati	c organisms	·				·
Parameter	Method	Value	Duration	Specie	s	Value determination
						Data waiving
Log Kow		·		·		·
Method	F	Remark	Value		Temperature	Value determination
	1	No data available				
			·			
for rouision, 2, 2	. 0				Publication date:	2008 02 02
n for revision: 2; 3	0				Publication date:	2006-03-03

Parameter	Method	Value	Du	ration	Sr	oecies			Value determination
									Data waiving
CF other aquati	c organisms								
Parameter	Method	Value	Du	ration	Sp	oecies			Value determination
BCF	BCFBAF v3.01	1216 l/kg; Fre weight	sh						Estimated value
g Kow	•	•							
Method	Rem	nark	Val	ue			Temperature		Value determination
			5.1	8					Experimental value
<u>usion</u>									
tains bioaccum	ulative component(s)							
. Mobility in	soil								
•	C16, isoalkanes, cyc	clics, < 2% aromatic	<u>s</u>						
og) Koc									
Parameter				Method			Value	2	Value determination
log Koc							4.16		Calculated value
ercent distribut	ion				-				
Method	Fraction air	Fraction biota	Fraction		Fraction so	oil	Fraction water	Value dete	ermination
			sedimen	t					
Mackay level III		0 %	26.8 %		12.1 %		1.4 %	Calculated	value
	-C13, isoalkanes, < 2								
og) Koc Deremeter				Matheri			N-1		Value determinenti
Parameter log Koc				Method			Value 4.16		Value determination Calculated value
ercent distribut	ion						4.10		
Method	Fraction air	Fraction biota	Fraction		Fraction so	il	Fraction water	Value det	ermination
incentou -	i raccion an		sedimen		1140001130		indection water	value dett	
Mackay level III	15.2 %	0 %	55 %	-	26.3 %		3.5 %	Calculated	value
te mineral oil (p	etroleum)	•							
og) Koc									
Parameter				Method			Value		Value determination
log Koc				SRC PCK	DCWIN v2.0)	2.640		Calculated value
tains component Results of I s not contain Other advect NANCE SPRAY house gases of the known c e-depleting pot	H <u>1</u> omponents is includ ential (ODP) ngerous for the o <u>retroleum)</u>	for mobility in the s seessment at meet(s) the crit ded in the list of fluc zone layer (Regul	eria of PBT	enhouse	gases (Regi				C) No 1907/2006.
roundwater									
roundwater po <mark>)N 13: Di</mark> nformation in	sposal cons this section is a g scenarios that cor	eneral descriptio			available,	, expos	sure scenario	s are attache	d in annex. Always use
roundwater po <mark> ON 13: Di</mark> nformation in ant exposure	this section is a g	eneral description respond to your i			available,	, expos	sure scenario:	s are attache	d in annex. Always use

Specific treatment. Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

Reason for revision: 2; 3; 8

Publication date: 2008-03-03 Date of revision: 2020-09-28

SE

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

14.1. UN number	
UN number	1950
14.2. UN proper shipping name	
Proper shipping name	Aerosols
14.3. Transport hazard class(es)	
Hazard identification number	
Class	2
Classification code	5F
14.4. Packing group	
Packing group	
Labels	2.1
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	190
Special provisions	327
Special provisions	344
Special provisions	625
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for
	liquids. A package shall not weigh more than 30 kg. (gross mass)

Rail (RID)

14. <u>1. UN number</u>	
UN number	1950
14.2. UN proper shipping name	
Proper shipping name	Aerosols
14.3. Transport hazard class(es)	
Hazard identification number	23
Class	2
Classification code	5F
14.4. Packing group	
Packing group	
Labels	2.1
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	190
Special provisions	327
Special provisions	344
Special provisions	625
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for
	liquids. A package shall not weigh more than 30 kg. (gross mass)

Inland waterways (ADN)

4.1. UN number				
UN number	1950			
4.2. UN proper shipping name				
Proper shipping name	Aerosols			
4.3. Transport hazard class(es)				
Class	2			
Classification code	5F			
4. Packing group				
Packing group				
Labels	2.1			
4.5. Environmental hazards				
Environmentally hazardous substance mark	no			
4.6. Special precautions for user				
Special provisions	190			
Special provisions	327			
Special provisions	344			
Special provisions	625			
Limited quantities	Combination packagings: not more than 1 liter per inner packaging fo			
	liquids. A package shall not weigh more than 30 kg. (gross mass)			

Reason for revision: 2; 3; 8

Sea (IMDG/IMSBC)

4. <mark>1. UN number</mark>				
UN number	1950			
2. UN proper shipping name				
Proper shipping name	aerosols			
3. Transport hazard class(es)				
Class	2.1			
4.4. Packing group				
Packing group				
Labels	2.1			
4.5. Environmental hazards	5. Environmental hazards			
Marine pollutant	Р			
Environmentally hazardous substance mark	no			
.6. Special precautions for user				
Special provisions	190			
Special provisions	277			
Special provisions	327			
Special provisions	344			
Special provisions	381			
Special provisions	63			
Special provisions	959			
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for			
	liquids. A package shall not weigh more than 30 kg. (gross mass)			
4.7. Transport in bulk according to Annex II of Marpol	and the IBC Code			
Annex II of MARPOL 73/78	Not applicable			

Air (ICAO-TI/IATA-DGR)

14. <u>1</u> . UN number	
UN number	1950
14.2. UN proper shipping name	
Proper shipping name	Aerosols, flammable
14.3. Transport hazard class(es)	
Class	2.1
14.4. Packing group	
Packing group	
Labels	2.1
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	A145
Special provisions	A167
Special provisions	A802
Passenger and cargo transport	
Limited quantities: maximum net quantity per packaging	30 kg G

SECTION 15: Regulatory information

15.1. Safet	y, health	and environmental	regulations/	legislation	specific for	the sub	bstance or	mixture
_								

European legislation:

VOC content Directive 2010/75/EU

	VOC content	Remark
	20 % - 60 %	
European drinking water standards (Directive 98/83/EC)		
N	<u>hite mineral oil (petroleum)</u>	

Parameter	Parametric value	Note	Reference
Pesticides	0.1 μg/l		Listed in Annex I, Part B, of Directive 98/83/EC on the quality of water intended for human consumption.
Pesticides — Total	0.5 μg/l		Listed in Annex I, Part B, of Directive 98/83/EC on the quality of water intended for human consumption.

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

Designation of the substance, of the group of Conditions of restriction

	substances or of the mixture		
· hydrocarbons, C12-C16, isoalkanes, cyclics,	Liquid substances or mixtures fulfilling the	1. Shall not be used in:	1
< 2% aromatics	criteria for any of the following hazard classes	- ornamental articles intended to produce light or colour effects by means of different	L
 hydrocarbons, C11-C13, isoalkanes, < 2% 	or categories set out in Annex I to Regulation	phases, for example in ornamental lamps and ashtrays,	L
aromatics	(EC) No 1272/2008:	- tricks and jokes,	L
 white mineral oil (petroleum) 	(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8	- games for one or more participants, or any article intended to be used as such, even with	L
	types A and B, 2.9, 2.10, 2.12, 2.13 categories	ornamental aspects,	

Reason for revision: 2; 3; 8

Publication date: 2008-03-03 Date of revision: 2020-09-28

Revision number: 0400

	MAINTENAN	CE SPRAY H1
	1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	 Articles not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: can be used as fuel in decorative oil lamps for supply to the general public, and, present an aspiration hazard and are labelled with H304, Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopte by the European Committee for Standardisation (CEN). Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: alparp oils, labelled with H304, intended for supply to the general public are visibly, legibl and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legib and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with A104, intended for supply to the general public are legib and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public. Naturat or legal persons placing on the market for the first time lamp oils and grill ligh
National legislation Belgium MAINTENANCE SPRAY H1 No data available petroleum gases, liquefied		
Additional classification		' signifie que l'agent en question relève du champ d'application de l'arrêté royal ection des travailleurs contre les risques liés à l'exposition à des agents ques au travail.
National legislation The Nether MAINTENANCE SPRAY H1	• · ·	
<u>National legislation France</u> <u>MAINTENANCE SPRAY H1</u> No data available <u>National legislation Germany</u> MAINTENANCE SPRAY H1		
WGK	alkanes, cyclics, < 2% aromatics	ng mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
TA-Luft hydrocarbons, C11-C13, isoa	5.2.5 alkanes, < 2% aromatics	
TA-Luft white mineral oil (petroleum	5.2.5	
TA-Luft	5.2.5/I	
<u>National legislation United King</u> <u>MAINTENANCE SPRAY H1</u> No data available	<u>zdom</u>	
Other relevant data MAINTENANCE SPRAY H1 No data available		
white mineral oil (petroleum TLV - Carcinogen	-	ids: Pure, highly and severely refined; A4
15.2. Chemical safety assess No chemical safety assessme	sment ent has been conducted for the mixture.	
CTION 16: Other info	rmation	
	eferred to under heading 3:	
Full text of any H-statements reH220Extremely flammableH222Extremely flammableH229Pressurised containerH280Contains gas under pH304May be fatal if swallo	aerosol. r: May burst if heated. ressure; may explode if heated.	
 H220 Extremely flammable H222 Extremely flammable H229 Pressurised container H280 Contains gas under p H304 May be fatal if swallo 	aerosol. r: May burst if heated. ressure; may explode if heated.	
 H220 Extremely flammable H222 Extremely flammable H229 Pressurised container H280 Contains gas under p H304 May be fatal if swallo 	aerosol. r: May burst if heated. ressure; may explode if heated. wed and enters airways.	Publication date: 2008-03-03 Date of revision: 2020-09-28

ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEL	No Observed Adverse Effect Level
NOEC	No Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2; 3; 8