SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878



TIP TAP AEROSOL

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: TIP TAP AEROSOL Product name **Registration number REACH** Product type REACH

: Not applicable (mixture)

: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Cutting oil

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio* Industrielaan 5B B-2250 Olen +32 14 25 76 40 **▲** +32 14 22 02 66 info@novatio.be *NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen +32 14 85 97 37 **i ⊟** +32 14 85 97 38 info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 Class Class Class						
Aerosol	category 1	H222: Extremely flammable aerosol.				
Aerosol category 1 H229:		1229: Pressurised container: May burst if heated.				

2.2. Label elements

Signal word	Danger
H-statements	
H222	Extremely flammable aerosol.
H229	Pressurised container: May burst if heated.
P-statements	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P211	Do not spray on an open flame or other ignition source.
P251	Do not pierce or burn, even after use.
P410 + P412	Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122°F.

2.3. Other hazards

Gas/vapour spreads at floor level: ignition hazard

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw Reason for revision: 3.2, 9, 12 Revision number: 0800

Publication date: 2001-02-22 Date of revision: 2021-06-20

878-16239-022-en

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
distillates (petroleum), hydrotreated heavy paraffinic 01-2119484627-25	64742-54-7 265-157-1	C≤30%	Asp. Tox. 1; H304	(1)(2)(10)	Constituent	
propane 01-2119486944-21	74-98-6 200-827-9		Flam. Gas 1A; H220 Press. Gas - Liquefied gas; H280	(1)(2)(10)	Propellant	

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Soap may be used.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms After inhalation: No effects known. After skin contact: No effects known. After eye contact: No effects known. After ingestion:

No effects known. 4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher. Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion. Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed. Pressurised container: May burst if heated.

5.3. Advice for firefighters

5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistant risk of physical explosion.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

Reason for revision: 3.2, 9, 12

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Dam up the liquid spill.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Store in a cool area. Keep container in a well-ventilated place. Protect against frost. Keep out of direct sunlight. Fireproof storeroom. Meet the legal requirements.

7.2.2 Keep away from:

Heat sources, ignition sources.

7.2.3 Suitable packaging material: Aerosol.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Delation

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium		
Huiles minérales (brouillards)	Time-weighted average exposure limit 8 h	5 mg/m³
	Short time value	10 mg/m ³
Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3)	Time-weighted average exposure limit 8 h	1000 ppm
The Netherlands		
Olienevel (minerale olie)	Time-weighted average exposure limit 8 h (Public occupational exposure limit value)	5 mg/m³
Germany		
Propan	Time-weighted average exposure limit 8 h (TRGS 900)	1000 ppm
	Time-weighted average exposure limit 8 h (TRGS 900)	1800 mg/m³
USA (TLV-ACGIH)		
Mineral oil, excluding metal working fluids: Pure, highly and severely refined	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	5 mg/m³ (I)
(I): Inhalable fraction	•	•
 b) National biological limit values If limit values are applicable and available these will be listed be 8.1.2 Sampling methods 	elow.	
for revision: 3.2, 9, 12	Publication date: 2001-02-22	
	Date of revision: 2021-06-20	
n number: 0800	BIG number: 33710	3/11

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers distillates (petroleum), hydrotreated heavy paraffinic

Effect level (DNEL/DMEL)	Туре	Value			Remark		
DNEL	Long-term syste	emic effects inhalation	2.73 mg/m ³				
	Long-term local	effects inhalation	5.58 mg/m ³				
	Long-term syste	emic effects dermal	0.97 mg/kg	bw/day			
DNEL/DMEL - General population distillates (petroleum), hydrotreated heavy paraffinic Effect lovel (DNEL/DMEL) Type							
			Value		Remark		
<u>istillates (petroleum), hydrotrea</u> Effect level (DNEL/DMEL) DNEL	Type Long-term syste	mic effects oral	Value 0.74 mg/kg	bw/day	Remark		
Effect level (DNEL/DMEL)	Type Long-term syste	mic effects oral		bw/day	Remark		
Effect level (DNEL/DMEL) DNEL NEC	Type Long-term syste	emic effects oral	0.74 mg/kg	bw/day Remark	Remark		

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Measure the concentration in the air regularly.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 480 minutes	0.35 mm	Class 6	

c) Eye protection:

Protective goggles (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid in aerosol				
Odour	Characteristic odour				
Odour threshold	No data available in the literature				
Colour	No data available on colour				
Particle size	Not applicable (aerosol)				
Explosion limits	2.1 - 9.5 vol % ; Propellant				
Flammability	Extremely flammable aerosol.				
Log Kow	Not applicable (mixture)				
Dynamic viscosity	100 mPa.s ; 20 °C ; Liquid				
Kinematic viscosity	110 mm²/s ; 20 °C ; Liquid				
Melting point	No data available in the literature				
Boiling point	-42 °C ; Propellant				
Relative vapour density	>1				
Vapour pressure	8530 hPa ; 20 °C ; Propellant				
Solubility	Water ; insoluble				
Relative density	0.91 ; 20 °C ; Liquid				
Absolute density	905 kg/m³ ; 20 °C ; Liquid				
Decomposition temperature	No data available in the literature				
Auto-ignition temperature	No data available in the literature				
Flash point	Not applicable (aerosol)				
рН	Not applicable (non-soluble in water)				

9.2. Other information

No data available

Reason for revision: 3.2, 9, 12

SECTION 10: Stability and reactivity

10.1. Reactivity

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Use spark-/explosionproof appliances and lighting system. Keep away from naked flames/heat. Keep away from ignition sources/sparks.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: CO and CO2 are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

distillates (petroleum), hydrotreated heavy paraffinic Route of exposure Parameter Method Value Exposure time Value Species Remark determination OECD 401 Rat (male / Oral LD50 > 5000 mg/kg bw Experimental value female) Rabbit (male / LD50 24 h Dermal Equivalent to OECD > 2000 mg/kg bw Experimental value female) 402 Inhalation (aerosol) LC50 Equivalent to OECD 2.18 mg/l air 4 h Rat (male / Experimental value female) 403

Conclusion

Not classified for acute toxicity

Corrosion/irritation

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

distillates (petroleum), hydrotreated heavy paraffinic

[Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
							determination	
	Eye		Equivalent to OECD 405	1 seconds	24 hours	Rabbit	Experimental value	
	Skin	0 7 0 0	Equivalent to OECD 404	24 h	24; 72 hours	Rabbit	Experimental value	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients distillates (petroleum), hydrotreated heavy paraffinio

Route of exposure	Result	Method	•	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 406			Guinea pig (male)	Experimental value	
Skin	Not sensitizing	Human observation			Human (male / female)	Experimental value	

Conclusion

Reason for revision: 3.2, 9, 12

Publication date: 2001-02-22 Date of revision: 2021-06-20

Revision number: 0800

BIG number: 33710

Not classified as sensitizing for skin Not classified as sensitizing for inhalation

Specific target organ toxicity

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

distillates (petroleum), hydrotreated heavy paraffinic

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time		Value determination
Oral (stomach tube)	LOAEL	Equivalent to OECD 408	125 mg/kg bw/day	General		13 weeks (5 days / week)	Rat (male)	Read-across
Dermal	NOAEL	OECD 410	1000 mg/kg bw/day				Rabbit (male / female)	Experimental value
Inhalation	NOEL	Subacute toxicity test	220 mg/m ³ air	Lungs			Rat (male / female)	Experimental value
Inhalation	NOAEL	Subacute toxicity test	> 980 mg/m³ air				Rat (male / female)	Experimental value

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients distillates (petroleum), hydrotreated heavy paraffinic

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 473	Chinese hamster ovary (CHO)	No effect	Experimental value	
Ambiguous	OECD 476	Mouse (lymphoma L5178Y cells)		Experimental value	
Positive with metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	

Mutagenicity (in vivo)

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

<u>uis</u>	tillates (petroleum), nyurotreateu neavy paraninic								
	Result	Method	Exposure time	Test substrate	Organ	Value determination			
	Negative	OECD 474		Mouse (male / female)	Bone marrow	Experimental value			
-									

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

distillates (petro	stillates (petroleum), hydrotreated heavy paraffinic							
Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
exposure								
Dermal	Dose level	OECD 453	100 mg/kg bw/day	104 week(s)	Mouse (male)	Histopathology		Experimental value

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 3.2, 9, 12

Publication date: 2001-02-22 Date of revision: 2021-06-20

Revision number: 0800

tillates (petroleum), hydr	otreated heavy	<u>paraffinic</u>						
	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	≥ 2000 mg/kg bw/day	20 day(s)	Rat	No effect		Experimental value
Maternal toxicity	LOAEL	Equivalent to OECD 414	125 mg/kg bw/day	20 day(s)	Rat	Irritation	Skin	Experimental value
Effects on fertility	NOAEL	OECD 421	≥ 1000 mg/kg bw/day		Rat (male / female)	No effect		Experimental value

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

TIP TAP AEROSOL

No (test)data on the mixture available

Chronic effects from short and long-term exposure

TIP TAP AEROSOL

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

TIP TAP AEROSOL

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Daramatar	Mathod	Va
distillates (petroleum), hydrotreated heavy para	<u>ffinic</u>	

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	OECD 203	> 100 mg/l	96 h	Pimephales promelas	Static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EL50	Equivalent to OECD 202	> 10000 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Nominal concentration
Toxicity algae and other aquatic plants	NOEL	OECD 201	≥ 100 mg/l	72 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Experimental value
Long-term toxicity fish	NOELR		≥ 1000 mg/l	14 day(s)	Oncorhynchus mykiss		Fresh water	QSAR; Nominal concentration
Long-term toxicity aquatic crustacea	NOEL	OECD 211	10 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; GLP
Toxicity aquatic micro- organisms	NOEL	Other	> 1.93 mg/l	4 day(s)	Photobacterium phosphoreum	Static system	Fresh water	Experimental value

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

distillates (petroleum), hydrotreated heavy paraffinic

Biodegradation water

Metho	od	Value	Duration	Value determination
		2 % - 4 %; GLP	28 day(s)	Experimental value

Conclusion

Water

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

TIP TAP AEROSOL

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Reason for revision: 3.2, 9, 12

distillates (petroleum), hydrotreated heavy paraffinic

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

Conclusion

No test data of component(s) available

12.4. Mobility in soil

distillates (petroleum), hydrotreated heavy paraffinic

Percent distribution

Method	Fraction air		Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III		0.1 %	34.01 %	22.09 %	3.98 %	Calculated value

Conclusion

No (test)data on mobility of the component(s) available

12.5. Results of PBT and vPvB assessment

Due to insufficient data no statement can be made whether the component(s) fulfil(s) the criteria of PBT and vPvB according to Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

TIP TAP AEROSOL

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP) Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

distillates (petroleum), hydrotreated heavy paraffinic

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

13 08 99* (oil wastes not otherwise specified: wastes not otherwise specified). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

UN number	1950	
4.2. UN proper shipping name		
Proper shipping name	aerosols	
4.3. Transport hazard class(es)		
Hazard identification number		
Class	2	
Classification code	5F	
4.4. Packing group		
Packing group		
Labels	2.1	
4.5. Environmental hazards		

Reason for revision: 3.2, 9, 12

Environmentally hazardous substance mark	no				
14.6. Special precautions for user					
Special provisions	190				
Special provisions	327				
Special provisions	344				
Special provisions	625				
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)				

Rail (RID)

L4.1. UN number	
UN number	1950
14.2. UN proper shipping name	
Proper shipping name	aerosols
4.3. Transport hazard class(es)	
Hazard identification number	23
Class	2
Classification code	5F
4.4. Packing group	
Packing group	
Labels	2.1
4. <u>5</u> . Environmental hazards	
Environmentally hazardous substance mark	no
4.6. Special precautions for user	
Special provisions	190
Special provisions	327
Special provisions	344
Special provisions	625
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for
	liquids. A package shall not weigh more than 30 kg. (gross mass)

Inland waterways (ADN)

14. <u>1. UN number</u>	
UN number	1950
14. <u>2. UN proper shipping name</u>	
Proper shipping name	aerosols
14.3. Transport hazard class(es)	
Class	2
Classification code	5F
14.4. Packing group	
Packing group	
Labels	2.1
14. <u>5. Environmental hazards</u>	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	190
Special provisions	327
Special provisions	344
Special provisions	625
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)

Sea (IMDG/IMSBC)

14. <u>1. UN number</u>	
UN number	1950
14.2. UN proper shipping name	
Proper shipping name	aerosols
14.3. Transport hazard class(es)	
Class	2.1
4.4. Packing group	
Packing group	
Labels	2.1
4.5. Environmental hazards	
Marine pollutant	-
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	190
Special provisions	277
Special provisions	327
Special provisions	344
Special provisions	381

Reason for revision: 3.2, 9, 12

Publication date: 2001-02-22 Date of revision: 2021-06-20

Revision number: 0800

BIG number: 33710

TIP TAP AEROSOL		
Special provisions	63	
Special provisions	959	
Limited quantities	Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg. (gross mass)	
14.7. Maritime transport in bulk according to IMO instruments		
Annex II of MARPOL 73/78	Not applicable	
ir (ICAO-TI/IATA-DGR)		
14. <u>1</u> . UN number		
UN number	1950	
14.2. UN proper shipping name		
Proper shipping name	aerosols, flammable	
14.3. Transport hazard class(es)		
Class	2.1	
14. <mark>4. Packing group</mark>		
Packing group		
Labels	2.1	
14.5. Environmental hazards		
Environmentally hazardous substance mark	no	
14.6. Special precautions for user		
Special provisions	A145	
Special provisions	A167	
Special provisions	A802	
Passenger and cargo transport		
Limited quantities: maximum net quantity per packaging	30 kg G	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
18 %	
153.018 g/l	

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

Designation of the substance, of the group of	Conditions of restriction
substances or of the mixture	

	substances or of the mixture	
· distillates (petroleum), hydrotreated heavy paraffinic	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 5.1. (d) hazard class 5.1.	 Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even with ornamental aspects, Articles not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: can be used as fuel in decorative oil lamps for supply to the general public, and,

National legislation Belgium TIP TAP AEROSOL

No data available

National legislation The Netherlands

TIP TAP AEROSOL Waterbezwaarlijkheid

Z (1); Algemene Beoordelingsmethodiek (ABM)

Reason for revision: 3.2, 9, 12

distillates (petroleum), hydrotreated heavy paraffinic

SZW - Lijst van mutagene stoffen

aardoliegassen en residuen; Listed in SZW-list of mutagenic substances

National legislation France

TIP TAP AEROSOL No data available

National legislation Germany

]	IP TAP AEROSOL	
	Lagerklasse (TRGS510)	2B: Aerosolpackungen und Feuerzeuge
	WGK	2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017

National legislation United Kingdom <u>TIP TAP AEROSOL</u>

No data available

Other relevant data TIP TAP AEROSOL

No data available

distillates (petroleum), hydrotreated heavy paraffinic

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H220 Extremely flammable gas.
- H222 Extremely flammable aerosol.
- H229 Pressurised container: May burst if heated.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.

(*) INTERNAL CLASSIFICATION BY BIG	
ADI Acceptable daily intake	
AOEL Acceptable operator exposure level	
ATE Acute Toxicity Estimate	
CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in European Classification)	ope)
DMEL Derived Minimal Effect Level	
DNEL Derived No Effect Level	
EC50 Effect Concentration 50 %	
EC50 EC50 in terms of reduction of growth rate	
LC50 Lethal Concentration 50 %	
LD50 Lethal Dose 50 %	
NOAEL No Observed Adverse Effect Level	
NOEC No Observed Effect Concentration	
OECD Organisation for Economic Co-operation and Development	
PBT Persistent, Bioaccumulative & Toxic	
PNEC Predicted No Effect Concentration	
STP Sludge Treatment Process	
vPvB very Persistent & very Bioaccumulative	

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3.2, 9, 12

Publication date: 2001-02-22 Date of revision: 2021-06-20

BIG number: 33710