

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

SAFETY CLEAN AEROSOL RV

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : SAFETY CLEAN AEROSOL RV
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Detergent according to Regulation (EC) No 648/2004

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
☎ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

| Class | Category | Hazard statements |
|-----------------|------------|--|
| Aerosol | category 1 | H222: Extremely flammable aerosol. |
| Aerosol | category 1 | H229: Pressurised container: May burst if heated. |
| Asp. Tox. | category 1 | H304: May be fatal if swallowed and enters airways. |
| STOT SE | category 3 | H336: May cause drowsiness or dizziness. |
| Aquatic Chronic | category 3 | H412: Harmful to aquatic life with long lasting effects. |

2.2. Label elements



Contains: hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics.

Signal word Danger

H-statements

H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H336 May cause drowsiness or dizziness.
H412 Harmful to aquatic life with long lasting effects.

P-statements

P101 If medical advice is needed, have product container or label at hand.
P102 Keep out of reach of children.
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

<http://www.big.be>

© BIG vzw

Reason for revision: 3.2

Revision number: 0600

Publication date: 2010-07-09

Date of revision: 2024-04-16

BIG number: 49027

1 / 13

SAFETY CLEAN AEROSOL RV

| | |
|---------------------------------|--|
| P211 | Do not spray on an open flame or other ignition source. |
| P251 | Do not pierce or burn, even after use. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P405 | Store locked up. |
| P410 + P412 | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122°F. |
| P501 | Dispose of contents/container in accordance with local/regional/national/international regulation. |
| Supplemental information | |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

2.3. Other hazards

Gas/vapour spreads at floor level: ignition hazard

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Name REACH Registration No | CAS No EC No List No | Conc. (C) | Classification according to CLP | Note | Remark | M-factors and ATE |
|---|----------------------------|----------------|---|----------------|------------|----------------------|
| hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119471843-32 | 927-241-2 | 75% <C<100% | Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 Aquatic Chronic 3; H412 EUH066 | (1)(10) | UVCB | |
| butane 01-2119474691-32 | 106-97-8 203-448-7 | 10% <C<25% | Flam. Gas 1A; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10)(21) | Propellant | |
| propane 01-2119486944-21 | 74-98-6 200-827-9 | 2.5% <C<10% | Flam. Gas 1A; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10) | Propellant | |
| isobutane 01-2119485395-27 | 75-28-5 200-857-2 | 1%<C<2.5% | Flam. Gas 1A; H220 Press. Gas - Liquefied gas; H280 | (1)(2)(10)(21) | Propellant | |

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

(21) 1,3-butadiene <0.1%

Note: numbers 9xx-xxx-x are provisional list numbers assigned by Echa pending an official EC inventory number

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

Dizziness. Drowsiness.

After skin contact:

ON CONTINUOUS EXPOSURE/CONTACT: Dry skin. Cracking of the skin.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

2 / 13

SAFETY CLEAN AEROSOL RV

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Water, Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting CO2 extinguisher.

Major fire: Quantities of water.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed. Pressurised container: May burst if heated.

5.3. Advice for firefighters

5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Physical explosion risk: extinguish/cool from behind cover. Do not move the load if exposed to heat. After cooling: persistent risk of physical explosion.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Stop engines and no smoking. No naked flames or sparks. Spark- and explosionproof appliances and lighting equipment. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product. Dam up the liquid spill.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into absorbent material. Scoop absorbed substance into closing containers. Carefully collect the spill/leftovers. Clean contaminated surfaces with an excess of water. Take collected spill to manufacturer/competent authority. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Gas/vapour heavier than air at 20°C. Observe normal hygiene standards.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Keep container in a well-ventilated place. Fireproof storeroom. Keep out of direct sunlight.

7.2.2 Keep away from:

Heat sources, ignition sources.

7.2.3 Suitable packaging material:

Aerosol.

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SAFETY CLEAN AEROSOL RV

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Belgium

| | | |
|--|--|------------------------|
| Butane, tous isomères: iso-butane | Short time value | 980 ppm |
| | Short time value | 2370 mg/m ³ |
| Butane, tous isomères: n-butane | Short time value | 980 ppm |
| | Short time value | 2370 mg/m ³ |
| Hydrocarbures aliphatiques sous forme gazeuse: (Alcanes C1-C3) | Time-weighted average exposure limit 8 h | 1000 ppm |

France

| | | |
|----------|--|------------------------|
| n-Butane | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 800 ppm |
| | Time-weighted average exposure limit 8 h (VL: Valeur non réglementaire indicative) | 1900 mg/m ³ |

Germany

| | | |
|----------|---|----------------------------|
| Butan | Time-weighted average exposure limit 8 h (TRGS 900) | 1000 ppm (1) |
| | Time-weighted average exposure limit 8 h (TRGS 900) | 2400 mg/m ³ (1) |
| Isobutan | Time-weighted average exposure limit 8 h (TRGS 900) | 1000 ppm (1) |
| | Time-weighted average exposure limit 8 h (TRGS 900) | 2400 mg/m ³ (1) |
| Propan | Time-weighted average exposure limit 8 h (TRGS 900) | 1000 ppm (1) |
| | Time-weighted average exposure limit 8 h (TRGS 900) | 1800 mg/m ³ (1) |

(1) UF: 4 (II)

Austria

| | | |
|---|-------------------------------|------------------------|
| Butan (beide Isomeren): n-Butan (R 600) Isobutan (R 600a) | Tagesmittelwert (MAK) | 800 ppm |
| | Tagesmittelwert (MAK) | |
| | Tagesmittelwert (MAK) | 1900 mg/m ³ |
| | Tagesmittelwert (MAK) | |
| | Kurzzeitwert 60(Mow) 3x (MAK) | 1600 ppm |
| | Kurzzeitwert 60(Mow) 3x (MAK) | |
| | Kurzzeitwert 60(Mow) 3x (MAK) | 3800 mg/m ³ |
| | Kurzzeitwert 60(Mow) 3x (MAK) | |
| Propan (R 290) | Tagesmittelwert (MAK) | 1000 ppm |
| | Tagesmittelwert (MAK) | 1800 mg/m ³ |
| | Kurzzeitwert 60(Mow) 3x (MAK) | 2000 ppm |
| | Kurzzeitwert 60(Mow) 3x (MAK) | 3600 mg/m ³ |

UK

| | | |
|--------|---|------------------------|
| Butane | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 600 ppm |
| | Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005)) | 1450 mg/m ³ |
| | Short time value (Workplace exposure limit (EH40/2005)) | 750 ppm |
| | Short time value (Workplace exposure limit (EH40/2005)) | 1810 mg/m ³ |

USA (TLV-ACGIH)

| | | |
|-----------------|--|----------|
| Butane, isomers | Short time value (TLV - Adopted Value) | 1000 ppm |
| | Short time value (TLV - Adopted Value) | |
| | <i>Explosion hazard</i> | |
| Propane | <i>See Appendix F: Minimal Oxygen Content; Simple asphyxiant, Explosion hazard</i> | |

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

4 / 13

SAFETY CLEAN AEROSOL RV

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects inhalation | 871 mg/m ³ | |
| | Long-term systemic effects dermal | 77 mg/kg bw/day | |

DNEL/DMEL - General population

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Effect level (DNEL/DMEL) | Type | Value | Remark |
|--------------------------|---------------------------------------|-----------------------|--------|
| DNEL | Long-term systemic effects inhalation | 185 mg/m ³ | |
| | Long-term systemic effects dermal | 46 mg/kg bw/day | |
| | Long-term systemic effects oral | 46 mg/kg bw/day | |

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks. Measure the concentration in the air regularly.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

| Materials | Measured breakthrough time | Thickness | Protection index | Remark |
|----------------|----------------------------|-----------|------------------|--------|
| nitrile rubber | > 480 minutes | 0.5 mm | Class 6 | |

c) Eye protection:

Protective goggles (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034). Head/neck protection.

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---------------------------|--|
| Physical form | Aerosol |
| Colour | Colourless |
| Odour | Characteristic odour |
| Odour threshold | No data available in the literature |
| Melting point | No data available in the literature |
| Boiling point | Not applicable (aerosol) |
| Flammability | Extremely flammable aerosol. |
| Explosion limits | 0.6 - 10.9 vol % ; Propellant |
| Flash point | Not applicable (aerosol) |
| Auto-ignition temperature | Not applicable (aerosol) |
| Decomposition temperature | No data available in the literature |
| pH | Not applicable (aerosol) |
| Kinematic viscosity | ≤ 20.5 mm ² /s ; 40 °C ; Liquid |
| Dynamic viscosity | Not applicable (aerosol) |
| Solubility | Water ; insoluble |
| Log Kow | Not applicable (mixture) |
| Vapour pressure | 2800 hPa ; 20 °C |
| Absolute density | 718 kg/m ³ ; 20 °C |
| Relative density | 0.72 ; 20 °C |
| Relative vapour density | No data available in the literature |
| Particle size | Not applicable (mixture) |

9.2. Other information

No data available

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

5 / 13

SAFETY CLEAN AEROSOL RV

SECTION 10: Stability and reactivity

10.1. Reactivity

May be ignited by sparks. Gas/vapour spreads at floor level: ignition hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Use spark-/explosionproof appliances and lighting system. Take precautions against electrostatic charges. Keep away from naked flames/heat. Keep away from ignition sources/sparks.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

SAFETY CLEAN AEROSOL RV

No (test) data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|------------------------|------------------|---------------|------------------------|---------------------|--------|
| Oral | LD50 | Equivalent to OECD 401 | > 15000 mg/kg bw | | Rat (male / female) | Read-across | |
| Dermal | LD50 | Equivalent to OECD 402 | > 3160 mg/kg bw | 24 h | Rabbit (male / female) | Read-across | |
| Inhalation (vapours) | LC50 | Equivalent to OECD 403 | > 6.1 mg/l air | 4 h | Rat (male / female) | Experimental value | |

Conclusion

Not classified for acute toxicity

Corrosion/irritation

SAFETY CLEAN AEROSOL RV

No (test) data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Result | Method | Exposure time | Time point | Species | Value determination | Remark |
|-------------------|----------------|------------------------|---------------|------------------|---------|---------------------|----------------------------------|
| Eye | Not irritating | Equivalent to OECD 405 | | 24; 48; 72 hours | Rabbit | Read-across | Single treatment without rinsing |
| Skin | Not irritating | Equivalent to OECD 404 | 4 h | 24; 48; 72 hours | Rabbit | Read-across | |

Conclusion

Not classified as irritating to the respiratory system

Not classified as irritating to the skin

Not classified as irritating to the eyes

Respiratory or skin sensitisation

SAFETY CLEAN AEROSOL RV

No (test) data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Result | Method | Exposure time | Observation time point | Species | Value determination | Remark |
|-------------------|-----------------|------------------------|---------------|------------------------|---------------------|---------------------|--------|
| Skin | Not sensitizing | Equivalent to OECD 406 | | | Guinea pig (female) | Read-across | |

Conclusion

Not classified as sensitizing for inhalation

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

6 / 13

SAFETY CLEAN AEROSOL RV

Not classified as sensitizing for skin

Specific target organ toxicity

SAFETY CLEAN AEROSOL RV

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Organ/Effect | Exposure time | Species | Value determination | Remark |
|----------------------|-----------|------------------------|----------------------------|-----------------------------|------------------------------------|---------------------|---------------------|--------|
| Oral (stomach tube) | NOAEL | EPA OPP 82-1 | ≥ 500 mg/kg bw/day | No adverse systemic effects | 13 weeks (7 days / week) | Rat (male / female) | Read-across | |
| Dermal | | | | | | | Data waiving | |
| Inhalation (vapours) | NOAEC | Equivalent to OECD 413 | 6000 mg/m ³ air | No adverse systemic effects | 13 weeks (6h / day, 5 days / week) | Rat (male / female) | Experimental value | |
| Inhalation | | | STOT SE cat.3 | Drowsiness, dizziness | | | Literature study | |

Conclusion

May cause drowsiness or dizziness.

Not classified for subchronic toxicity

Mutagenicity (in vitro)

SAFETY CLEAN AEROSOL RV

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Result | Method | Test substrate | Effect | Value determination | Remark |
|---|------------------------|-------------------------------|--------|---------------------|--------|
| Negative with metabolic activation, negative without metabolic activation | OECD 471 | Bacteria (S.typhimurium) | | Read-across | |
| Negative with metabolic activation, negative without metabolic activation | Equivalent to OECD 476 | Mouse (lymphoma L5178Y cells) | | Read-across | |

Mutagenicity (in vivo)

SAFETY CLEAN AEROSOL RV

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Result | Method | Exposure time | Test substrate | Organ/Effect | Value determination | Remark |
|--------------------------------|------------------------|---------------|-----------------------|--------------|---------------------|------------------|
| Negative (Oral (stomach tube)) | Equivalent to OECD 474 | | Mouse (male / female) | No effect | Read-across | Single treatment |

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

SAFETY CLEAN AEROSOL RV

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Organ/Effect | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|-----------------------------|-------|------------------------|---------------|--------------|---------------------|--------|
| Dermal | NOAEL | Carcinogenic toxicity study | 50 % | No carcinogenic effect | 52 week(s) | Mouse (male) | Experimental value | |

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

SAFETY CLEAN AEROSOL RV

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

7 / 13

SAFETY CLEAN AEROSOL RV

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Category | Parameter | Method | Value | Exposure time | Species | Effect | Value determination | Remark |
|---|-----------|------------------------|------------------------------|--------------------|---------|-----------|---------------------|--------|
| Developmental toxicity (Inhalation (vapours)) | NOAEL | Equivalent to OECD 414 | ≥ 5220 mg/m ³ air | 10 days (6h / day) | Rat | No effect | Experimental value | |
| Maternal toxicity (Inhalation (vapours)) | NOAEL | Equivalent to OECD 414 | ≥ 5220 mg/m ³ air | 10 days (6h / day) | Rat | No effect | Experimental value | |

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

SAFETY CLEAN AEROSOL RV

Classification is based on the relevant ingredients
May be fatal if swallowed and enters airways.

Toxicity other effects

SAFETY CLEAN AEROSOL RV

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| Route of exposure | Parameter | Method | Value | Organ/Effect | Exposure time | Species | Value determination | Remark |
|-------------------|-----------|--------|-------|----------------------------|---------------|---------|---------------------|--------|
| | | | | (skin dryness or cracking) | | | Literature study | |

Conclusion

Repeated exposure may cause skin dryness or cracking.

Chronic effects from short and long-term exposure

SAFETY CLEAN AEROSOL RV

Risk of aspiration pneumonia.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

SAFETY CLEAN AEROSOL RV

No (test)data on the mixture available

Classification is based on the relevant ingredients

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

| | Parameter | Method | Value | Duration | Species | Test design | Fresh/salt water | Value determination |
|---|-----------|----------|-------------------|-----------|---------------------------------|--------------------|------------------|---|
| Acute toxicity fishes | LL50 | OECD 203 | 10 mg/l - 30 mg/l | 96 h | Oncorhynchus mykiss | Semi-static system | Fresh water | Experimental value; GLP |
| Acute toxicity crustacea | EL50 | OECD 202 | 22 mg/l - 46 mg/l | 48 h | Daphnia magna | Static system | Fresh water | Experimental value; Nominal concentration |
| Toxicity algae and other aquatic plants | NOELR | OECD 201 | < 1 mg/l | 72 h | Pseudokirchneriella subcapitata | Static system | Fresh water | Experimental value; GLP |
| Long-term toxicity fish | NOELR | | 0.18 mg/l | 28 day(s) | Oncorhynchus mykiss | | Fresh water | QSAR; Nominal concentration |
| Long-term toxicity aquatic crustacea | NOELR | | 0.32 mg/l | 21 day(s) | Daphnia magna | | Fresh water | QSAR; Reproduction |

Conclusion

Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Biodegradation water

| Method | Value | Duration | Value determination |
|-----------|-----------|-----------|---------------------|
| OECD 301F | 89 %; GLP | 28 day(s) | Experimental value |

Conclusion

Water

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

SAFETY CLEAN AEROSOL RV

Log Kow

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

8 / 13

SAFETY CLEAN AEROSOL RV

| Method | Remark | Value | Temperature | Value determination |
|--------|--------------------------|-------|-------------|---------------------|
| | Not applicable (mixture) | | | |

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

BCF fishes

| Parameter | Method | Value | Duration | Species | Value determination |
|-----------|---------------|----------------------|----------|---------|---------------------|
| BCF | BCFBFAF v3.00 | 6.9 l/kg - 1582 l/kg | | Pisces | QSAR |

Log Kow

| Method | Remark | Value | Temperature | Value determination |
|--------|--------|---------|-------------|---------------------|
| | | 2 - 5.3 | | QSAR |

Conclusion

Contains bioaccumulative component(s)

12.4. Mobility in soil

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

(log) Koc

| Parameter | Method | Value | Value determination |
|-----------|--------|-----------|---------------------|
| log Koc | | 4.2 - 5.9 | QSAR |

Conclusion

Contains component(s) that adsorb(s) into the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

SAFETY CLEAN AEROSOL RV

Greenhouse gases

Contains component(s) included in the list of substances which may contribute to the greenhouse effect (IPCC)
None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

Groundwater

Groundwater pollutant

hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 2024/590)

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.
Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Specific treatment. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Should not be landfilled with household waste. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

14.1. UN number or ID number

| | |
|-----------|------|
| UN number | 1950 |
|-----------|------|

14.2. UN proper shipping name

| | |
|----------------------|----------|
| Proper shipping name | aerosols |
|----------------------|----------|

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

9 / 13

SAFETY CLEAN AEROSOL RV

14.3. Transport hazard class(es)

| | |
|------------------------------|----|
| Hazard identification number | |
| Class | 2 |
| Classification code | 5F |

14.4. Packing group

| | |
|---------------|-----|
| Packing group | |
| Labels | 2.1 |

14.5. Environmental hazards

| | |
|--|----|
| Environmentally hazardous substance mark | no |
|--|----|

14.6. Special precautions for user

| | |
|--------------------|--|
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg (gross mass). |

Rail (RID)

14.1. UN number or ID number

| | |
|-----------|------|
| UN number | 1950 |
|-----------|------|

14.2. UN proper shipping name

| | |
|----------------------|----------|
| Proper shipping name | aerosols |
|----------------------|----------|

14.3. Transport hazard class(es)

| | |
|------------------------------|----|
| Hazard identification number | 23 |
| Class | 2 |
| Classification code | 5F |

14.4. Packing group

| | |
|---------------|-----|
| Packing group | |
| Labels | 2.1 |

14.5. Environmental hazards

| | |
|--|----|
| Environmentally hazardous substance mark | no |
|--|----|

14.6. Special precautions for user

| | |
|--------------------|--|
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg (gross mass). |

Inland waterways (ADN)

14.1. UN number or ID number

| | |
|---------------------|------|
| UN number/ID number | 1950 |
|---------------------|------|

14.2. UN proper shipping name

| | |
|----------------------|----------|
| Proper shipping name | aerosols |
|----------------------|----------|

14.3. Transport hazard class(es)

| | |
|---------------------|----|
| Class | 2 |
| Classification code | 5F |

14.4. Packing group

| | |
|---------------|-----|
| Packing group | |
| Labels | 2.1 |

14.5. Environmental hazards

| | |
|--|----|
| Environmentally hazardous substance mark | no |
|--|----|

14.6. Special precautions for user

| | |
|--------------------|--|
| Special provisions | 190 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 625 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg (gross mass). |

Sea (IMDG/IMSBC)

14.1. UN number or ID number

| | |
|-----------|------|
| UN number | 1950 |
|-----------|------|

14.2. UN proper shipping name

| | |
|----------------------|----------|
| Proper shipping name | aerosols |
|----------------------|----------|

14.3. Transport hazard class(es)

| | |
|-------|-----|
| Class | 2.1 |
|-------|-----|

14.4. Packing group

| | |
|---------------|-----|
| Packing group | |
| Labels | 2.1 |

14.5. Environmental hazards

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

10 / 13

SAFETY CLEAN AEROSOL RV

| | |
|--|--|
| Marine pollutant | - |
| Environmentally hazardous substance mark | no |
| 14.6. Special precautions for user | |
| Special provisions | 190 |
| Special provisions | 277 |
| Special provisions | 327 |
| Special provisions | 344 |
| Special provisions | 381 |
| Special provisions | 63 |
| Special provisions | 959 |
| Limited quantities | Combination packagings: not more than 1 liter per inner packaging for liquids. A package shall not weigh more than 30 kg (gross mass). |
| 14.7. Maritime transport in bulk according to IMO instruments | |
| Annex II of MARPOL 73/78 | Not applicable |

Air (ICAO-TI/IATA-DGR)

| | |
|--|---------------------|
| 14.1. UN number or ID number | |
| UN number/ID number | 1950 |
| 14.2. UN proper shipping name | |
| Proper shipping name | aerosols, flammable |
| 14.3. Transport hazard class(es) | |
| Class | 2.1 |
| 14.4. Packing group | |
| Packing group | |
| Labels | 2.1 |
| 14.5. Environmental hazards | |
| Environmentally hazardous substance mark | no |
| 14.6. Special precautions for user | |
| Special provisions | A145 |
| Special provisions | A167 |
| Special provisions | A802 |
| Passenger and cargo transport | |
| Limited quantities: maximum net quantity per packaging | 30 kg G |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

| VOC content | Remark |
|-------------|--------|
| 100 % | |
| 718 g/l | |

Directive 2012/18/EU (Seveso III)

Threshold values under normal circumstances

| Substance or category | Low tier (tonnes) | Top tier (tonnes) | Group | For this substance or mixture the summation rule has to be applied for: |
|------------------------|-------------------|-------------------|-------|---|
| P3b FLAMMABLE AEROSOLS | 5000 (net) | 50000 (net) | None | Flammability |

Ingredients according to Regulation (EC) No 648/2004 and amendments

≥30% aliphatic hydrocarbons

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

| | Designation of the substance, of the group of substances or of the mixture | Conditions of restriction |
|---|--|--|
| · hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics | Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1. | 1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). |

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

11 / 13

SAFETY CLEAN AEROSOL RV

| | | |
|---|--|--|
| | | <p>5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:</p> <p>a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: “Keep lamps filled with this liquid out of the reach of children”; and, by 1 December 2010, “Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage”;</p> <p>b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: “Just a sip of grill lighter may lead to life threatening lung damage”;</p> <p>c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.</p> |
| <p>· hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics</p> | <p>Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.</p> | <p>1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:</p> <ul style="list-style-type: none"> — metallic glitter intended mainly for decoration, — artificial snow and frost, — “whoopee” cushions, — silly string aerosols, — imitation excrement, — horns for parties, — decorative flakes and foams, — artificial cobwebs, — stink bombs. <p>2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:</p> <p>“For professional users only”.</p> <p>3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.</p> <p>4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.</p> |

National legislation Belgium
SAFETY CLEAN AEROSOL RV
 No data available

National legislation The Netherlands
SAFETY CLEAN AEROSOL RV

| | |
|----------------------|---|
| Waterbezwaarlijkheid | B (3); Algemene Beoordelingsmethodiek (ABM) |
|----------------------|---|

National legislation France
SAFETY CLEAN AEROSOL RV

No data available

National legislation Germany
SAFETY CLEAN AEROSOL RV

| | |
|---|--|
| Lagerklasse (TRGS510) | 2B: Aerosolpackungen und Feuerzeuge |
| WGK | 2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017 |
| hydrocarbons, C9-10, n-alkanes, isoalkanes, cyclics, < 2% aromatics | |
| TA-Luft | 5.2.5/I |

National legislation Austria
SAFETY CLEAN AEROSOL RV

No data available

National legislation United Kingdom
SAFETY CLEAN AEROSOL RV

No data available

Other relevant data
SAFETY CLEAN AEROSOL RV

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

- H220 Extremely flammable gas.
- H222 Extremely flammable aerosol.
- H226 Flammable liquid and vapour.
- H229 Pressurised container: May burst if heated.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H412 Harmful to aquatic life with long lasting effects.
- EUH066 Repeated exposure may cause skin dryness or cracking.

Reason for revision: 3.2

Publication date: 2010-07-09

Date of revision: 2024-04-16

Revision number: 0600

BIG number: 49027

12 / 13

SAFETY CLEAN AEROSOL RV

| | |
|--------------|---|
| (*) | INTERNAL CLASSIFICATION BY BIG |
| ADI | Acceptable daily intake |
| AOEL | Acceptable operator exposure level |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration Factor |
| BEI | Biological Exposure Indices |
| CLP (EU-GHS) | Classification, labelling and packaging (Globally Harmonised System in Europe) |
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No Effect Level |
| EC10 | Effect Concentration 10 % |
| EC50 | Effect Concentration 50 % |
| ErC50 | EC50 in terms of reduction of growth rate |
| GLP | Good Laboratory Practice |
| LC0 | Lethal Concentration 0 % |
| LC50 | Lethal Concentration 50 % |
| LD50 | Lethal Dose 50 % |
| LOAEC/LOAEL | Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level |
| NOAEC/NOAEL | No Observed Adverse Effect Concentration/No Observed Adverse Effect Level |
| NOEC/NOEL | No Observed Effect Concentration/No Observed Effect Level |
| OECD | Organisation for Economic Co-operation and Development |
| PBT | Persistent, Bioaccumulative & Toxic |
| PNEC | Predicted No Effect Concentration |
| STP | Sludge Treatment Process |
| vPvB | very Persistent & very Bioaccumulative |

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.