# SAFETY DATA SHEET



Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

# POXY COLOR YELLOW RAL1023

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

: POXY COLOR YELLOW RAL1023 Product name Registration number REACH : Not applicable (mixture)

Product type REACH : Mixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant identified uses

Dvestuff

#### 1.2.2 Uses advised against

No uses advised against known

### 1.3. Details of the supplier of the safety data sheet

### Supplier of the safety data sheet

Novatio\*

Industrielaan 5B

B-2250 Olen

**2** +32 14 25 76 40

**⊞** +32 14 22 02 66

info@novatio.be

\*NOVATIO is a registered trademark of Novatech International N.V.

#### Manufacturer of the product

Novatech International N.V.

Industrielaan 5B

B-2250 Olen

**2** +32 14 85 97 37

**4** +32 14 85 97 38 info@novatech.be

#### 1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch):

+32 14 58 45 45 (BIG)

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

### 2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Supplemental information

EUH210 Safety data sheet available on request.

FUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

# 2.3. Other hazards

Warning! Slipping risk

# SECTION 3: Composition/information on ingredients

### 3.1. Substances

Not applicable

# 3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	lRemark	M-factors and ATE
calcium fluoride	7789-75-5	1% <c<10%< td=""><td></td><td>(2)</td><td>Constituent</td><td></td></c<10%<>		(2)	Constituent	
	232-188-7					

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG)

Technische Schoolstraat 43 A, B-2440 Geel

http://www.big.be

© BIG vzw

Reason for revision: 2;3;8;9;11;12

Revision number: 0100 BIG number: 58630 1/10

Publication date: 2017-08-11 Date of revision: 2022-05-24

#### **POXY COLOR YELLOW RAL1023** C>1% quartz (SiO2) 14808-60-7 Constituent 238-878-4 13463-67-7 C>1% Carc. 2; H351 (1)(2) Constituent titanium dioxide: (in powder form containing 1 % or more of particles with 236-675-5 aerodynamic diameter ≤ 10 μm] 01-2119489379-17 barium sulfate 7727-43-7 C>1 % (2) Constituent 231-784-4

- (1) For H- and EUH-statements in full: see section 16
- (2) Substance with a Community workplace exposure limit

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### General:

If you feel unwell, consult a doctor/medical service.

#### After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

#### After skin contact:

Rinse with water. Take victim to a doctor if irritation persists.

#### After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

#### After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

# 4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

# 5.1.1 Suitable extinguishing media:

Adapt extinguishing media to the environment for surrounding fires.

### 5.1.2 Unsuitable extinguishing media:

Not applicable.

# 5.2. Special hazards arising from the substance or mixture

On burning: release of toxic and corrosive gases/vapours e.g. barium oxide, hydrogen fluoride, sulphur oxides. On exposure to temperature rise: release of carcinogenic products.

# 5.3. Advice for firefighters

#### 5.3.1 Instructions:

Dilute toxic gases with water spray. Take account of toxic/corrosive precipitation water.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

# SECTION 6: Accidental release measures

# 6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

### 6.1.1 Protective equipment for non-emergency personnel

See section 8.2

# 6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

### 6.2. Environmental precautions

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11
Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 2/10

Contain released product.

## 6.3. Methods and material for containment and cleaning up

Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

#### 6.4. Reference to other sections

See section 13.

# SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

# 7.1. Precautions for safe handling

Avoid raising dust. Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Keep container tightly closed.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### 7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Protect against frost. Keep out of direct sunlight.

#### 7.2.2 Keep away from:

Heat sources, oxidizing agents, reducing agents, (strong) acids, (strong) bases.

# 7.2.3 Suitable packaging material:

No data available

# 7.2.4 Non suitable packaging material:

No data available

#### 7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 Occupational exposure

# a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

#### ΕU

Fluorides, inorganic	Time-weighted average exposure limit 8 h (Indicative occupational	2.5 mg/m <sup>3</sup>
	exposure limit value)	
Respirable crystalline silica dust	Time-weighted average exposure limit 8 h (Indicative occupational	0.1 mg/m³ (2)
	exposure limit value)	

<sup>(2):</sup> Respirable fraction

# Belgium

Baryum (sulfate de) (sans fibres d'amiante et	Time-weighted average exposure limit 8 h	5 mg/m³
Fluorures inorganiques (en F)	Time-weighted average exposure limit 8 h	2.5 mg/m <sup>3</sup>
Silices cristallines : quartz (poussières alvéolaires)	Time-weighted average exposure limit 8 h	0.1 mg/m <sup>3</sup>
Titane (dioxyde de)	Time-weighted average exposure limit 8 h	10 mg/m³

# The Netherlands

Fluoriden, anorganisch en oplosbaar (als F)	Short time value (Public occupational exposure limit value)	2 mg/m³
Respirabel kristallijn silicastof - kwarts	Time-weighted average exposure limit 8 h (Public occupational exposure	0.03 ppm
	limit value)	
	Time-weighted average exposure limit 8 h (Public occupational exposure	0.075 mg/m <sup>3</sup>
	limit value)	

#### France

Fluorures inorganiques	Time-weighted average exposure limit 8 h (VRI: Valeur réglementaire	2.5 mg/m <sup>3</sup>
	indicative)	
Silices cristallines : cristobalite, quartz, tridymite	Time-weighted average exposure limit 8 h (VRC: Valeur réglementaire	0.1 mg/m <sup>3</sup>
	contraignante)	
Titane (dioxyde de), en Ti	Time-weighted average exposure limit 8 h (VL: Valeur non	10 mg/m <sup>3</sup>
	réglementaire indicative)	

#### Germany

Fluoride (als Fluor berechnet)

Austria		
Quarzfeinstaub(alveolengängiges kristallines	Tagesmittelwert (MAK)	0.05 mg/m <sup>3</sup>
Siliziumdioxid)		
Titandioxid (Alveolarstaub)	Tagesmittelwert (MAK)	5 mg/m³

Kurzzeitwert 60(Miw) 2x (MAK)

Time-weighted average exposure limit 8 h (TRGS 900)

1 mg/m<sup>3</sup>

10 mg/m<sup>3</sup>

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11
Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 3 / 10

#### UK

Barium sulphate inhalable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m <sup>3</sup>
Barium sulphate respirable dust	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m³
Fluorides (inorganic as F)	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	2.5 mg/m <sup>3</sup>
Silica, respirable crystalline (respirable fraction)	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	0.1 mg/m <sup>3</sup>
Titanium dioxide respirable	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	4 mg/m³
Titanium dioxide total inhalable	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m³

#### **USA (TLV-ACGIH)**

Barium sulfate	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	5 mg/m³ (I,E)
Fluorides, as F	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	2.5 mg/m <sup>3</sup>
Silica, crystalline - α-quartz and cristobalite	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.025 mg/m³ (R)
Titanium dioxide - finescale particles	Time-weighted average exposure limit 8 h (TLV - Intended Changes)	2.5 mg/m³ (R)
Titanium dioxide - nanoscale particles	Time-weighted average exposure limit 8 h (TLV - Adopted Value)	0.2 mg/m³ (R)

I,E: Inhalable fraction. The value is for particulate matter containing no asbestos and < 1% crystalline silica

#### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### Germany

Hydrogenfluorid (Fluorwasserstoff) und	Urin: expositionsende, bzw. schichtende	4 mg/m	
anorganische Fluorverbindungen			
(Fluoride (Fluorid)			

### USA (BEI-ACGIH)

Fluorides (Fluoride)	Urine: end of shift	3 mg/L	Background, Nonspecific
Fluorides (Fluoride)	Urine: prior to shift	2 mg/L	Background, Nonspecific

#### 8.1.2 Sampling methods

Product name	Test	Number
TiO2	NIOSH	7302
TiO2	NIOSH	7304

# $\bf 8.1.3$ Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

# 8.1.4 Threshold values

If applicable and available it will be listed below.

#### 8.1.5 Control banding

If applicable and available it will be listed below.

# 8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 8.2.1 Appropriate engineering controls

Avoid raising dust. Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

### 8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

#### a) Respiratory protection:

Dust production: dust mask with filter type P3.

# b) Hand protection:

Protective gloves against chemicals (EN 374).

### c) Eye protection:

Safety glasses (EN 166). In case of dust production: protective goggles (EN 166).

# d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

#### 8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

# SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Physical form	Powder
Odour	Characteristic odour
Odour threshold	No data available in the literature
Colour	Yellow
Particle size	No data available

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11
Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 4 / 10

<sup>(</sup>R): Respirable fraction

Explosion limits	Not applicable
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	Not applicable (solid)
Kinematic viscosity	Not applicable (solid)
Melting point	No data available in the literature
Boiling point	No data available in the literature
Relative vapour density	Not applicable (solid)
Vapour pressure	No data available in the literature
Solubility	No data available in the literature
Relative density	No data available in the literature
Absolute density	No data available in the literature
Decomposition temperature	> 200 °C
Auto-ignition temperature	Not applicable
Flash point	Not applicable
рН	No data available in the literature

#### 9.2. Other information

No data available

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No data available.

# 10.2. Chemical stability

No data available.

#### 10.3. Possibility of hazardous reactions

No data available.

#### 10.4. Conditions to avoid

#### **Precautionary measures**

Avoid raising dust. Keep away from naked flames/heat.

#### 10.5. Incompatible materials

Oxidizing agents, reducing agents, (strong) acids, (strong) bases.

# 10.6. Hazardous decomposition products

On burning: release of toxic and corrosive gases/vapours e.g. barium oxide, hydrogen fluoride, sulphur oxides.

# SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### 11.1.1 Test results

### Acute toxicity

# POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

 $\underline{titanium\ dioxide; [in\ powder\ form\ containing\ 1\ \%\ or\ more\ of\ particles\ with\ aerodynamic\ diameter\ \le\ 10\ \mu m]}$ 

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	LD50	OECD 401	> 2000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal						Data waiving	
Inhalation (dust)	LC50	OECD 403	> 5.09 mg/l	4 h	Rat (male)	Experimental value	

### Conclusion

Not classified for acute toxicity

### Corrosion/irritation

# POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11
Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 5 / 10

 $\underline{titanium\ dioxide;}\ [in\ powder\ form\ containing\ 1\ \%\ or\ more\ of\ particles\ with\ aerodynamic\ diameter\ \le\ 10\ \mu m]$ 

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
Eye	Not irritating	OECD 405		1; 24; 48; 72 hours	Experimental value	
Skin	Not irritating	Equivalent to OECD 404	4 h	48 hours	Experimental value	

#### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

#### Respiratory or skin sensitisation

#### POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Result	Method	•	Observation time point	Species	Value determination Rem	ark
Skin	Not sensitizing	Equivalent to OECD 429			Mouse (female)	Experimental value	
Inhalation (dust)	Not sensitizing				Mouse (female)	Experimental value	

#### Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

#### Specific target organ toxicity

#### POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value
								determination
Oral (stomach	NOAEL	OECD 408	> 1000 mg/kg		No effect	90 day(s)	Rat (male /	Experimental
tube)			bw/day				female)	value
Dermal								Data waiving

# Conclusion

Not classified for subchronic toxicity

# Mutagenicity (in vitro)

# POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 473	Chinese hamster ovary (CHO)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

### Mutagenicity (in vivo)

### POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

 $\underline{titanium\ dioxide; [in\ powder\ form\ containing\ 1\ \%\ or\ more\ of\ particles\ with\ aerodynamic\ diameter\ \le\ 10\ \mu m]}$ 

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Oral (stomach tube))	OECD 474		Mouse (male / female)		Experimental value

### Conclusion

Not classified for mutagenic or genotoxic toxicity

#### Carcinogenicity

# POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11
Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 6 / 10

The classification as a carcinogen by inhalation applies only to mixtures in powder form containing 1 % or more of titanium dioxide which is in the form of or incorporated in particles with aerodynamic diameter  $\leq 10 \ \mu m$ .

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Inhalation (aerosol)		Equivalent to OECD 453		105 weeks (6h / day, 5 days / week)		Lung tissue affection/degen eration	Lungs	Experimental value
Inhalation (aerosol)	NOAEC	Equivalent to OECD 453	5 mg/m³ air	104 weeks (6h / day, 5 days / week)	Rat (male / female)	No carcinogenic effect	Lungs	Experimental value
Oral (diet)	NOEL	Carcinogenic toxicity study	50000 ppm	103 weeks (7 days / week)	Rat (male / female)	No carcinogenic effect		Experimental value

#### Conclusion

Not classified for carcinogenicity

#### Reproductive toxicity

#### POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement is based on the relevant ingredients

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

	Parameter	Method	Value	Exposure time	Species	Effect	- 0	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	1000 mg/kg bw/day	2 weeks (7 days / week)	Rat	No effect		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	1000 mg/kg bw/day	2 weeks (7 days / week)	Rat	No effect		Experimental value
Effects on fertility (Oral (diet))	NOAEL	OECD 443	≥ 1000 mg/kg bw/day	14 day(s)	Rat (male / female)	No effect		Experimental value

#### Conclusion

Not classified for reprotoxic or developmental toxicity

#### **Toxicity other effects**

#### POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

# Chronic effects from short and long-term exposure

# POXY COLOR YELLOW RAL1023

Respiratory difficulties.

### 11.2. Information on other hazards

No evidence of endocrine disrupting properties

# SECTION 12: Ecological information

# 12.1. Toxicity

### POXY COLOR YELLOW RAL1023

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

<u>titanium dioxide</u>; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu$ m]

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt	Value determination
							water	
Acute toxicity fishes	LC50		> 1000 mg/l		Pisces		Fresh water	
Acute toxicity crustacea	EC50		> 1000 mg/l		Invertebrata		Fresh water	
Toxicity algae and other	EC50	OECD 201	> 100 mg/l	72 h	Pseudokirchneri	Static	Fresh water	Experimental value;
aquatic plants					ella subcapitata	system		Growth rate
	NOEC	OECD 201	≥ 100 mg/l	72 h	Pseudokirchneri	Static	Fresh water	Experimental value;
					ella subcapitata	system		Growth rate

#### Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

## 12.2. Persistence and degradability

#### Water

No test data of component(s) available

# 12.3. Bioaccumulative potential

POXY COLOR YELLOW RAL1023

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11

Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 7 / 10

#### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

#### Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available			

#### Conclusion

Does not contain bioaccumulative component(s)

# 12.4. Mobility in soil

Contains component(s) that adsorb(s) into the soil

#### 12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

# 12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

# 12.7. Other adverse effects

POXY COLOR YELLOW RAL1023

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Groundwater

Groundwater pollutant

# SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 13.1. Waste treatment methods

#### 13.1.1 Provisions relating to waste

#### **European Union**

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

07 03 99 (wastes from the MFSU of organic dyes and pigments (except 06 11): wastes not otherwise specified). Depending on branch of industry and production process, also other waste codes may be applicable.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

#### 13.1.3 Packaging/Container

No data available

# SECTION 14: Transport information

# Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14. <u>1. UN</u> number		
Transport	Not subject	
14.2. UN proper shipping name		
14.3. Transport hazard class(es)		
Hazard identification number		
Class		
Classification code		
14.4. Packing group		
Packing group		
Labels		
14.5. Environmental hazards		
Environmentally hazardous substance mark	no	
14.6. Special precautions for user		
Special provisions		
Limited quantities		
14.7. Maritime transport in bulk according to IMO instruments		
Annex II of MARPOL 73/78	Not applicable	

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11
Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 8 / 10

# SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **European legislation:**

VOC content Directive 2010/75/EU

VOC content	Remark
0 %	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

European drinking water standards (98/83/EC and 2020/2184)

#### calcium fluoride

Parameter	Parametric value	Note	Reference
Fluoride	1.5 mg/l		Listed in Annex I, Part B, of Directive (EU) 2020/2184 on the
			quality of water intended for human consumption.

National legislation Belgium
POXY COLOR YELLOW RAL1023

No data available

quartz (SiO2)

Additional classification	Silices cristallines : quartz (poussières alvéolaires); C; La mention "C" signifie que l'agent en question relève du champ
	d'application de l'arrêté royal du 2 décembre 1993 concernant la protection des travailleurs contre les risques liés à
	l'exposition à des agents cancérigènes et mutagènes et reprotoxiques au travail.
Agents cancérigènes,	silice cristalline alvéolaire; VI.2.3.; Liste non limitative de substances, mélanges et procédés visés à l'article VI.2-1, alinéa
mutagènes et reprotoxiques	3
(Code du bien-être au travail,	
Livre VI, titre 2)	

#### **National legislation The Netherlands**

POXY COLOR YELLOW RAL1023

Waterbezwaarliikheid	B (4): Algemene Beoordelingsmethodiek (ABM)
Waterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)

# **National legislation France**

POXY COLOR YELLOW RAL1023

No data available

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]

	L	Catégorie cancérogène	Titane (dioxyde de), en Ti; C2
--	---	-----------------------	--------------------------------

# National legislation Germany POXY COLOR YELLOW RAL1023

	WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
tit	anium dioxide; [in powder form	containing 1 % or more of particles with aerodynamic diameter ≤ 10 μm]
	TA-Luft	5.2.1

#### **National legislation Austria**

POXY COLOR YELLOW RAL1023

No data available

# National legislation United Kingdom POXY COLOR YELLOW RAL1023

No data available

# Other relevant data

POXY COLOR YELLOW RAL1023

No data available

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]

	<del>_</del>
TLV - Carcinogen	Titanium dioxide - finescale particles; A3
IARC - classification	2B; Titanium dioxide
TLV - Carcinogen	Titanium dioxide - nanoscale particles; A3

# 15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

# SECTION 16: Other information

# Full text of any H- and EUH-statements referred to under section 3:

H351 Suspected of causing cancer if inhaled.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

INTERNAL CLASSIFICATION BY BIG ADI Acceptable daily intake AOEL Acceptable operator exposure level ATE **Acute Toxicity Estimate** 

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11

Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 9/10

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

DMEL Derived Minimal Effect Level
DNEL Derived No Effect Level
EC50 Effect Concentration 50 %

ErC50 EC50 in terms of reduction of growth rate

LC50 Lethal Concentration 50 %

LD50 Lethal Dose 50 %

NOAEL No Observed Adverse Effect Level
NOEC No Observed Effect Concentration

OECD Organisation for Economic Co-operation and Development

PBT Persistent, Bioaccumulative & Toxic
PNEC Predicted No Effect Concentration
STP Sludge Treatment Process

vPvB very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2;3;8;9;11;12 Publication date: 2017-08-11

Date of revision: 2022-05-24

Revision number: 0100 BIG number: 58630 10 / 10