

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

NOVALOK C

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : NOVALOK C
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Sealing compound

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
☎ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

Class	Category	Hazard statements
Skin Sens.	category 1	H317: May cause an allergic skin reaction.
Eye Irrit.	category 2	H319: Causes serious eye irritation.
STOT SE	category 3	H335: May cause respiratory irritation.

2.2. Label elements



Contains: methacrylic acid, monoester with propane-1,2-diol; α,α -dimethylbenzyl hydroperoxide.

Signal word Warning

H-statements

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

P-statements

P280 Wear protective gloves, protective clothing and eye protection/face protection.
P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P302 + P352 IF ON SKIN: Wash with plenty of water and soap.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/doctor if you feel unwell.

NOVALOK C

P403 + P233

Store in a well-ventilated place. Keep container tightly closed.

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
methacrylic acid, monoester with propane-1,2-diol 01-2119490226-37	27813-02-1 248-666-3	10% ≤C≤25%	Skin Sens. 1; H317 Eye Irrit. 2; H319	(1)(10)	Constituent	
α,α-dimethylbenzyl hydroperoxide 01-2119475796-19	80-15-9 201-254-7	C<2.5%	Org. Perox. E; H242 Acute Tox. 3; H331 Acute Tox. 4; H312 Acute Tox. 4; H302 STOT RE 2; H373 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Chronic 2; H411 Skin Corr. 1B; H314: C≥10%, (CLP Annex VI (ATP 0)) Eye Dam. 1; H318: 3%≤C<10% , (CLP Annex VI (ATP 0)) Skin Irrit. 2; H315: 3%≤C<10% , (CLP Annex VI (ATP 0)) Eye Irrit. 2; H319: 1%≤C<3%, (CLP Annex VI (ATP 0)) STOT SE 3; H335: C<10%, (CLP Annex VI (ATP 0))	(1)(10)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

Irritation of the respiratory tract. Irritation of the nasal mucous membranes.

After skin contact:

No effects known.

After eye contact:

Irritation of the eye tissue.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

Reason for revision: 3; 9; 12

Publication date: 2003-01-08

Date of revision: 2022-08-18

Reference number: 000080

Revision number: 0500

BIG number: 36582

2 / 12

NOVALOK C

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Face shield (EN 166). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe very strict hygiene - avoid contact. Remove contaminated clothing immediately. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: 5 °C - 25 °C. Meet the legal requirements. Store in a cool area. Keep container in a well-ventilated place. Store in a dry area. Keep out of direct sunlight. Keep only in the original container.

7.2.2 Keep away from:

Heat sources, oxidizing agents, reducing agents, metals.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

Metal.

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

NOVALOK C

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

If applicable and available it will be listed below.

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

methacrylic acid, monoester with propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	14.7 mg/m ³	
	Long-term systemic effects dermal	4.2 mg/kg bw/day	

α,α-dimethylbenzyl hydroperoxide

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	6 mg/m ³	

DNEL/DMEL - General population

methacrylic acid, monoester with propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	8.8 mg/m ³	
	Long-term systemic effects dermal	2.5 mg/kg bw/day	
	Long-term systemic effects oral	2.5 mg/kg bw/day	

PNEC

methacrylic acid, monoester with propane-1,2-diol

Compartments	Value	Remark
Fresh water	0.904 mg/l	
Marine water	0.904 mg/l	
Fresh water (intermittent releases)	0.972 mg/l	
Marine water (intermittent releases)	0.972 mg/l	
STP	10 mg/l	
Fresh water sediment	6.28 mg/kg sediment dw	
Marine water sediment	6.28 mg/kg sediment dw	
Soil	0.727 mg/kg soil dw	

α,α-dimethylbenzyl hydroperoxide

Compartments	Value	Remark
Fresh water	0.003 mg/l	
Marine water	0 mg/l	
Fresh water (intermittent releases)	0.031 mg/l	
STP	0.35 mg/l	
Fresh water sediment	0.023 mg/kg sediment dw	
Marine water sediment	0.002 mg/kg sediment dw	
Soil	0.003 mg/kg soil dw	

8.1.5 Control banding

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe very strict hygiene - avoid contact. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 60 minutes		Class 3	
viton	> 240 minutes		Class 5	

c) Eye protection:

Face shield (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

NOVALOK C

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid
Odour	Mild odour
Odour threshold	No data available in the literature
Colour	Green
Particle size	Not applicable (liquid)
Explosion limits	No data available in the literature
Flammability	Not classified as flammable
Log Kow	Not applicable (mixture)
Dynamic viscosity	20 mPa.s ; 20 °C
Kinematic viscosity	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available
Relative vapour density	No data available in the literature
Vapour pressure	No data available in the literature
Solubility	Water ; poorly soluble Acetone ; soluble
Relative density	1.10 ; 25 °C
Absolute density	1100 kg/m ³ ; 25 °C
Decomposition temperature	No data available in the literature
Auto-ignition temperature	No data available in the literature
Flash point	> 100 °C ; Closed cup
pH	No data available in the literature

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

Oxidizing agents, reducing agents, metals.

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

NOVALOK C

No (test) data on the mixture available

Judgement is based on the relevant ingredients
methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	OECD 401	> 2000 mg/kg bw	24 h	Rat (male / female)	Experimental value	
Dermal	LD50		> 5000 mg/kg bw	24 h	Rabbit (male)	Experimental value	
Inhalation						Data waiving	

NOVALOK C

α,α-dimethylbenzyl hydroperoxide

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50		382 mg/kg		Rat (male)	Experimental value	
Dermal	LD50		134 mg/kg bw	24 h	Rabbit (male)	Weight of evidence	
Dermal			category 4			Annex VI	
Inhalation (vapours)	LC50		1.39 mg/l	4 h	Rat (male)	Experimental value	Converted value
Inhalation			category 3			Annex VI	

Classification of this substance according to Annex VI is debatable as it does not correspond to the conclusion from the test

Conclusion

Not classified for acute toxicity

Corrosion/irritation

NOVALOK C

No (test) data on the mixture available

Classification is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Irritating	Draize Test		24; 48; 72 hours	Rabbit	Experimental value	Single treatment without rinsing
Skin	Not irritating	Draize Test	24 h	24; 72 hours	Rabbit	Experimental value	

α,α-dimethylbenzyl hydroperoxide

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Serious eye damage		24 h		Rabbit	Experimental value	
Skin	Corrosive		24 h		Rabbit	Experimental value	

Conclusion

Causes serious eye irritation.

May cause respiratory irritation.

Not classified as irritating to the skin

Respiratory or skin sensitisation

NOVALOK C

No (test) data on the mixture available

Classification is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Sensitizing	Patch test			Human (male / female)	Literature study	
Dermal (on the ears)	Not sensitizing	Equivalent to OECD 429	3 day(s)		Mouse (female)	Experimental value	
Skin	Sensitizing; category 1					Annex VI	

α,α-dimethylbenzyl hydroperoxide

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin						Data waiving	

Conclusion

May cause an allergic skin reaction.

Not classified as sensitizing for inhalation

Specific target organ toxicity

NOVALOK C

No (test) data on the mixture available

Judgement is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	NOAEL	OECD 422	300 mg/kg bw		No effect	49 day(s)	Rat (male)	Experimental value
Inhalation	NOAEL	OECD 413	0.35 mg/l		No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value

Reason for revision: 3; 9; 12

Publication date: 2003-01-08

Date of revision: 2022-08-18

Reference number: 000080

Revision number: 0500

BIG number: 36582

6 / 12

NOVALOK C

α,α -dimethylbenzyl hydroperoxide

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Value determination
Oral (stomach tube)	Dose level	Subchronic toxicity test	19 mg/kg		Mortality	7 weeks (3 times / week)	Rat (male)	Experimental value
Inhalation (aerosol)	NOAEC	Subchronic toxicity test	31 mg/m ³ air		No effect	13 weeks (6h / day, 5 days / week)	Rat (male / female)	Experimental value

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

NOVALOK C

No (test) data on the mixture available

Judgement is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster ovary (CHO)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

α,α -dimethylbenzyl hydroperoxide

Result	Method	Test substrate	Effect	Value determination	Remark
Positive	Equivalent to OECD 471	Bacteria (S.typhimurium)		Experimental value	

Mutagenicity (in vivo)

NOVALOK C

No (test) data on the mixture available

Judgement is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Oral (stomach tube))	OECD 474		Mouse (male / female)		Experimental value

Result	Method	Exposure time	Test substrate	Organ	Value determination
Negative (Dermal)	Micronucleus test	13 weeks (daily, 5 days / week)	Mouse (male / female)	Blood	Experimental value

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

NOVALOK C

No (test) data on the mixture available

Judgement is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Inhalation (vapours)	NOAEC	Equivalent to OECD 451	≥ 2.05 mg/l air	102 weeks (6h / day, 5 days / week)	Rat (female)	No carcinogenic effect		Experimental value
Inhalation (vapours)	NOAEC	Equivalent to OECD 451	≥ 4.1 mg/l air	102 weeks (6h / day, 5 days / week)	Rat (male)	No carcinogenic effect		Experimental value
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	≥ 90.3 mg/kg bw/day	104 weeks (daily)	Rat (male)	No carcinogenic effect		Experimental value
Oral (drinking water)	NOAEL	Carcinogenic toxicity study	≥ 193.8 mg/kg bw/day	104 weeks (daily)	Rat (female)	No carcinogenic effect		Experimental value

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

NOVALOK C

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Reason for revision: 3; 9; 12

Publication date: 2003-01-08

Date of revision: 2022-08-18

Reference number: 000080

Revision number: 0500

BIG number: 36582

7 / 12

NOVALOK C

methacrylic acid, monoester with propane-1,2-diol

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	450 mg/kg bw/day	22 day(s)	Rabbit	No effect		Experimental value
Developmental toxicity (Inhalation (vapours))	NOAEC	Equivalent to OECD 414	8.44 mg/l air	10 days (6h / day)	Rat	No effect		Experimental value
Maternal toxicity (Inhalation (vapours))	LOEC	OECD 414	0.41 mg/l air	10 days (6h / day)	Rat	Maternal toxicity		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	OECD 414	50 mg/kg bw/day	22 day(s)	Rabbit	No effect		Experimental value
Effects on fertility (Oral (stomach tube))	NOAEL (P/F1)	OECD 416	400 mg/kg bw/day		Rat (male / female)	No effect		Experimental value

α,α-dimethylbenzyl hydroperoxide

	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	OECD 414	≥ 100 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect		Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL systemic effects	OECD 414	100 mg/kg bw/day	14 days (gestation, daily)	Rat	No adverse systemic effects		Experimental value
	NOAEL local effects	OECD 414	15 mg/kg bw/day	14 days (gestation, daily)	Rat	No effect		Experimental value
Effects on fertility		OECD 421						Data waiving

Conclusion

Not classified for reprotoxic or developmental toxicity

Toxicity other effects

NOVALOK C

No (test)data on the mixture available

Chronic effects from short and long-term exposure

NOVALOK C

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

NOVALOK C

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

methacrylic acid, monoester with propane-1,2-diol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	DIN 38412-15	493 mg/l	48 h	Leuciscus idus	Static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	> 143 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	> 97.2 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	> 97.2 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; GLP
Long-term toxicity fish								Data waiving
Long-term toxicity aquatic crustacea	NOEC	OECD 211	45.2 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Reproduction

NOVALOK C

α,α-dimethylbenzyl hydroperoxide

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	OECD 203	3.9 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; GLP
Acute toxicity crustacea	EC50	OECD 202	18.84 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; GLP
Toxicity algae and other aquatic plants	ErC50	OECD 201	3.1 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP
	NOEC	OECD 201	1 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

methacrylic acid, monoester with propane-1,2-diol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301C	81 %	4 week(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	13.453 h	0.5E6 /cm ³	Calculated value

α,α-dimethylbenzyl hydroperoxide

Biodegradation water

Method	Value	Duration	Value determination
OECD 301B	3 %; GLP	28 day(s)	Experimental value

Conclusion

Water

Contains non readily biodegradable component(s)

12.3. Bioaccumulative potential

NOVALOK C

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

methacrylic acid, monoester with propane-1,2-diol

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 107		0.97	20 °C	Experimental value

α,α-dimethylbenzyl hydroperoxide

Log Kow

Method	Remark	Value	Temperature	Value determination
OECD 117		1.6	25 °C	Experimental value

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

methacrylic acid, monoester with propane-1,2-diol

(log) Koc

Parameter	Method	Value	Value determination
log Koc		1.9	Calculated value

α,α-dimethylbenzyl hydroperoxide

(log) Koc

Parameter	Method	Value	Value determination
log Koc	OECD 121	1.6	Experimental value

Conclusion

Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

NOVALOK C

Greenhouse gases

Reason for revision: 3; 9; 12

Publication date: 2003-01-08

Date of revision: 2022-08-18

Reference number: 000080

Revision number: 0500

BIG number: 36582

9 / 12

NOVALOK C

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

methacrylic acid, monoester with propane-1,2-diol

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997.

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 09* (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants containing organic solvents or other hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste.

Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
3 %	
2.8 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
· methacrylic acid, monoester with propane-1,2-diol · α , α -dimethylbenzyl hydroperoxide	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

Reason for revision: 3; 9; 12

Publication date: 2003-01-08

Date of revision: 2022-08-18

Reference number: 000080

Revision number: 0500

BIG number: 36582

10 / 12

NOVALOK C

	<p>Regulation (EC) No 1272/2008:</p> <p>(a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F;</p> <p>(b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10;</p> <p>(c) hazard class 4.1;</p> <p>(d) hazard class 5.1.</p>	<p>— tricks and jokes,</p> <p>— games for one or more participants, or any article intended to be used as such, even with ornamental aspects,</p> <p>2. Articles not complying with paragraph 1 shall not be placed on the market.</p> <p>3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:</p> <p>— can be used as fuel in decorative oil lamps for supply to the general public, and,</p> <p>— present an aspiration hazard and are labelled with H304,</p> <p>4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).</p> <p>5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:</p> <p>a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: “Keep lamps filled with this liquid out of the reach of children”; and, by 1 December 2010, “Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life-threatening lung damage”;</p> <p>b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: “Just a sip of grill lighter may lead to life threatening lung damage”;</p> <p>c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.</p>
<p>· methacrylic acid, monoester with propane-1,2-diol</p> <p>· α,α-dimethylbenzyl hydroperoxide</p>	<p>Substances falling within one or more of the following points:</p> <p>(a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008:</p> <p>— carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation</p> <p>— reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation</p> <p>— skin sensitiser category 1, 1A or 1B</p> <p>— skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2</p> <p>— serious eye damage category 1 or eye irritant category 2</p> <p>(b) substances listed in Annex II to Regulation (EC) No 1223/2009 of the European Parliament and of the Council</p> <p>(c) substances listed in Annex IV to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex (d) substances listed in Appendix 13 to this Annex.</p> <p>The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.</p>	<p>Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2081</p>

National legislation Belgium

NOVALOK C

No data available

National legislation The Netherlands

NOVALOK C

Waterbezwaarlijkheid	B (4); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

National legislation France

NOVALOK C

No data available

National legislation Germany

NOVALOK C

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
methacrylic acid, monoester with propane-1,2-diol	
TA-Luft	5.2.5
α,α -dimethylbenzyl hydroperoxide	
TA-Luft	5.2.5

National legislation Austria

NOVALOK C

No data available

Reason for revision: 3; 9; 12	Publication date: 2003-01-08
	Date of revision: 2022-08-18
	Reference number: 000080
Revision number: 0500	BIG number: 36582
	11 / 12

NOVALOK C

National legislation United Kingdom

NOVALOK C

No data available

Other relevant data

NOVALOK C

No data available

15.2. Chemical safety assessment

No chemical safety assessment has been conducted for the mixture.

SECTION 16: Other information

Full text of any H- and EUH-statements referred to under section 3:

H242 Heating may cause a fire.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H373 May cause damage to organs (lungs) through prolonged or repeated exposure if inhaled.
H411 Toxic to aquatic life with long lasting effects.

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC50	Effect Concentration 50 %
Erc50	EC50 in terms of reduction of growth rate
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3; 9; 12

Publication date: 2003-01-08

Date of revision: 2022-08-18

Reference number: 000080

Revision number: 0500

BIG number: 36582

12 / 12