

SAFETY DATA SHEET

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

ANTI SPAT BULK

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : ANTI SPAT BULK
Registration number REACH : Not applicable (mixture)
Product type REACH : Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Metal surface treatment

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio*
Industrielaan 5B
B-2250 Olen
☎ +32 14 25 76 40
☎ +32 14 22 02 66
info@novatio.be
*NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V.
Industrielaan 5B
B-2250 Olen
☎ +32 14 85 97 37
☎ +32 14 85 97 38
info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :
+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.3. Other hazards

No other hazards known

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	Remark	M-factors and ATE
propane-1,2-diol	57-55-6 200-338-0	C>1%		(2)	Constituent	

(2) Substance with a Community workplace exposure limit

ANTI SPAT BULK

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:

No effects known.

After skin contact:

No effects known.

After eye contact:

No effects known.

After ingestion:

No effects known.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (alcohol-resistant), Water spray if puddle cannot expand.

5.1.2 Unsuitable extinguishing media:

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

5.3.1 Instructions:

No specific fire-fighting instructions required.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product, collect/pump into suitable containers. Plug the leak, cut off the supply.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

Publication date: 2024-02-26

ANTI SPAT BULK

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Observe normal hygiene standards. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Protect against frost.

7.2.2 Keep away from:

Heat sources.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material:

No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Germany

Propylenglykol	Der Stoff kann gleichzeitig als Dampf und Aerosol vorliegen. Vgl. Abschn. lib
----------------	---

UK

Propane-1,2-diol	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	150 ppm
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	10 mg/m ³ (1)
	Time-weighted average exposure limit 8 h (Workplace exposure limit (EH40/2005))	474 mg/m ³ (2)

(1) Particulates

(2) Total vapour and particulates

b) National biological limit values

If limit values are applicable and available these will be listed below.

8.1.2 Sampling methods

Product name	Test	Number
Propylene Glycol	NIOSH	5523
Propylene Glycol	OSHA	2051

8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

8.1.4 Threshold values

DNEL/DMEL - Workers

propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	168 mg/m ³	
	Long-term local effects inhalation	10 mg/m ³	

DNEL/DMEL - General population

propane-1,2-diol

Effect level (DNEL/DMEL)	Type	Value	Remark
DNEL	Long-term systemic effects inhalation	50 mg/m ³	
	Long-term local effects inhalation	10 mg/m ³	

PNEC

propane-1,2-diol

Compartments	Value	Remark
Fresh water	260 mg/l	
Marine water	26 mg/l	
Aqua (intermittent releases)	183 mg/l	
Fresh water sediment	572 mg/kg sediment dw	
Marine water sediment	57.2 mg/kg sediment dw	
Soil	50 mg/kg soil dw	
STP	20000 mg/l	

8.1.5 Control banding

Publication date: 2024-02-26

ANTI SPAT BULK

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks. Measure the concentration in the air regularly. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Full face mask with filter type A at conc. in air > exposure limit.

b) Hand protection:

Protective gloves against chemicals (EN 374).

Materials	Measured breakthrough time	Thickness	Protection index	Remark
nitrile rubber	> 10 minutes		Class 1	

c) Eye protection:

Eye protection not required in normal conditions.

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid
Colour	White
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	No data available in the literature
Boiling point	100 °C
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	> 95 °C
Auto-ignition temperature	No data available in the literature
Decomposition temperature	No data available in the literature
pH	7 ; 100 %
Kinematic viscosity	No data available in the literature
Dynamic viscosity	No data available in the literature
Solubility	Water ; complete
Log Kow	Not applicable (mixture)
Vapour pressure	≤ 1100 hPa ; 20 °C
Absolute density	1000 kg/m ³ ; 20 °C
Relative density	1.00 ; 20 °C
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard. Neutral reaction.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat. In finely divided state: use spark-/explosionproof appliances. Finely divided: keep away from ignition sources/sparks.

10.5. Incompatible materials

No data available.

Publication date: 2024-02-26

ANTI SPAT BULK

10.6. Hazardous decomposition products

Upon combustion: CO and CO₂ are formed.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark
Oral	LD50	Equivalent to OECD 401	22000 mg/kg bw		Rat (male / female)	Experimental value	
Dermal	LD50	Equivalent to OECD 402	> 2000 mg/kg bw	24 h	Rabbit	Experimental value	
Inhalation	LC50	Equivalent to OECD 403	317042 mg/l	2 h	Rabbit	Experimental value	

Conclusion

Not classified for acute toxicity

Corrosion/irritation

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination	Remark
Eye	Not irritating	OECD 405		24; 48; 72 hours	Rabbit	Experimental value	
Eye	Not irritating	Human observation			Human	Experimental value	
Skin	Not irritating	OECD 404		24; 48; 72 hours	Rabbit	Experimental value	
Skin	Slightly irritating	Patch test	24 h	24 hours	Human	Experimental value	
Inhalation (aerosol)	Not irritating	Human observation			Human	Experimental value	

Conclusion

Not classified as irritating to the respiratory system

Not classified as irritating to the skin

Not classified as irritating to the eyes

Respiratory or skin sensitisation

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Value determination	Remark
Skin	Not sensitizing	OECD 429			Mouse	Experimental value	
Skin	Not sensitizing	Patch test	24 h	24 hours	Human (male / female)	Experimental value	
Inhalation	Not relevant, expert judgement						

Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

Specific target organ toxicity

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

Publication date: 2024-02-26

ANTI SPAT BULK

propane-1,2-diol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Oral	NOAEL		1700 mg/kg bw/day	No effect	102 weeks (daily, 5 days / week)	Rat (male / female)	Experimental value	
Dermal	NOAEL		0.02 ml (twice a week)	No effect	10 weeks (daily, 5 days / week)	Mouse (female)	Experimental value	
Inhalation	LOAEC		160 mg/m ³	Nose (no effect)	90 day(s)	Rat (male / female)	Experimental value	

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Result	Method	Test substrate	Effect	Value determination	Remark
Negative		Bacteria (S.typhimurium)		Experimental value	
Negative	OECD 473	Human lymphocytes		Experimental value	
Negative	OECD 476			Experimental value	

Mutagenicity (in vivo)

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Result	Method	Exposure time	Test substrate	Organ/Effect	Value determination	Remark
Negative			Rat (male)		Experimental value	

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Route of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	Species	Value determination	Remark
Inhalation	NOAEC		> 350 mg/m ³ air	No effect	18 month(s)	Rat (male / female)	Experimental value	
Dermal	NOAEL		0.02 ml (twice a week)	No effect		Mouse (female)	Experimental value	
Oral	NOAEL		1700 mg/kg bw/day	No effect	2 year(s)	Rat (male / female)	Experimental value	

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

ANTI SPAT BULK

No (test) data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity	NOAEL	Equivalent to OECD 414	10400 mg/kg bw/day	9 day(s)	Mouse (male / female)	No effect	Experimental value	
Effects on fertility	NOAEL	OECD 416	10100 mg/kg bw/day		Mouse (male / female)	No effect	Experimental value	

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

ANTI SPAT BULK

Judgement is based on the relevant ingredients

Publication date: 2024-02-26

ANTI SPAT BULK

Not classified for aspiration toxicity

Toxicity other effects

ANTI SPAT BULK

No (test)data on the mixture available

Chronic effects from short and long-term exposure

ANTI SPAT BULK

No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

ANTI SPAT BULK

No (test)data on the mixture available

Judgement is based on the relevant ingredients

propane-1,2-diol

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50		40613 mg/l	96 h	Oncorhynchus mykiss	Static system	Fresh water	Experimental value
Acute toxicity crustacea	LC50	EPA 600/4-90/027	18340 mg/l	48 h	Ceriodaphnia dubia	Static system	Fresh water	Experimental value
Toxicity algae and other aquatic plants	EC50	OECD 201	19000 mg/l	96 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value
Long-term toxicity fish	ChV	ECOSAR	2500 mg/l	30 day(s)			Fresh water	QSAR
Long-term toxicity aquatic crustacea	NOEC	EPA 600/4-89/001	13020 mg/l	7 day(s)	Ceriodaphnia sp.	Semi-static system	Fresh water	Experimental value
Toxicity aquatic micro-organisms	NOEC		20000 mg/l	18 day(s)	Pseudomonas putida		Fresh water	Experimental value
Toxicity sediment organisms	LC50		6983 mg/kg sediment dw	10 day(s)	Corophium volutator	Static system	Salt water	Experimental value

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

propane-1,2-diol

Biodegradation water

Method	Value	Duration	Value determination
OECD 301F	81.7 %	28 day(s)	Experimental value

Phototransformation air (DT50 air)

Method	Value	Conc. OH-radicals	Value determination
AOPWIN v1.92	0.834 day(s)	1500000 /cm ³	QSAR

Phototransformation water (DT50 water)

Method	Value	Conc. OH-radicals	Value determination
	2.3 year(s)		Calculated value

Biodegradation soil

Method	Value	Duration	Value determination
	98 %	105 day(s)	Experimental value

Conclusion

Water

Contains readily biodegradable component(s)

12.3. Bioaccumulative potential

ANTI SPAT BULK

Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Publication date: 2024-02-26

ANTI SPAT BULK

propane-1,2-diol

BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF		0.09			Calculated value

Log Kow

Method	Remark	Value	Temperature	Value determination
Equivalent to OECD 107		-1.07	20.5 °C	Test data

Conclusion

Does not contain bioaccumulative component(s)

12.4. Mobility in soil

propane-1,2-diol

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	2.98 %		0.07 %	48.1 %	48.8 %	Calculated value

Conclusion

Contains component(s) with potential for mobility in the soil

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

ANTI SPAT BULK

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

propane-1,2-diol

Groundwater

Groundwater pollutant

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Can be considered as non hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. The waste code must be assigned by the user, preferably in consultation with the (environmental) authorities concerned.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

No data available

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. UN number or ID number

Transport	Not subject
-----------	-------------

14.2. UN proper shipping name

14.3. Transport hazard class(es)

Hazard identification number	
Class	
Classification code	

14.4. Packing group

Packing group	
Labels	

14.5. Environmental hazards

Environmentally hazardous substance mark	no
--	----

14.6. Special precautions for user

Special provisions	
Limited quantities	

14.7. Maritime transport in bulk according to IMO instruments

Annex II of MARPOL 73/78	Not applicable, based on available data
--------------------------	---

Publication date: 2024-02-26

ANTI SPAT BULK

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European legislation:

VOC content Directive 2010/75/EU

VOC content	Remark
10 %	
100 g/l	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

National legislation Belgium

ANTI SPAT BULK

No data available

National legislation The Netherlands

ANTI SPAT BULK

Waterbezwaarlijkheid	B (5); Algemene Beoordelingsmethodiek (ABM)
----------------------	---

National legislation France

ANTI SPAT BULK

No data available

National legislation Germany

ANTI SPAT BULK

WGK	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
-----	--

propane-1,2-diol

TA-Luft	5.2.5
---------	-------

National legislation Austria

ANTI SPAT BULK

No data available

National legislation United Kingdom

ANTI SPAT BULK

No data available

Other relevant data

ANTI SPAT BULK

No data available

15.2. Chemical safety assessment

No chemical safety assessment is required for a mixture.

SECTION 16: Other information

(*)	INTERNAL CLASSIFICATION BY BIG
ADI	Acceptable daily intake
AOEL	Acceptable operator exposure level
ATE	Acute Toxicity Estimate
BCF	Bioconcentration Factor
BEI	Biological Exposure Indices
CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ERC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and

Publication date: 2024-02-26

ANTI SPAT BULK

according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Publication date: 2024-02-26