SAFETY DATA SHEET

novatio

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

SILGREASE 75ml

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	: SILGREASE 75ml
Registration number REACH	: Not applicable (mixture)
Product type REACH	: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses Lubricating grease

1.2.2 Uses advised against No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio* Industrielaan 5B B-2250 Olen **2** +32 14 25 76 40 ₲ + 32 14 22 02 66 info@novatio.be *NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen +32 14 85 97 37 **→** +32 14 85 97 38 info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) : +32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

2.2. Label elements

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 Supplemental information Safety data sheet available on request.

EUH210

2.3. Other hazards

Caution! Substance is absorbed through the skin

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw Reason for revision: 3; 8; 9; 11; 12; 15 Revision number: 0700 (supersedes revision 0600 of 2021-06-06)

Publication date: 2005-07-22 Date of revision: 2025-01-02

BIG number: 42335

1/11

878-16239-070-en

3.2. Mixtures

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to CLP	Note	lRemark	M-factors and ATE
trimethyl borate 01-2119980577-21	121-43-7 204-468-9	≤C<0.3%	Flam. Liq. 3; H226 Repr. 1B; H360FD Acute Tox. 3; H331 Acute Tox. 3; H311 Acute Tox. 3; H301 STOT SE 1; H370 Eye Irrit. 2; H319	(1)(6)(10)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(6) Enumerated in Annex VI of Regulation (EC) No. 1272/2008 but the classification has been adapted after evaluation of available test data (10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

If you feel unwell, consult a doctor/medical service.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water.

After eye contact:

Rinse immediately with (lukewarm) water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms After inhalation: No effects known. After skin contact:

No effects known.

After eye contact: No effects known.

After ingestion: No effects known.

4.2.2 Delayed symptoms No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media: Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion.

Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

In case of fire: possible release of toxic/corrosive gases/vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

- No specific fire-fighting instructions required.
- 5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

Reason for revision: 3; 8; 9; 11; 12; 15

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel

See section 8.2

6.1.2 Protective equipment for emergency responders Gloves (EN 374). Protective clothing (EN 14605 or EN 13034).

Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product.

6.3. Methods and material for containment and cleaning up

Solid spill: cover with absorbent material. Scoop solid spill into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Observe normal hygiene standards. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Meet the legal requirements. Store in a cool area. Store in a dry area. Keep container in a well-ventilated place. Keep only in the original container.

- 7.2.2 Keep away from:
- Heat sources.
- 7.2.3 Suitable packaging material:
- No data available
- 7.2.4 Non suitable packaging material:
- No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

- 8.1.1 Occupational exposure
 - a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

b) National biological limit values

If limit values are applicable and available these will be listed below.

- 8.1.2 Sampling methods
- If applicable and available it will be listed below.
- 8.1.3 Applicable limit values when using the substance or mixture as intended
- If limit values are applicable and available these will be listed below.

8.1.4 Threshold values <u>DNEL/DMEL - Workers</u>

trimethyl borate

Effect level (DNEL/DMEL)	Туре	Value	Remark
DNEL	Long-term systemic effects inhalation	8.3 mg/m³	
	Long-term systemic effects dermal	392 mg/kg bw/day	

PNEC

Compartments	Value	Remark
Fresh water	5.382 mg/l	
Marine water	5.382 mg/l	
Aqua (intermittent releases)	5.382 mg/l	
STP	168.18 mg/l	
Fresh water sediment	7.92 mg/l	
Marine water sediment	0.792 mg/l	
Soil	1.478 mg/l	

8.1.5 Control banding

Reason for revision: 3; 8; 9; 11; 12; 15

If applicable and available it will be listed below.

8.2. Exposure controls

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

8.2.1 Appropriate engineering controls

Keep away from naked flames/heat. Carry operations in the open/under local exhaust/ventilation or with respiratory protection.

8.2.2 Individual protection measures, such as personal protective equipment

Observe normal hygiene standards. Do not eat, drink or smoke during work.

a) Respiratory protection:

Respiratory protection not required in normal conditions.

b) Hand protection:

Protective gloves against chemicals (EN 374).

c) Eye protection:

Eye protection not required in normal conditions.

d) Skin protection:

Protective clothing (EN 14605 or EN 13034).

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Paste
Viscosity	Viscous
Colour	White
Odour	Characteristic odour
Odour threshold	No data available in the literature
Melting point	No data available in the literature
Boiling point	No data available in the literature
Flammability	Not classified as flammable
Explosion limits	No data available in the literature
Flash point	> 150 °C
Auto-ignition temperature	> 400 °C
Decomposition temperature	No data available in the literature
рН	Not applicable (non-soluble in water)
Kinematic viscosity	No data available in the literature
Dynamic viscosity	No data available in the literature
Solubility	Water ; insoluble
Log Kow	Not applicable (mixture)
Vapour pressure	No data available in the literature
Absolute density	1000 kg/m ³
Relative density	1.00
Relative vapour density	No data available in the literature
Particle size	Not applicable (liquid)

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions No data available.

10.4. Conditions to avoid

Precautionary measures Keep away from naked flames/heat.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No data available.

Reason for revision: 3; 8; 9; 11; 12; 15

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

SILGREASE 75ml

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral	ATE		> 2000 mg/kg bw			Calculated value	
Dermal	ATE		> 2000 mg/kg bw			Calculated value	
Inhalation (mist)	ATE		> 5 mg/l			Calculated value	
Inhalation (vapours)	ATE		> 20 mg/l			Calculated value	

Judgement is based on the relevant ingredients

tr	ime	ethyl	bor	ate

Route of exposure	Parameter	Method	Value	Exposure time	Species	Value	Remark
						determination	
Oral			category 3			Expert judgement	
Dermal			category 3			Expert judgement	
Inhalation			category 3			Expert judgement	

Classification and labelling do not correspond to those of Annex VI

Conclusion

Not classified for acute toxicity

Corrosion/irritation

SILGREASE 75ml

No (test)data on the mixture available

Judgement is based on the relevant ingredients

trimethyl borate

Rou	ute of exposure	Result	Method	Exposure time	Time point	 	Remark
						determination	
Eye	-	Moderately irritating	Equivalent to OECD 405		24; 48; 72 hours	 Experimental value	Single treatment
Skii	n	Not irritating		24 h	72 hours	 Experimental value	

Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

SILGREASE 75ml

No (test)data on the mixture available

Judgement is based on the relevant ingredients trimethyl borate

Route of exposure	Result	Method	••••••	Observation time point	Species	Value determination	Remark
Dermal	Not sensitizing	Equivalent to OECD 406		24; 48; 72 hours	Guinea pig (female)	Read-across	

Conclusion

Not classified as sensitizing for skin Not classified as sensitizing for inhalation

Specific target organ toxicity

SILGREASE 75ml

No (test)data on the mixture available

Judgement is based on the relevant ingredients trimethyl borate

UIII	neu	iyi	001	aι	C

R	loute of exposure	Parameter	Method	Value	Organ/Effect	Exposure time	 Value determination	Remark
ι	Jnknown			STOT SE cat.1				Read-across (reaction product)

Classification and labelling do not correspond to those of Annex VI

Conclusion

Not classified for subchronic toxicity

Mutagenicity (in vitro)

SILGREASE 75ml

Reason for revision: 3; 8; 9; 11; 12; 15

No (test)data on the mixture available Judgement is based on the relevant ingredients

Mutagenicity (in vivo)

SILGREASE 75ml

No (test)data on the mixture available Judgement is based on the relevant ingredients

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

SILGREASE 75ml

No (test)data on the mixture available Judgement is based on the relevant ingredients <u>Conclusion</u> Not classified for carcinogenicity

Reproductive toxicity

SILGREASE 75ml

No (test)data on the mixture available

Judgement is based on the relevant ingredients

trimethyl borate

Category	Parameter	Method	Value	Exposure time	Species	Effect	Value determination	Remark
Developmental toxicity (Oral)	NOAEL	OECD 414	9.6 mg/kg bw/day	20 day(s)	Rat	No effect	Read-across	Active element
Developmental toxicity (Oral)	LOAEL	OECD 414	13 mg/kg bw/day	20 days (gestation, daily)	Rat	Fetotoxicity	Read-across	Active element
Effects on fertility (Oral (diet))	NOAEL		17.5 mg/kg bw/day	27 week(s) - 46 week(s)	Rat (male / female)	No effect	Read-across	Active element
Effects on fertility (Oral (diet))	LOAEL		58.6 mg/kg bw/day	27 day(s) - 46 day (s)	Rat (male / female)	Sterility	Read-across	Active element

Classification and labelling do not correspond to those of Annex VI

Conclusion

Not classified for reprotoxic or developmental toxicity

Aspiration hazard

<u>SILGREASE 75ml</u> Judgement is based on the relevant ingredients Not classified for aspiration toxicity

Toxicity other effects

<u>SILGREASE 75ml</u> No (test)data on the mixture available

Chronic effects from short and long-term exposure

SILGREASE 75ml No effects known.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

SILGREASE 75ml

No (test)data on the mixture available

Reason for revision: 3; 8; 9; 11; 12; 15

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determinatior
Acute toxicity fishes	LC50		74 mg/l	96 h	Limanda limanda	Flow- through system	Salt water	Read-across; Boron
	LC50	EPA 600/3 - 76/097	15400 mg/l	96 h	Lepomis macrochirus	Flow- through system	Fresh water	Read-across
Acute toxicity crustacea	LC50	ASTM E729- 80	133 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across; Boric acid
	EC50	DIN 38412	< 10000 mg/l	48 h	Daphnia magna	Static system	Fresh water	Read-across
Toxicity algae and other aquatic plants	ErC50	OECD 201	22000 mg/l	96 h	Pseudokirchneri ella subcapitata	Static system	Fresh water	Read-across; Growth rate
	NOEC		≥ 100 mg/l	10 day(s)	Algae	Static system	Salt water	Read-across; Growth rate
Long-term toxicity fish	NOEC	OECD 210	5.6 mg/l	34 day(s)	Danio rerio	Semi-static system	Fresh water	Read-across; Boron
Long-term toxicity aquatic crustacea	NOEC	EPA OPPTS 850.1350	19 mg/l	28 day(s)	Americamysis bahia	Flow- through system	Salt water	Read-across; Reproduction
Toxicity aquatic micro- organisms	NOEC		500 mg/l		Aerobic micro- organisms	Flow- through system	Fresh water	Read-across; Boron

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

12.2. Persistence and degradability

trimethyl borate

Half-life water (t1/2 water)

Method		Primary degradation/mineralisation	Value determination
	> 0.02 h		Experimental value

Conclusion

Water No test data of component(s) available

12.3. Bioaccumulative potential

SILGREASE 75ml

Log	Kow
-----	-----

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

trimethyl borate

Log Kow

Method	Remark	Value	Temperature	Value determination
	No data available in the			
	literature			

Conclusion

No straightforward conclusion can be drawn based upon the available numerical values

12.4. Mobility in soil

No (test)data on mobility of the component(s) available

12.5. Results of PBT and vPvB assessment

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

12.6. Endocrine disrupting properties

No evidence of endocrine disrupting properties

12.7. Other adverse effects

SILGREASE 75ml

Greenhouse gases

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Reason for revision: 3; 8; 9; 11; 12; 15

trimethyl borate

Greenhouse gases

Not included in the list of fluorinated greenhouse gases (Regulation (EU) No 2024/573)

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

12 01 12* (wastes from shaping and physical and mechanical surface treatment of metals and plastics: spent waxes and fats). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR), Rail (RID), Inland waterways (ADN), Sea (IMDG/IMSBC), Air (ICAO-TI/IATA-DGR)

14.1. ON number of ID number	
Transport	Not subject
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
Hazard identification number	
Class	
Classification code	
14.4. Packing group	
Packing group	
Labels	
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
14.7. Maritime transport in bulk according to IMO instruments	
Annex II of MARPOL 73/78	Not applicable, based on available data

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture	3
European legislation:	

VOC content Directive 2010/75/EU

VOC content	Remark
< 1 %	

Directive 2012/18/EU (Seveso III)

Not subject to registration according to Directive 2012/18/EU (Seveso III)

REACH Candidate list

Does not contain component(s) included in candidate list of substances of very high concern (SVHC) for authorisation (Article 59 of Regulation (EC) No 1907/2006)

REACH Annex XIV - Authorisation

Does not contain component(s) included in Annex XIV of Regulation (EC) No 1907/2006: list of substances subject to authorisation

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
· trimethyl borate	Liquid substances or mixtures fulfilling the criteria for any of the following hazard	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different

Reason for revision: 3; 8; 9; 11; 12; 15

	classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	 phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even w ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: can be used as fuel in decorative oil lamps for supply to the general public, and, present an aspiration hazard and are labelled with H304, 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN). 5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legit and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of famp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with H304, intended for supply to the general public are legit and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are legit and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with H304, intended for supply to the general public are legit and indelibly marke
trimethyl borate	Substances which are classified as reproductive toxicant category 1A or 1B in Part 3 of Annex VI to Regulation (EC) No 1272/2008 and are listed in Appendix 5 or Appendix 6, respectively.	 Without prejudice to the other parts of this Annex the following shall apply to entries 28 f 30: 1. Shall not be placed on the market, or used, as substances, as constituents of other substances, or, in mixtures, for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than: either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC No 1272/2008, or, the relevant generic concentration limit specified in Part 3 of Annex I of Regulation (EC No 1272/2008. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows: "Restricted to professional users". 2. By way of derogation, paragraph 1 shall not apply to: (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products and end by Directive 76/768/EEC; (c) the following fuels and oil products: motor fuels which are covered by Directive 98/70/EC, mitor fuels which are covered by Directive 98/70/EC, mitor fuels sub and not apply to: (a) artists' paints covered by Regulation (EC) No 1272/2008; (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.
trimethyl borate	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	 Shall not be used, as substance or as mixtures in aerosol dispensers where these aeros dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration, artificial snow and frost, "whoopee" cushions, silly string aerosols, imitation excrement, decorative flakes and foams, artificial cobwebs, stink bombs. Without prejudice to the application of other Community provisions on the classification packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legib and indelibly with: "For professional users only". By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to a three 8 (1a) of Council Directive 75/ 324/EEC. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

CILCDEACE 75ml

	SILGREASE 75ml
trimethyl borate	
Agents cancérigè mutagènes et rep	protoxiques et
aux agents possé propriétés pertur système endocrir	rbant le
bien-être au trav titre 2)	
National legislation Th SILGREASE 75ml	<u>ie Netherlands</u>
Waterbezwaarlijk	kheid Z (1); Algemene Beoordelingsmethodiek (ABM)
National legislation Fr SILGREASE 75ml No data available	
National legislation Ge	ermany
WGK trimethyl borate	1; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017
TA-Luft	5.2.7.1.3
National legislation Au SILGREASE 75ml No data available	
No data available National legislation UI SILGREASE 75ml	
No data available	
National legislation Ire SILGREASE 75ml	
No data available	2
Other relevant data SILGREASE 75ml	
No data available	2
5.2. Chemical safety No chemical safety	-
No chemical safety	assessment is required for a mixture.
No chemical safety	r assessment is required for a mixture. r information
No chemical safety	r assessment is required for a mixture. r information EUH-statements referred to under section 3:
No chemical safety ION 16: Othe Full text of any H- and	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). ita sheet available on request.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve).
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*)	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). Ita sheet available on request. INTERNAL CLASSIFICATION BY BIG
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). ita sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liowed. tact with skin. bus eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). lta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level
No chemical safety Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liowed. tact with skin. bus eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. tage to organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liowed. tact with skin. bus eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). Ita sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate Bioconcentration Factor
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI	A assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liquid and vapour. liqued. tact with skin. bus eye irritation. led. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage for organs (optic nerve). Ita sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS)	A assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liquid and vapour. liqued. tact with skin. bus eye irritation. led. led. led. lege fertility if swallowed. May damage the unborn child if swallowed. age for organs (optic nerve). It a sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level Accute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe)
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL	r assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). It a sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level Actue Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL	A assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. Duss eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). tta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10	A assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. lowed. tact with skin. Dous eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage to organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable perator exposure level Acute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level Effect Concentration 10 %
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50	A sessessment is required for a mixture. r information EUH-statements referred to under section 3: Igauid and vapour. Igau
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50	A sessessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liqui
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP	A sasessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liquid and vapour. liqued. tact with skin. bus eye irritation. led. age to organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 50 % ECSD in terms of reduction of growth rate Good Laboratory Practice
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0	A sasessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liowed. tact with skin. Dus eye irritation. led. lage fertility if swallowed. May damage the unborn child if swallowed. lage for organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 0 %
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50	Assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. llowed. tact with skin. bus eye irritation. led. age fertility if swallowed. May damage the unborn child if swallowed. age for organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable daily intake Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 0 % Lethal Concentration 0 % Lethal Concentration 0 % Lethal Dose 50 %
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50 LOAEC/LOAEL	Assessment is required for a mixture.
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50 LOAEC/LOAEL NOAEC/NOAEL	A sasessment is required for a mixture. Function Funct
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50 LOAEC/LOAEL NOAEC/NOAEL NOEC/NOAEL	A assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. lowed. tact with skin. Dus eye irritation. led. age to organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intak Acceptable daily intake Acceptable operator exposure level Acute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived No Effect Level Effect Concentration 10 % Effect Concentration 50 % ECSD in terms of reduction of growth rate Good Laboratory Practice Lethal Concentration 50 % Lethal Concentration 50 % Lethal Dose 50 % Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level No Observed Adverse Effect Concentration/No Observed Effect Level No Observed Effect Concentration/No Observed Effect Level
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50 LOAEC/LOAEL NOAEC/NOAEL	A sasessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. lowed. tact with skin. Dus eye irritation. led. age for organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable daily intake Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level Effect Concentration 50 % EC50 in terms of reduction of growth rate Good Laboratory Practice Lethal Concentration 50 % Leth
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LOAEC/LOAEL NOAEC/NOEL OECD PBT	A sessesment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liquid and vapour. liquid and vapour. liqued. tact with skin. buse yee irritation. led. led. led. led. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable daily intake Acceptable daily intake Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Ninimal Effect Level Derived No Effect Level Effect Concentration 50 % ECS0 in terms of reduction of growth rate Good Laboratory Practice Lethal Concentration 50 % Lethal Concentration 70% Le
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50 LOAEC/LOAEL NOAEC/NOAEL NOEC/NOEL OECD PBT PNEC	Assessment is required for a mixture. r information EUH-statements referred to under section 3: liquid and vapour. liquid and vapour. liqued. tact with skin. bus eye irritation. led. age fertility if swallowed. May damage the unborn child if swallowed. age to organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable daily intake Acceptable daily intake Acceptable daily intake Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived Minimal Effect Level Derived Minimal Effect Level Effect Concentration 10 % Effect Concentration 10 % Effect Concentration 10 % Lethal Concentration 0 % Lethal Concentration No Observed Adverse Effect Level No Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level No Observed Adverse Effect Concentration/No Observed Effect Level No Observed Effect Concentration/No Observed Effect Level No Observed Effect Concentration/No Observed Effect Level Presistent, Bioaccumulative & Toxic Predicted No Effect Concentration/No Observed Effect Level No Observed Mayrese Effect Concentration/No Observed Effect Level No Observed Adverse Effect Concentration/No Observed Effect Level Presistent, Bioaccumulative & Toxic Predicted No Effect Concentration/No Observed Effect Level Presistent, Bioaccumulative & Toxic Predicted No Effect Concentration/No Observed Effect Level No Observed Effect Concentration/No Observed Effect Level No Observed Effect Concentration/No Observed Effect Level Presistent, Bioaccumulative & Toxic Predicted No Effect Concentration/No Observed Effect Level P
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LD50 LOAEC/LOAEL NOAEC/NOAEL NOAEC/NOAEL NOEC/NOEL OECD PBT PNEC STP	assessment is required for a mixture. r information EUH-statements referred to under section 3: Iquid and vapour. Ilowed. tat with skin. Dus eye irritation. Ied. age tor organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable on request. INTERNAL CLASSIFICATION BY BIG Acceptable operator exposure level Actute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level Effect Concentration 50 % EC50 in terms of reduction of growth rate Good Laboratory Practice Lethal Concentration 50 % Lethal Concentration 70 % Lethal Concentration 50 % Lethal Concentration 50 % Lethal Concentration 50 % Lethal Concentration 70 % Lethal Concentration 50 % Lethal Concentration 70 % Lethal Co
No chemical safety ION 16: Othe Full text of any H- and H226 Flammable H301 Toxic if swal H311 Toxic in con H319 Causes seric H331 Toxic if inha H360FD May dam H370 Causes dam EUH210 Safety da (*) ADI AOEL (*) ADI AOEL ATE BCF BEI CLP (EU-GHS) DMEL DNEL EC10 EC50 ErC50 GLP LC0 LC50 LOAEC/LOAEL NOAEC/NOAEL NOEC/NOEL OECD PBT PNEC	assessment is required for a mixture. r information EUH-statements referred to under section 3: Iquid and vapour. Ilowed. tat with skin. Dus eye irritation. Ied. age tor organs (optic nerve). ta sheet available on request. INTERNAL CLASSIFICATION BY BIG Acceptable on request. INTERNAL CLASSIFICATION BY BIG Acceptable operator exposure level Actute Toxicity Estimate Bioconcentration Factor Biological Exposure Indices Classification, labelling and packaging (Globally Harmonised System in Europe) Derived Minimal Effect Level Derived No Effect Level Effect Concentration 50 % EC50 in terms of reduction of growth rate Good Laboratory Practice Lethal Concentration 50 % Lethal Concentration 70 % Lethal Concentration 50 % Lethal Concentration 50 % Lethal Concentration 50 % Lethal Concentration 70 % Lethal Concentration 50 % Lethal Concentration 70 % Lethal Co

vPvB

very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 3; 8; 9; 11; 12; 15

Publication date: 2005-07-22 Date of revision: 2025-01-02

Revision number: 0700

BIG number: 42335