SAFETY DATA SHEET

novatio

Based upon Regulation (EC) No 1907/2006, as amended by Regulation (EU) No 2020/878

SURFACE POLISH

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	: SURFACE POLISH
Registration number REACH	: Not applicable (mixture)
Product type REACH	: Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant identified uses

Polishing agent Detergent according to Regulation (EC) No 648/2004

1.2.2 Uses advised against

No uses advised against known

1.3. Details of the supplier of the safety data sheet

Supplier of the safety data sheet

Novatio* Industrielaan 5B B-2250 Olen +32 14 25 76 40 ₲ +32 14 22 02 66 info@novatio.be *NOVATIO is a registered trademark of Novatech International N.V.

Manufacturer of the product

Novatech International N.V. Industrielaan 5B B-2250 Olen +32 14 85 97 37 **▲** +32 14 85 97 38 info@novatech.be

1.4. Emergency telephone number

24h/24h (Telephone advice: English, French, German, Dutch) :

+32 14 58 45 45 (BIG)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classified as dangerous according to the criteria of Regulation (EC) No 1272/2008 Class Class Class Category Hazard statements				
Eye Irrit.	category 2	H319: Causes serious eye irritation.		

2.2. Label elements

Signal word	Warning
H-statements	
H319	Causes serious eye irritation.
P-statements	
P280	Wear eye protection.
P264	Wash hands thoroughly after handling.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
Supplemental information	
EUH208	Contains: tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione. May produce an allergin reaction.

Created by: Brandweerinformatiecentrum voor gevaarlijke stoffen vzw (BIG) Technische Schoolstraat 43 A, B-2440 Geel http://www.big.be © BIG vzw Reason for revision: 2, 3 Revision number: 0500

Publication date: 2008-09-04 Date of revision: 2023-06-08

878-16239-037-en

Caution! Substance is absorbed through the skin

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name REACH Registration No	CAS No EC No List No	Conc. (C)	Classification according to CLP	Note	lRemark	M-factors and ATE
hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics 01-2119463258-33	919-857-5	C≤20%	Flam. Liq. 3; H226 Asp. Tox. 1; H304 STOT SE 3; H336 EUH066	(1)(10)	Constituent	
propan-2-ol 01-2119457558-25	67-63-0 200-661-7	C≤7%	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	(1)(2)(10)	Constituent	
isotridecanol, ethoxylated	69011-36-5 500-241-6	C≤2%	Eye Dam. 1; H318	(1)	Constituent	
tetrahydro-1,3,4,6-tetrakis(hydroxymethyl) imidazo[4,5-d]imidazole-2,5(1H,3H)-dione	5395-50-6 226-408-0	C≤0.2%	Skin Sens. 1; H317	(1)	Constituent	

(1) For H- and EUH-statements in full: see section 16

(2) Substance with a Community workplace exposure limit

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

Note: numbers 9xx-xxx-x are provisional list numbers assigned by Echa pending an official EC inventory number

SECTION 4: First aid measures

4.1. Description of first aid measures

General:

Observe (own) safety. If possible, approach victim and check vital functions. In case of injury and/or intoxication, call the European emergency number 112. Treat symptoms starting with most life-threatening injuries and disorders. Keep victim under observation, possibility of delayed symptoms.

After inhalation:

Remove victim into fresh air. In case of respiratory problems, consult a doctor/medical service.

After skin contact:

If possible, wipe up/dry remove chemical. Then rinse/shower immediately with (lukewarm) water. If irritation persists, consult a doctor/medical service.

After eye contact:

Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If irritation persists, consult a doctor/medical service.

After ingestion:

Rinse mouth with water. If you feel unwell, consult a doctor/medical service. Do not wait for symptoms to occur to consult Poison Center.

4.2. Most important symptoms and effects, both acute and delayed

4.2.1 Acute symptoms

After inhalation:
No effects known.

After skin contact:

No effects known.

After eye contact:

Irritation of the eye tissue.

After ingestion:

Headache. Nausea. Vomiting. Diarrhoea.

4.2.2 Delayed symptoms

No effects known.

4.3. Indication of any immediate medical attention and special treatment needed

If applicable and available it will be listed below.

SECTION 5: Firefighting measures

5.1. Extinguishing media

5.1.1 Suitable extinguishing media:

Small fire: Quick-acting ABC powder extinguisher, Quick-acting BC powder extinguisher, Quick-acting class B foam extinguisher, Quick-acting CO2 extinguisher.

Major fire: Class B foam (not alcohol-resistant).

5.1.2 Unsuitable extinguishing media:

Reason for revision: 2, 3

Small fire: Water (quick-acting extinguisher, reel); risk of puddle expansion. Major fire: Water; risk of puddle expansion.

5.2. Special hazards arising from the substance or mixture

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

5.3. Advice for firefighters

5.3.1 Instructions:

If exposed to fire cool the closed containers by spraying with water. Do not move the load if exposed to heat.

5.3.2 Special protective equipment for fire-fighters:

Gloves (EN 374). Protective goggles (EN 166). Protective clothing (EN 14605 or EN 13034). Heat/fire exposure: self-contained breathing apparatus (EN 136 + EN 137).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No naked flames. Exposure to fire/heat: keep upwind. Exposure to fire/heat: have neighbourhood close doors and windows.

6.1.1 Protective equipment for non-emergency personnel See section 8.2

6.1.2 Protective equipment for emergency responders

Gloves (EN 374). Protective goggles (EN 166). Protective clothing (EN 14605 or EN 13034). Suitable protective clothing

See section 8.2

6.2. Environmental precautions

Contain released product. Try to reduce evaporation.

6.3. Methods and material for containment and cleaning up

Take up liquid spill into inert absorbent material. Scoop absorbed substance into closing containers. Clean contaminated surfaces with an excess of water. Wash clothing and equipment after handling.

6.4. Reference to other sections

See section 13.

SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

7.1. Precautions for safe handling

Keep away from naked flames/heat. Gas/vapour heavier than air at 20°C. Observe strict hygiene. Keep container tightly closed.

7.2. Conditions for safe storage, including any incompatibilities

7.2.1 Safe storage requirements:

Storage temperature: < 50 °C. Meet the legal requirements. Keep container in a well-ventilated place. Protect against frost. Keep out of direct sunlight. Keep container tightly closed.

7.2.2 Keep away from:

Heat sources, oxidizing agents, reducing agents, (strong) acids, (strong) bases.

7.2.3 Suitable packaging material:

No data available

7.2.4 Non suitable packaging material: No data available

7.3. Specific end use(s)

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 Occupational exposure

a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

Alcool isopropylique	Time-weighted average exposure limit 8 h	200 ppm	
	Time-weighted average exposure limit 8 h	500 mg/m ³ 400 ppm 1000 mg/m ³	
	Short time value		
	Short time value		
_			
1			
Germany Propan-2-ol	Time-weighted average exposure limit 8 h (TRGS 900)	200 ppm	

imidazol-2,5(1H,3H)-dion	droxymethyl)imidazo(4,5-d)	Time-weighted average ex	xposure limit 8 h (TR	GS 900)	0.046 ppm
(Tetramethylolacetylendiharns	· ·	.		oc 000)	0.5 / 3
		Time-weighted average ex	xposure limit 8 h (TR	GS 900)	0.5 mg/m ³
UK	I				
Propan-2-ol		Time-weighted average ex (EH40/2005))	xposure limit 8 h (Wo	orkplace exposure limit	400 ppm
		Time-weighted average ex (EH40/2005))	· · ·	· · ·	999 mg/m ³
		Short time value (Workpla Short time value (Workpla			500 ppm 1250 mg/m
USA (TLV-ACGIH)	·				
2-propanol		Time-weighted average ex		/ - Adopted Value)	200 ppm
h) National high give limit value	I	Short time value (TLV - Ad	lopted Value)		400 ppm
b) National biological limit values If limit values are applicable and a	=	low.			
Germany Propan-2-ol (Aceton)	Urin: expositionsende	. bzw. schichtende	25 mg/l		
Propan-2-ol (Aceton)	· · · ·	nde, bzw. schichtende	25 mg/l		
USA (BEI-ACGIH)				1	
2-Propanol (Acetone)	Urine: end of shift at e	end of workweek	40 mg/L	Background, Nonsp	pecific
.1.2 Sampling methods					
Product name		Test	Number		
Isopropanol (Volatile Organic com	ipounds)	NIOSH NIOSH	2549 1400		
Isopropyl Alcohol (Alcohols I) Isopropyl Alcohol		NIOSH	3900		
Isopropyl Alcohol		OSHA	5001		
Petroleum Distillates Fractions		OSHA	48		
.1.4 Threshold values <u>DNEL/DMEL - Workers</u> bydrosarbans, CO, C11, p. alkanos	iscallyance custice < 2% aroma	ation			
	isoalkanes, cyclics, < 2% aroma	atics	Value	Remark	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes,			Value 871 mg/m ³	Remark	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL	Туре	ects inhalation			
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol	Type Long-term systemic effe Long-term systemic effe	ects inhalation	871 mg/m³ 77 mg/kg bw/	day	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL	Type Long-term systemic effe	ects inhalation ects dermal	871 mg/m³		
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL)	Type Long-term systemic effe Long-term systemic effe Type	ects inhalation ects dermal ects inhalation	871 mg/m ³ 77 mg/kg bw/ Value	day Remark	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL	Type Long-term systemic effe Long-term systemic effe Type Long-term systemic effe Long-term systemic effe Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³	day Remark	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL	Type Long-term systemic effe Long-term systemic effe Type Long-term systemic effe Long-term systemic effe Long-term systemic effe isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³	day Remark	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL-General populatior hydrocarbons, C9-C11, n-alkanes,	Type Long-term systemic effe Long-term systemic effe Type Long-term systemic effe Long-term systemic effe Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal atics	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw	day Remark /day	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL)	Type Long-term systemic effe Isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal etics ects inhalation	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw	day Remark /day Remark	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL)	Type Long-term systemic effe Isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal atics ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³	day Remark /day Remark /day Remark day I	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL DNEL	Type Long-term systemic effe Long-term systemic effe Long-term systemic effe Long-term systemic effe isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal atics ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/	day Remark //day	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL)	Type Long-term systemic effe Long-term systemic effe Long-term systemic effe Long-term systemic effe isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal atics ects inhalation ects dermal ects dermal ects oral	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/	day Remark /day Remark /day Remark day I	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL DNEL	Type Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/	day Remark //day /	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL)	Type Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw	day Remark //day Remark //day Annotes	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL	Type Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ Value 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/	day Remark //day Remark //day Annotes	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL)	Type Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw	day Remark //day Remark //day Annotes	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL INEL INEL	Type Long-term systemic effe	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation ects dermal	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw	day Remark //day Remark //day Annotes	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL i.5 Control banding If applicable and available it w	Type Long-term systemic effe isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal ets dermal ects inhalation ects dermal ects oral ects inhalation ects dermal ects dermal	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw 26 mg/kg bw/	day Remark Aday Aday Aday Aday Aday Aday Aday Aday	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	Type Long-term systemic effe Long	ects inhalation ects dermal ects inhalation ects dermal ects inhalation ects inhalation ects dermal ects oral ects inhalation ects dermal ects oral	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw 26 mg/kg bw/	day Remark Aday Aday Aday Aday Aday Aday Aday Aday	x. Always us
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL/DMEL - General population hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL Effect level (DNEL/DMEL) DNEL Control banding If applicable and available it w Exposure controls he information in this section is elevant exposure scenarios that 2.1 Appropriate engineering control Keep away from naked flames,	Type Long-term systemic effe Long	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation ects dermal ects oral ects oral ects oral	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw 26 mg/kg bw/	day day day Remark /day day are attached in anne	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	Type Long-term systemic effe Long	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects inhalation ects dermal ects oral ects oral ects oral ects oral ects oral ects oral ects oral ects oral ects oral	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw 26 mg/kg bw/	day day day Remark /day day are attached in anne	
DNEL/DMEL - Workers hydrocarbons, C9-C11, n-alkanes, Effect level (DNEL/DMEL) DNEL propan-2-ol Effect level (DNEL/DMEL) DNEL DNEL DNEL DNEL DNEL DNEL DNEL DNEL	Type Long-term systemic effe Isoalkanes, cyclics, < 2% aroma	ects inhalation ects dermal ects inhalation ects dermal ects dermal ects inhalation ects dermal ects oral ects oral	871 mg/m ³ 77 mg/kg bw/ 500 mg/m ³ 888 mg/kg bw Value 185 mg/m ³ 46 mg/kg bw/ 46 mg/kg bw/ Value 89 mg/m ³ 319 mg/kg bw 26 mg/kg bw/	day day day Remark /day day are attached in anne	

_ Protective gloves against chemicals (EN 374).						
	Measured breakthrough time	Thickness	Protection index	Remark		
nitrile rubber	> 480 minutes	0.35 mm	Class 6			

<u>c) Eye protection:</u> Protective goggles (EN 166).

d) Skin protection:

Protective clothing (EN 14605 or EN 13034). Head/neck protection.

8.2.3 Environmental exposure controls:

See sections 6.2, 6.3 and 13

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical form	Liquid			
Odour	Characteristic odour			
Odour threshold	No data available in the literature			
Colour	No data available on colour			
Particle size	Not applicable (liquid)			
Explosion limits	0.7 - 12.0 vol %			
Flammability	Not classified as flammable			
Log Kow	Not applicable (mixture)			
Dynamic viscosity	6500 mPa.s ; 20 °C			
Kinematic viscosity	5702 mm²/s ; 40 °C			
Melting point	0 °C			
Boiling point	82 °C - 360 °C			
Relative vapour density	No data available in the literature			
Vapour pressure	43 hPa ; 20 °C			
Solubility	Water ; insoluble			
Relative density	1.14 ; 20 °C			
Absolute density	1140 kg/m³ ; 20 °C			
Decomposition temperature	No data available in the literature			
Auto-ignition temperature	260 °C			
	270 °C			
Flash point	37 °C ; Not sustaining combustion			
рН	8.0			

9.2. Other information

Evaporation rate

1.300 ; Butyl acetate

SECTION 10: Stability and reactivity

10.1. Reactivity

Heating increases the fire hazard. Neutral reaction.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

Precautionary measures

Keep away from naked flames/heat.

10.5. Incompatible materials

Oxidizing agents, reducing agents, (strong) acids, (strong) bases.

10.6. Hazardous decomposition products

Upon combustion: formation of CO, CO2 and small quantities of nitrous vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

11.1.1 Test results

Acute toxicity

SURFACE POLISH

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 2, 3

Publication date: 2008-09-04 Date of revision: 2023-06-08

Revision number: 0500

BIG number: 46829

ydrocarbons, C9-C11, n	drocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics									
Route of exposure	Parameter	Method	Value	Exposure time	Species	Value determination	Remark			
Oral	LD50	OECD 401	> 5000 mg/kg bw		Rat (male / female)	Read-across				
Dermal	LD50	Equivalent to OECD 402	> 2000 mg/kg bw	24 h	Rat (male / female)	Read-across				
Inhalation (vapours)	LC50	Equivalent to OECD 403	> 4.95 mg/l	4 h	Rat (male / female)	Read-across				
ropan-2-ol			•		•					

Route of exposure Parameter Method Value Value Remark Exposure time Species determination Oral LD50 Rat Equivalent to OECD 5840 mg/kg bw Experimental value 401 Rabbit Dermal LD50 Equivalent to OECD 16400 ml/kg bw 24 h Experimental value 402 Inhalation (vapours) LC50 Equivalent to OECD > 10000 ppm 6 h Rat (male / Experimental value female) 403 tetrahydro-1 3 4 6-tetrakis/hydro thyl)imidazo[4 5-d]imidazole-2 5(1H 3H)-dione

Route of exposure	Parameter	Method	Value	Exposure time		Value determination	Remark
Oral	LD50	Equivalent to OECD 401	> 5000 mg/kg bw		Rat (male / female)	Experimental value	
Inhalation (vapours)	LC0		≥ 13 mg/l air	7 h	Rat (male / female)	Experimental value	

Conclusion Not classified for acute toxicity

Corrosion/irritation

. . . .

SURFACE POLISH

No (test)data on the mixture available

Classification is based on the relevant ingredients hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Not irritating	OECD 405		24; 48; 72 hours	Rabbit		Single treatment without rinsing
Skin	Not irritating	Equivalent to OECD 404	4 h	24; 48; 72 hours	Rabbit	Read-across	

Route of exposure	Result	Method	Exposure time	Time point	 Value determination	Remark
Еуе	Irritating	Equivalent to OECD 405		1; 2; 3; 4; 7; 10; 14 days		Single treatment without rinsing
Skin	Not irritating		4 h	4; 24; 48; 72 hours	Experimental value	

isotridecanol, ethoxylated

	Route of exposure	Result	Method	Exposure time	Time point	Species	Value	Remark	
							determination		
	Eye	Serious eye	OECD 405		24; 48; 72 hours	Rabbit	Experimental		
		damage					value		
tot	strahydro 1 2 4 6 tatrakis/hydroxymothyllimidazol4 5 diimidazolo 2 5/14 24) diono								

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Route of exposu	re Result	Method	Exposure time	Time point	Species	Value	Remark
						determination	
Eye	Slightly irritating	Equivalent to OECD 405		24; 48; 72 hours	Rabbit	Experimental value	
Skin	Not irritating	Equivalent to OECD 404	24 h	24; 72 hours	Rabbit	Experimental value	

Conclusion

Causes serious eye irritation.

Not classified as irritating to the skin Not classified as irritating to the respiratory system

Respiratory or skin sensitisation

SURFACE POLISH

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 2, 3

					point					
Skin	Not sensitizir	ng Equivalent 406	to OECD				Guinea pig (mal / female)	le Rea	d-across	
ropan-2-ol								_		
Route of exposure	Result	Method		Exposure time	Obser point	vation time	Species	Valu	e determination	Remark
Dermal	Not sensitizir	ng OECD 406					Guinea pig (mal / female)	le Exp	erimental value	
etrahydro-1,3,4,6-tet	rakis(hydroxy	/methyl)imidazo	[4,5-d]imi	dazole-2,5(1H,3H)-d	ione		,			
Route of exposure	Result	Method		Exposure time	Observ point	vation time	Species	Valu	e determination	Remark
Skin	Sensitizing	OECD 406			[Guinea pig (female)	Exp	erimental value	
lot classified as sensi lot classified as sensi ic target organ toxici ACE POLISH o (test)data on the mi udgement is based o	tizing for inha ty xture availab n the relevan	lation le t ingredients								
ydrocarbons, C9-C11			1							
Route of exposure	Parameter	Method	Value	Organ	Effe	ct	Exposure time		Species	Value determinatio
Oral (stomach tube)	NOAEL	Equivalent to OECD 422	≥ 1000 bw/day	0. 0	No	effect			Rat (male / female)	Read-across
Dermal		0100 422	Dw/uay	·					Terriale)	Data waiving
Inhalation	NOAEC	Equivalent to	6 mg/l		No	adverse	13 weeks (6h / a	dav.	Rat (male /	Experimental
(vapours)		OECD 413	0		sys		5 days / week)		female)	value
Inhalation (vapours)			STOT SI	E cat.3		owsiness, ziness				Literature stu
ropan-2-ol		-								-
Route of exposure	Parameter	Method	Value	Organ	Effe	ect	Exposure time		Species	Value determinatio
Oral										Data waiving
Dermal										Data waiving
Inhalation	NOAEC	OECD 451	5000 p	om	No	adverse	104 weeks (6h /	ˈday,	Rat (male /	Experimental
(vapours)					syst effe		5 days / week)		female)	value
Inhalation	Dose leve	Equivalent to	5000 pj	om Central	Dro	wsiness,	6 h		Rat (male /	Experimental
(vapours)		OECD 403		nervous	dizz	ziness			female)	value
etrahydro-1,3,4,6-tet	rakis(hydrox)	/ methyl)imidazo	[4 5-d]imi	system	ione					
Route of exposure		1 .	Value	Organ	Effe	ct	Exposure time		Species	Value
Oral (stomach	NOAEL	OECD 407	1000 m	a /ka	No	effect	28 day(s)		Rat (male /	determinatio Experimental
tube)	NOALL	0100 407	bw/day		NU	enect	20 089(3)		female)	value
nclusion lot classified for subc enicity (in vitro) EACE POLISH No (test)data on the r udgement is based o ydrocarbons, C9-C11	nixture availa n the relevan <u>, n-alkanes, is</u>	ble t ingredients soalkanes, cyclic	s <u>, < 2% ar</u>	omatics						
Result		hod		Test substrate		Effect				Remark
Negative with me	/e	CD 471		Bacteria (S.typhimur	ium)		F	Read-ad	cross	
activation, negative without metabolic										
		ivalent to OECD	473	Human lymphocytes			F	Read-ad	cross	
without metaboli	/e									

Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value	
Negative with metabolic activation, negative without metabolic activation abydro-1 3 4 6-tetrakis(by	Equivalent to OECD 476	Chinese hamster ovary (CHO)	No effect	Experimental value	
Result	Method	Test substrate	Effect	Value determination	Remark
Negative with metabolic activation, negative without metabolic activation	OECD 476	Chinese hamster lung fibroblasts (V79)		Experimental value	
Positive with metabolic activation, positive without metabolic activation	OECD 473	Chinese hamster lung fibroblasts (V79)		Experimental value	
Negative with metabolic activation, negative without metabolic activation	OECD 471	Bacteria (S.typhimurium)		Experimental value	

Mutagenicity (in vivo)

SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Result	Method	Exposure time	Test substrate	Organ	Value determination				
Negative (Inhalation (vapours))	Equivalent to OECD	5 days (6h / day)	Rat (male / female)		Experimental value				
	478								
propan-2-ol									
Result	Method	Exposure time	Test substrate	Organ	Value determination				
Negative (Intraperitoneal)	Equivalent to OECD		Mouse (male / female)		Experimental value				
	474								
etrahydro-1,3,4,6-tetrakis(hydroxymethy	rahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione								
Result	Method	Exposure time	Test substrate	Organ	Value determination				
Negative (Intraperitoneal)	OECD 474		Mouse (male / female)		Experimental value				

Conclusion

Not classified for mutagenic or genotoxic toxicity

Carcinogenicity

SURFACE POLISH

No (test)data on the mixture available

Judgement is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Route of exposure	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination		
Inhalation (vapours)	Dose level	Equivalent to OECD 453	> 2200 mg/m ³	105 weeks (6h / day, 5 days / week)	Rat (female)	No carcinogenic effect		Read-across		
pan-2-ol										
Route of	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination		
exposure										
Inhalation	NOEL	OECD 451	5000 ppm	104 weeks (6h / day,	Rat (male /	No carcinogenic		Experimental value		
(vapours)				5 days / week)	female)	effect				

Conclusion

Not classified for carcinogenicity

Reproductive toxicity

SURFACE POLISH

No (test)data on the mixture available Judgement is based on the relevant ingredients

Reason for revision: 2, 3

<u>drocarbons, C9-C11, n-alk</u>	anes, isoalkane	es, cyclics, < 2% are	omatics					
	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 days (gestation, daily)	Rat	No effect		Experimental value
Maternal toxicity (Inhalation (vapours))	NOAEL	Equivalent to OECD 414	≥ 5220 mg/m³ air	10 days (gestation, daily)	Rat	No effect		Experimental value
Effects on fertility (Inhalation (vapours))	NOAEC	Equivalent to OECD 413	≥ 400 ppm	14 weeks (6h / day, 5 days / week)	Rat (male / female)	No effect		Read-across
opan-2-ol		•			•			
	Parameter	Method	Value	Exposure time	Species	Effect	Organ	Value determination
Developmental toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	400 mg/kg bw/day	10 day(s)	Rat	No effect	Foetus	Experimental value
Maternal toxicity (Oral (stomach tube))	NOAEL	Equivalent to OECD 414	400 mg/kg bw/day	10 day(s)	Rat	No effect		Experimental value

Conclusion

Not classified for reprotoxic or developmental toxicity

NOAEL

Equivalent to

OECD 415

853 mg/kg

bw/day

Aspiration hazard

Judgement is based on the relevant ingredients Not classified for aspiration toxicity

Toxicity other effects

SURFACE POLISH No (test)data on the mixture available

Effects on fertility (Oral

(drinking water))

Chronic effects from short and long-term exposure

SURFACE POLISH

Skin rash/inflammation.

11.2. Information on other hazards

No evidence of endocrine disrupting properties

SECTION 12: Ecological information

12.1. Toxicity

SURFACE POLISH

No (test)data on the mixture available

Judgement of the mixture is based on the relevant ingredients

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics Parameter Method Value Duration Species Test design Fresh/salt Value determination water LL50 **OECD 203** 96 h Oncorhynchus Acute toxicity fishes > 1000 mg/l Semi-static Fresh water Experimental value; mykiss Nominal system concentration Acute toxicity crustacea EL50 **OECD 202** > 1000 mg/l 48 h Daphnia magna Static Fresh water Experimental value; system Nominal concentration Toxicity algae and other EL50 **OECD 201** > 1000 mg/l 72 h Pseudokirchneri Static Experimental value; aquatic plants ella subcapitata system Growth rate NOELR OECD 201 100 mg/l 72 h Experimental value; Pseudokirchneri Static ella subcapitata Growth rate system

No effect

Experimental

value

Rat (male /

female)

ropan-2-ol								
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LC50	Equivalent to OECD 203	9640 mg/l - 10000 mg/l	96 h	Pimephales promelas	Flow- through system	Fresh water	Experimental value; Lethal
Acute toxicity crustacea	LC50	Equivalent to OECD 202	> 10000 mg/l	24 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	Toxicity threshold		1800 mg/l	7 day(s)	Scenedesmus quadricauda	Static system	Fresh water	Experimental value; Toxicity test
Long-term toxicity fish	NOELR	Petrotox computer model	> 1000 mg/l	28 day(s)	Brachydanio rerio			Estimated value
Long-term toxicity aquatic crustacea	NOEC		141 mg/l	16 day(s)	Daphnia magna		Fresh water	Experimental value; Growth
Toxicity aquatic micro- organisms	Toxicity threshold	Equivalent to DIN 38412/8	1050 mg/l	16 h	Pseudomonas putida	Static system	Fresh water	Experimental value; Toxicity test
	EC50	ISO 8192	41676 mg/l	30 minutes	Activated sludge			Experimental value
trahydro-1,3,4,6-tetrakis(hydr	oxymethyl)imid	azo[4,5-d]imida	zole-2,5(1H,3H)-dione				
	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity crustacea	EC50	OECD 202	> 38.9 mg/l	48 h	Daphnia magna	Semi-static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	ErC50	OECD 201	3.85 mg/l	72 h	Desmodesmus subspicatus	Static system	Fresh water	Experimental value; GLP

Conclusion

Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

OECD 201

12.2. Persistence and degradability

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

NOEC

Biodegradation water

	Method	Value	Duration	Value determination	
	OECD 301F	80 %; Oxygen consumption	28 day(s)	Experimental value	
pro	pan-2-ol				

72 h

Desmodesmus

subspicatus

Static

system

Fresh water

1.22 mg/l

Biodegradation water

_										
	Method	Value	Duration	Value determination						
	EU Method C.5	53 %; Oxygen consumption	5 day(s)	Experimental value						
Ρ	Phototransformation air (DT50 air)									
	Method	Value	Conc. OH-radicals	Value determination						
	AOPWIN v1.92	17.668 h	1.5E6 /cm³	Calculated value						

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Biodegradation water

	Method	Value	Duration	Value determination						
	OECD 301A	70 % - 80 %; GLP	28 day(s)	Experimental value						
P	Phototransformation air (DT50 air)									
	Method	Value	Conc. OH-radicals	Value determination						
	AOPWIN v1.92	1.410 h	1.5E6 /cm³	Calculated value						

Conclusion

Water

The surfactant(s) is/are biodegradable according to Regulation (EC) No 648/2004

12.3. Bioaccumulative potential

SURFACE POLISH Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

Reason for revision: 2, 3

Publication date: 2008-09-04 Date of revision: 2023-06-08 Experimental value;

GLP

Method KOWWIN pan-2-ol CF fishes Parameter BCF og Kow	Method BCFBAF v3.01 Reman	Value 31 I/kg - 4786 Fresh weight rk	l/kg; Val	ration	Species Pisces	5			Value determination
og Kow Method KOWWIN opan-2-ol CF fishes Parameter BCF og Kow	Reman	Fresh weight	Val	ue	Pisces				
Method KOWWIN pan-2-ol CF fishes Parameter BCF og Kow	Method	rk		ue					QSAR
KOWWIN ppan-2-ol CF fishes Parameter BCF og Kow	Method	rk		ue		_			
ppan-2-ol CF fishes Parameter BCF og Kow			3.2			Tempera	ture		Value determination
CF fishes Parameter BCF og Kow				- 6.2		20 °C			QSAR
Parameter BCF og Kow									
BCF og Kow									
og Kow	BCFBAF v3.01	Value	Dui	ration	Species	6			Value determination
_		1015							Estimated value
Mothod						_			
Method	Remar	rk	Val			Tempera	ture		Value determination
	rakic/bydraw math	ul)imidate[4 F -1]:	0.0	-		25 °C			Weight of evidence approa
•	rakis(hydroxymethy	<u>yı)imua20[4,5-0]i</u>	<u>1110a201e-2</u>	<u>.,ɔ(ıп,3H)-0101</u>	IE				
og Kow	-	•				-			k
Method	Remar	rк	Val			Tempera	ture		Value determination
OECD 107 lusion			-2.5	92		24 °C			Experimental value
rocarbons, C9-CII		man avalian < 20/	aramatica						
		nes, cyclics, < 2%							
Parameter		nes, cyclics, < 2%		Method			Value	0105	Value determination
Parameter Koc	, manes, isudika	nes, cyclics, < 2%		Method			466 - 14	0185	QSAR
Koc log Koc		nes, cyclics, < 2%		Method				0185	
Parameter Koc		nes, cyclics, < 2%	Fraction	Frac	tion soil		466 - 14 2.7 - 5.1	0185 Value deter	QSAR Calculated value
Parameter Koc log Koc ercent distribution Method	Fraction air	Fraction biota	Fraction	Frac		Fraction	466 - 14 2.7 - 5.1	Value deter	QSAR Calculated value mination
Parameter Koc log Koc ercent distribution	1		Fraction	Frac			466 - 14 2.7 - 5.1		QSAR Calculated value mination
Parameter Koc log Koc ercent distribution Method Mackay level III ppan-2-ol	Fraction air	Fraction biota	Fraction	Frac		Fraction	466 - 14 2.7 - 5.1	Value deter	QSAR Calculated value mination
Parameter Koc log Koc ercent distribution Method Mackay level III ppan-2-ol og) Koc	Fraction air	Fraction biota	Fraction sedimen 13 %	t Frac		Fraction 3.6 %	466 - 14 2.7 - 5.1 water	Value deter	QSAR Calculated value mination ralue
Parameter Koc log Koc ercent distribution Method Mackay level III pan-2-ol og) Koc Parameter	Fraction air	Fraction biota	Fraction sedimen 13 %	t 3.4 9 Method	6	Fraction 3.6 %	466 - 14 2.7 - 5.1 water Value	Value detern	QSAR Calculated value mination ralue Value determination
Parameter Koc log Koc ercent distribution Method Mackay level III opan-2-ol og) Koc Parameter log Koc	Fraction air	Fraction biota	Fraction sedimen 13 %	t 3.4 9 Method SRC PCKOCW	6 N v2.0	Fraction 3.6 %	466 - 14 2.7 - 5.1 water	Value detern	QSAR Calculated value mination ralue
Parameter Koc log Koc ercent distribution Method Mackay level III pan-2-ol og) Koc Parameter log Koc	Fraction air	Fraction biota	Fraction sedimen 13 %	t 3.4 9 Method SRC PCKOCW	6 N v2.0	Fraction 3.6 %	466 - 14 2.7 - 5.1 water Value	Value detern	QSAR Calculated value mination ralue Value determination
Parameter Koc log Koc ercent distribution Method Mackay level III ppan-2-ol og) Koc Parameter log Koc rahydro-1,3,4,6-tett	Fraction air	Fraction biota	Fraction sedimen 13 % midazole-2	t 3.4 9 Method SRC PCKOCW	6 N v2.0	Fraction 3.6 %	466 - 14 2.7 - 5.1 water Value	Value detern	QSAR Calculated value mination ralue Value determination

SURFACE POLISH

Greenhouse gases None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EU) No 517/2014) Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Groundwater

Groundwater pollutant

propan-2-ol Groundwater Groundwater pollutant

tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione

Groundwater

Groundwater pollutant

Reason for revision: 2, 3

SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

13.1. Waste treatment methods

13.1.1 Provisions relating to waste

European Union

Hazardous waste according to Directive 2008/98/EC, as amended by Regulation (EU) No 1357/2014 and Regulation (EU) No 2017/997. Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

20 01 29* (separately collected fractions (except 15 01): detergents containing hazardous substances). Depending on branch of industry and production process, also other waste codes may be applicable.

13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Hazardous waste shall not be mixed together with other waste. Different types of hazardous waste shall not be mixed together if this may entail a risk of pollution or create problems for the further management of the waste. Hazardous waste shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution or damage to people or animals. Do not discharge into drains or the environment. Dispose of at authorized waste collection point.

13.1.3 Packaging/Container

European Union

Waste material code packaging (Directive 2008/98/EC).

15 01 10* (packaging containing residues of or contaminated by dangerous substances).

SECTION 14: Transport information

Road (ADR)

14. <u>1</u> . UN number	
Transport	Not subject
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
Hazard identification number	
Class	
Classification code	
14.4. Packing group	
Packing group	
Labels	
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
Specific mention	Substances having a flash-point > 35 °C (and < 60 °C) which do not
	sustain combustion are not substances of Class 3

Rail (RID)

14. <u>1</u> . UN number	
Transport	Not subject
14.2. UN proper shipping name	
14.3. Transport hazard class(es)	
Hazard identification number	
Class	
Classification code	
14.4. Packing group	
Packing group	
Labels	
14.5. Environmental hazards	
Environmentally hazardous substance mark	no
14.6. Special precautions for user	
Special provisions	
Limited quantities	
Specific mention	Substances having a flash-point > 35 °C (and < 60 °C) which do not sustain combustion are not substances of Class 3

Inland waterways (ADN)

Transport	Not subject	
L4.2. UN proper shipping name		
L4.3. Transport hazard class(es)		
Class		
Classification code		
L4.4. Packing group		
Packing group		

Reason for revision: 2, 3

	Labels	
14	5. Environmental hazards	
	Environmentally hazardous substance mark	no
14	6. Special precautions for user	
	Special provisions	
	Limited quantities	
	Specific mention	Substances having a flash-point > 35 °C (and < 60 °C) which do not
		sustain combustion are not substances of Class 3

Sea (IMDG/IMSBC)

14.1. UN number					
Transport	Not subject				
14.2. UN proper shipping name					
14.3. Transport hazard class(es)					
Class					
14.4. Packing group					
Packing group					
Labels					
5. Environmental hazards					
Marine pollutant					
Environmentally hazardous substance mark	no				
14.6. Special precautions for user					
Special provisions					
Limited quantities					
Specific mention	Substances having a flash-point > 35 °C (and < 60 °C) which do not				
	sustain combustion are not substances of Class 3				
14.7. Maritime transport in bulk according to IMO instruments					
Annex II of MARPOL 73/78	Not applicable, based on available data				
ir (ICAO-TI/IATA-DGR)					
14.1. UN number/ID number					
Transport	Not subject				
14.2. UN proper shipping name					
14.3. Transport hazard class(es)					
Class					
14.4. Packing group					
Packing group					
Labels					
14.5. Environmental hazards					
Environmentally hazardous substance mark	no				
14.6. Special precautions for user					
Special provisions					
Specific mention	Substances having a flash-point > 35 °C (and < 60 °C) which do not				
	sustain combustion are not substances of Class 3				
Passenger and cargo transport					
Limited quantities: maximum net quantity per packaging					

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations,	/legislation specific for the substance or mixture
European legislation:	

VOC content Directive 2010/75/EU

VOC content	Remark
22.000 %	
250.360 g/l	

Directive 2012/18/EU (Seveso III)

Substance or category	Special circumstances	Low tier (tonnes)	Top tier (tonnes)	Group	For this substance or mixture the summation rule has to be applied for:
P5b FLAMMABLE LIQUIDS	Particular processing conditions, such as high pressure or high temperature, may create major- accident hazards	50	200	None	Flammability
P5a FLAMMABLE LIQUIDS	Maintained at a temperature above the boiling point	10	50	None	Flammability

Ingredients according to Regulation (EC) No 648/2004 and amendments

5-15% aromatic hydrocarbons, <5% anionic surfactants, tetramethylol acetylenediurea

Reason for revision: 2, 3

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

and use of certain dangerou	s substances, mixtures and articles.	
	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
hydrocarbons, C9-C11, n-alkanes, soalkanes, cyclics, < 2% aromatics propan-2-ol	Liquid substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	 Shall not be used in: ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, tricks and jokes, games for one or more participants, or any article intended to be used as such, even w ornamental aspects, Articles not complying with paragraph 1 shall not be placed on the market. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
hydrocarbons, C9-C11, n-alkanes, soalkanes, cyclics, < 2% aromatics propan-2-ol	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	 Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosi dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration, artificial snow and frost, "whoopee" cushions, silly string aerosols, imitation excrement, horns for parties, decorative flakes and foams, artificial cobwebs, Slith bombs. Without prejudice to the application of other Community provisions on the classificati packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legil and indelibly with: "For professional users only". By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.
propan-2-ol	Substances falling within one or more of the following points: (a) substances classified as any of the following in Part 3 of Annex VI to Regulation (EC) No 1272/2008: — carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, but excluding any such substances classified due to effects only following exposure by inhalation — reproductive toxicant category 1A, 1B or 2 but excluding any such substances classified due to effects only following exposure by inhalation — sensitiser category 1, 1A or 1B — skin corrosive category 1, 1A or 1B — skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2 — serious eye damage category 1 or eye irritant category 2 (b) substances listed in Annex II to Regulation (EC) No 1223/2009 for which a condition is specified in at least one of the columns g, h and i of the table in that Annex. (d) substances listed in Appendix 13 to this Annex. The ancillary requirements in paragraphs 7 and 8 of column 2 of this entry apply to all	Mixtures for tattooing purposes are subject to the restrictions of Regulation (EU) 2020/2
on for revision: 2, 3		Publication date: 2008-09-04

		SURFACE POLISH
		mixtures for use for tattooing purposes, whether or not they contain a substance falling within points (a) to (d) of this column of this entry.
National legislatio	<u>SH</u>	
No data avail <u>propan-2-ol</u>	lable	
-	t reprotoxiques n-être au travail,	alcool isopropylique; VI.2.2.; Liste des procédés au cours desquels une substance ou un mélange se dégage; Procédé l'acide fort dans la fabrication d'alcool isopropylique.
National legislatio		<u>s</u>
Waterbezwaa	arlijkheid	A (3); Algemene Beoordelingsmethodiek (ABM)
<u>National legislatio</u> <u>SURFACE POLIS</u> No data avail	<u>SH</u>	
National legislatio		
SURFACE POLIS WGK hydrocarbons,		2; Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (AwSV) - 18. April 2017 , isoalkanes, cyclics, < 2% aromatics
TA-Luft		5.2.5/I
propan-2-ol TA-Luft		5.2.5
TRGS900 - Ris	siko der	p.z.o Propan-2-ol; Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen
Fruchtschädig		Grenzwertes nicht befürchtet zu werden
	,4,6-tetrakis(hydro	xymethyl)imidazo[4,5-d]imidazole-2,5(1H,3H)-dione
TA-Luft TRGS900 - Ris	siko der	5.2.5 Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d)imidazol-2,5(1H,3H)-dion (Tetramethylolacetylendiharnstof
Fruchtschädig		Y; Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes und des biologischen Grenzwertes nicht befürchtet zu werden
Sensibilisiere	nde Stoffe	Tetrahydro-1,3,4,6-tetrakis(hydroxymethyl)imidazo(4,5-d)imidazol-2,5(1H,3H)-dion (Tetramethylolacetylendiharnstol Sh; Hautsensibilisierende Stoffe
SURFACE POLIS No data avail	lable	
No data avail <u>National legislatio</u> <u>SURFACE POLIS</u> No data avail <u>Other relevant dat</u> <u>SURFACE POLIS</u> No data avail <u>propan-2-ol</u> <u>IARC - classifi</u> <u>TLV - Carcino</u> 5.2. Chemical sa	n United Kingdom SH lable SH lable ication igen fety assessmen	3; Isopropanol 2-propanol; A4
No data avail <u>National legislatio</u> <u>SURFACE POLIS</u> No data avail <u>Other relevant dat</u> <u>SURFACE POLIS</u> No data avail <u>propan-2-ol</u> <u>IARC - classifi</u> <u>TLV - Carcino</u> S.2. Chemical sa No chemical sa	In United Kingdom SH lable ta SH lable ication ogen fety assessment is	3; Isopropanol 2-propanol; A4 nt ; required for a mixture.
No data avail National legislatio SURFACE POLIS No data avail Other relevant dat SURFACE POLIS No data avail propan-2-ol IARC - classifi TLV - Carcinop 5.2. Chemical sa No chemical sa No chemical sa TION 16: Ott Full text of any H- H225 Highly fl H226 Flamma H304 May be H317 May cau H318 Causes s H319 Causes s H336 May cau EUH066 Repe	In United Kingdom SH Iable Iable ication igen ifety assessment is her inform and EUH-statement ible liquid and vapor fatal if swallowed use an allergic skin serious eye damag serious eye damag serious eye irritatic use drowsiness or co ated exposure may ains a sensitising su INTERNAI Acceptab Acute Toy Bioconcer	3; Isopropanol 2-propanol; A4 nt required for a mixture. ation nts referred to under section 3: nd vapour. our. and enters airways. reaction. e. on. dizziness. y cause skin dryness or cracking. ubstance. May produce an allergic reaction. L CLASSIFICATION BY BIG le daily intake le operator exposure level skicity Estimate ntration Factor
No data avail National legislation SURFACE POLIS No data avail Other relevant dat SURFACE POLIS No data avail propan-2-ol IARC - classifi TLV - Carcinon 5.2. Chemical sat No chemical sat No chemical sat TION 16: Ott Full text of any H- H225 Highly fl H226 Flamma H304 May be H317 May cau H318 Causes s H319 Causes s H336 May cau EUH0066 Repei EUH208 Conta (*) ADI AOEL ATE BCF	In United Kingdom SH Iable Iable ication igen ifety assessment is her inform and EUH-statement ible liquid and vapor fatal if swallowed use an allergic skin serious eye damag serious eye damag serious eye irritatic use drowsiness or co ated exposure may ains a sensitising su INTERNAI Acceptab Acute Toy Bioconcer	3; Isopropanol 2-propanol; A4 nt required for a mixture. ation nts referred to under section 3: nd vapour. our. and enters airways. reaction. e. on. dizziness. y cause skin dryness or cracking. ubstance. May produce an allergic reaction. L CLASSIFICATION BY BIG le daily intake le operator exposure level xicity Estimate

CLP (EU-GHS)	Classification, labelling and packaging (Globally Harmonised System in Europe)
DMEL	Derived Minimal Effect Level
DNEL	Derived No Effect Level
EC10	Effect Concentration 10 %
EC50	Effect Concentration 50 %
ErC50	EC50 in terms of reduction of growth rate
GLP	Good Laboratory Practice
LC0	Lethal Concentration 0 %
LC50	Lethal Concentration 50 %
LD50	Lethal Dose 50 %
LOAEC/LOAEL	Lowest Observed Adverse Effect Concentration/Lowest Observed Adverse Effect Level
NOAEC/NOAEL	No Observed Adverse Effect Concentration/No Observed Adverse Effect Level
NOEC/NOEL	No Observed Effect Concentration/No Observed Effect Level
OECD	Organisation for Economic Co-operation and Development
PBT	Persistent, Bioaccumulative & Toxic
PNEC	Predicted No Effect Concentration
STP	Sludge Treatment Process
vPvB	very Persistent & very Bioaccumulative

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: 2, 3

Publication date: 2008-09-04 Date of revision: 2023-06-08

Revision number: 0500

BIG number: 46829